

Conceptual Evaluation for the Installation of Treatment Capability for Mixed Low-Level Waste at the Nevada National Security Site



DISCLAIMER

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof.

AVAILABILITY STATEMENT

Available for sale to the public from—

U.S. Department of Commerce
National Technical Information Service
5301 Shawnee Road
Alexandria, VA 22312
Telephone: 800.553.6847
Fax: 703.605.6900
E-mail: orders@ntis.gov
Online Ordering: <http://www.ntis.gov/help/ordermethods.aspx>

Available electronically at <http://www.osti.gov/bridge>

Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from—

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831-0062
Telephone: 865.576.8401
Fax: 865.576.5728
E-mail: reports@adonis.osti.gov

Conceptual Evaluation for the Installation of
Treatment Capability for Mixed Low-Level Waste
at the Nevada National Security Site

Prepared for
National Security Technologies, LLC
Las Vegas, Nevada

EXECUTIVE SUMMARY

National Security Technologies, LLC, initiated an evaluation of treatment technologies that they would manage and operate as part of the mixed low-level waste (MLLW) disposal facilities at the Nevada National Security Site (NNSS). The NNSS Disposal Facility has been receiving radioactive waste from the U.S. Department of Energy (DOE) complex since the 1960s, and since 2005 the NNSS Disposal Facility has been receiving radioactive and MLLW for disposal only. In accordance with the Resource Conservation and Recovery Act (RCRA), all mixed waste must meet land disposal restrictions (LDRs) prior to disposal. Compliance with LDRs is attained through treatment of the waste to mitigate the characteristics of the listed waste hazard. Presently, most generators utilize commercial capacity for waste treatment prior to shipment to the NNSS Disposal Facility. The objectives of this evaluation are to provide a conceptual study of waste treatment needs (i.e., demand), identify potential waste treatment technologies to meet demand, and analyze implementation considerations for initiating MLLW treatment capacity at the NNSS Disposal Facility.

A review of DOE complex waste generation forecast data indicates that current and future Departmental demand for mixed waste treatment capacity will remain steady and strong.

Analysis and screening of over 30 treatment technologies narrowed the field of treatment technologies to four:

- Macroencapsulation
- Stabilization/microencapsulation
- Sort and segregation
- Bench-scale mercury amalgamation

The analysis of treatment technologies also considered existing permits, current the NNSS Disposal Facility infrastructure such as utilities and procedures, and past experiences such as green-light and red-light lessons learned.

A schedule duration estimate has been developed for permitting, design, and construction of onsite treatment capability at the NNSS Disposal Facility. Treatment capability can be ready in 20 months.

TABLE OF CONTENTS

1. INTRODUCTION AND BACKGROUND INFORMATION	1
1.1 Introduction	1
1.2 Site and Facility Description	1
1.3 DOE Radioactive Waste Disposal Policy	2
2. POTENTIAL TREATMENT TECHNOLOGIES	2
2.1 Summary Screening of Technologies	2
2.2 Macroencapsulation, Stabilization, and Microencapsulation	3
3. MLLW VOLUMES BY TECHNOLOGY EVALUATION	4
3.1 Historical MLLW Volumes.....	4
3.2 Projected MLLW Volumes	5
4. SELECTION OF POTENTIAL TREATMENT TECHNOLOGIES	6
4.1 Treatment Activities from Historical Experience	6
4.2 Selection of Potential Treatment Technologies	6
5. DESIGN, CONSTRUCTION, AND PERMITTING	9
5.1 Design and Construction Requirements	9
5.2 Permitting Requirements.....	11
5.3 Estimated Design, Permitting, and Construction Schedule.....	12
APPENDIX A: COMBINED PROJECTED WASTE VOLUMES	A-1

TABLES

Table 1. Potential LDR Treatment Technologies for MLLW and Debris	3
Table 2. Historical and Projected MLLW Volumes for the Two Major Treatment Types.....	4
Table 3. Historical Treatment Types for MLLW Disposed at the NNSS Disposal Facility 2006–2009	5
Table 4. Projected Waste Volumes for MLLW to be Disposed at the NNSS Disposal Facility 2010–2016 by Treatment Type	5
Table 5. Design Requirements Utilizing Existing Facilities at the NNSS Disposal Facility	11

FIGURES

Figure 1. Nevada National Security Site Disposal Facility.....	2
--	---

ACRONYMS

CFR	Code of Federal Regulations
DHP	Drum Holding Pad
DOE	U.S. Department of Energy
EPA	U.S. Environmental Protection Agency
ft	foot
ft ³	cubic foot
HDPE	High density polyethylene
LDPE	Low density polyethylene
LDR	Land Disposal Restriction
LLW	low-level waste
MLLW	mixed low-level waste
NDEP	Nevada Division of Environmental Protection
NNSS	Nevada National Security Site
RCRA	Resource Conservation and Recovery Act
RTR	Real-Time Radiography Building
SIS	Sprung Instant Structure
SPSS	Sulfur Polymer Stabilization/Solidification
TP	TRU Pad
TPCB	TRU Pad Cover Building
TRU	transuranic
VERB	Visual Examination and Repackaging Building

1. INTRODUCTION AND BACKGROUND INFORMATION

1.1 INTRODUCTION

The objective of this report is to provide a preliminary evaluation of potential treatment technologies and their installation at the Nevada National Security Site (NNSS) Disposal Facility, including treatment technology types and permitting timeframes. The treatment technologies under consideration are those technologies that could be used to treat U.S. Department of Energy (DOE) generated mixed low-level waste (MLLW) in order to meet Resource Conservation and Recovery Act (RCRA) Land Disposal Restrictions (LDRs) prior to landfill disposal at the NNSS Disposal Facility.

To achieve this preliminary evaluation, the report first looked at the potential treatment technologies set forth in the regulations and those known to be necessary through historical experience at the NNSS Disposal Facility. The evaluation then looked at the volumes, types of wastes, and their treatments that have historically been used prior to disposal at the NNSS Disposal Facility, as well as the volumes/wastes/treatments projected to be disposed at the NNSS Disposal Facility. This comparison found that the viable treatment options would be:

- Macroencapsulation
 - Portland Cement
 - UltraTech Macro boxes[®]
- Stabilization/Microencapsulation
 - Portland Cement
- Sort and Segregation
- Bench-scale Mercury Amalgamation

To estimate the timeframe for implementing these technologies, the existing permits and existing facilities at the site were taken into consideration. It was estimated that the permitting, design, and construction activities could take approximately 20 months to complete.

Supporting documentation for this conceptual treatment capability report is included in Appendix A, "Combined Projected Waste Volumes."

1.2 SITE AND FACILITY DESCRIPTION

The NNSS Disposal Facility is a 1,200 square mile federal reservation located 60 miles north of Las Vegas, Nevada. Historically, the NNSS Disposal Facility has been used primarily for weapons testing and development. Low-level waste (LLW) and MLLW generated from onsite development activities have been treated and disposed at the NNSS Disposal Facility.

Nearly all mixed waste shipped for disposal in the mixed waste disposal unit is from offsite DOE generators, with only a very small fraction coming from onsite mixed waste generators.

Figure 1 provides an aerial view of the waste disposal complex on the NNSS Disposal Facility.



Figure 1. Nevada National Security Site Disposal Facility

1.3 DOE RADIOACTIVE WASTE DISPOSAL POLICY

U.S. Department of Energy Order DOE O 435.1, “Radioactive Waste Management,” states that waste should be treated at the site at which it was generated, if practical, and if not, it should be treated at another DOE site. This policy reflects DOE’s desire to develop adequate treatment capacity within its own system so that fluctuations in the commercial treatment markets do not significantly affect DOE’s ability to generate, treat, and dispose of wastes from ongoing or planned projects. Development of mixed waste treatment capacity at the NNSS Disposal Facility is fully consistent with DOE policy and will enable the NNSS Disposal Facility and other DOE generators to utilize DOE treatment capability for many waste streams. Commercial treatment and disposal capacity will still be necessary for the many DOE waste streams that will not meet the NNSS Disposal Facility’s waste acceptance and treatment criteria.

2. POTENTIAL TREATMENT TECHNOLOGIES

2.1 SUMMARY SCREENING OF TECHNOLOGIES

This section provides a brief listing of the potential treatment technologies that may be applicable for treating the MLLW types forecasted for disposal at the NNSS Disposal Facility. These potential treatment technologies are based on the technologies given in the regulations for meeting LDRs. Technologies for

waste treatment are given in Title 40 Code of Federal Regulations (CFR) Part 268.42 and alternative technologies for debris wastes given in 40 CFR 268.45.

After looking at historical and forecasted waste streams and treatment types in Section 3 of this report, specific treatment technologies that may be practical at the NNSS Disposal Facility will then be recommended in Section 4. Potential RCRA LDR treatment technologies are summarized in Table 1.

Table 1. Potential LDR Treatment Technologies for MLLW and Debris

Land Disposal Restriction Treatment Technologies Screened	
Amalgamation	Macroencapsulation
Thermal desorption	Microencapsulation
Physical extraction	Mercury retorting
Gas venting	Metals/inorganic recovery
Biodegradation	Organics recovery
Carbon adsorption	Zinc smelting
Chemical oxidation/reduction	Stabilization
Combustion/thermal recovery	Steam stripping
Deactivation	Wet air oxidation
Fuel substitute	Controlled reaction
Vitrification	Chemical extraction
Lead smelting	Thermal extraction
Liquid extraction	Biological destruction
Neutralization	Chemical destruction
Polymerization	Thermal destruction
Precipitation	Sealing

2.2 MACROENCAPSULATION, STABILIZATION, AND MICROENCAPSULATION

The use of the terms macroencapsulation, stabilization, and microencapsulation to describe specific treatment technologies varies in this evaluation. In some cases, the reports used as data for Section 3 combined macro- and microencapsulation; therefore, the data in Section 3 are stated as macro/microencapsulation for one category and stabilization as another. However, from Section 4 forward, the evaluation combines stabilization and microencapsulation as one treatment technology because of actual regulatory definitions.

The definition of macroencapsulation as provided by 40 CFR 268.45 and 268.42 states that either a waste or waste debris can be subject to macroencapsulation. The definition specifies that macroencapsulation is a *coating* of the waste/debris using resins, plastics, or cementitious materials.

Conversely, the definition of stabilization (40 CFR 268.42) indicates that it is applicable to waste streams and specifically *limits* its main ingredients to cementitious materials (e.g., Portland cement or pozzolans). Microencapsulation (40 CFR 268.45) is stabilization applied to waste debris and is also *limited to*

cementitious materials. Stabilization and microencapsulation are the same technology applied to different waste forms. In Section 4 and beyond, stabilization and microencapsulation will be viewed as the same technology for the sake of technology selection and design/construction estimates.

3. MLLW VOLUMES BY TECHNOLOGY EVALUATION

This section of the evaluation looks at the waste volumes and treatment types for wastes previously disposed at the NNSS Disposal Facility and those projected to be disposed at the NNSS Disposal Facility. The data indicated two treatment types constituted a significant portion of the waste streams: macro/microencapsulation and stabilization. Based on median range numbers, a projected annual average volume of approximately 73,664 cubic feet (ft³) per year of MLLW will need macro/microencapsulation or stabilization treatment for future disposal at the NNSS Disposal Facility.

The treatment volumes by the two major treatment types, as derived from Tables 3 and 4, are summarized in Table 2 below.

Table 2. Historical and Projected MLLW Volumes for the Two Major Treatment Types

Technology	Total Historical Waste Volume (ft³) (2006–2009)	Total Projected Range Median Value* (ft³) (2010–2016)	Average Projected Average Annual Volume (ft³) (2010–2016)
Macroencapsulation/ Microencapsulation	114,273	464,950	66,421
Stabilization	19,680	50,700	7,243
Totals	133,953	515,650	73,664
* Median values are derived from the ranges provided in Table 4.			

Sections 3.1 and 3.2 and Appendix A provide more details on historical and projected waste volumes and treatment types.

3.1 HISTORICAL MLLW VOLUMES

National Security Technologies, LLC, the prime contractor operating the NNSS Disposal Facility, supplied the data regarding historical treatment types and volumes.

This information is summarized in Table 3, which indicates the volumes by treatment type for the last four years.

Table 3. Historical Treatment Types for MLLW Disposed at the NNSS Disposal Facility 2006–2009

Technology Type	Treatment Volume Total (ft ³)
No sorption or solidification	136,383
Other – Waste lock, Aquadox, Multizorb, VTD Residue	22,672
Macro	114,273
Meets Concentration based LDR standards	1,741
Stabilization	19,680
Other (Provide LDR specific Treatment Technology Code)	295
Meets Concentration based LDR, Multizorb, solidification, Macro, LDPE	3,699
Amalgamation	789
Total Waste Volume (ft³)	299,532
LDPE = Low density polyethylene VTD = vacuum thermal desorption	

3.2 PROJECTED MLLW VOLUMES

Using two waste disposition forecasts provided to DOE by numerous governmental entities (e.g., national laboratories), the quantity of waste that could require treatment at the NNSS Disposal Facility from 2010 to 2016 was estimated to range from 61,800 ft³ to 951,600 ft³, or on average from 8,800 ft³ to 135,900 ft³ annually. The first forecast used for this projection included a database of different waste types and quantities where the NNSS Disposal Facility was identified as the disposal facility (“ToNNSS”). The second waste forecast used included similar information for wastes where the disposal facility had not been determined (“ToTBD”). The prescribed treatment methods of either macroencapsulation or stabilization/solidification were listed on these forecasts for some of the wastes; where not prescribed, assumptions were made on the treatment method(s) to be utilized.

The results of this exercise are summarized in Table 4.

Table 4. Projected Waste Volumes for MLLW to be Disposed at the NNSS Disposal Facility 2010–2016 by Treatment Type

Treatment Type	Waste Quantity Range (ft ³)
Macro/microencapsulation	54,000 to 858,000
Stabilization	7,800 to 93,600
Total Waste Volume (ft³)	61,800 to 951,600

A more detailed table generated from the two waste disposition forecasts is included in Appendix A. Due to the projected small quantity (~1 liter/year) of elemental mercury mixed waste to be received at the NNSS Disposal Facility, the treatment of this waste stream is not reflected in Table 4 or the accompanying table in Appendix A.

4. SELECTION OF POTENTIAL TREATMENT TECHNOLOGIES

4.1 TREATMENT ACTIVITIES FROM HISTORICAL EXPERIENCE

After interviews and conversations with personnel operating the NNSS Disposal Facility, it was found that three specific activities that could be considered treatment should be included in any discussion of RCRA-permitted treatment activities. These treatment activities include sorting and segregation of wastes, amalgamation of small quantities of MLLW mercury, and use of the UltraTech Macro Box[®] as backup to macroencapsulation. Although sort and segregation may not be considered an actual treatment technology, it is viewed as a RCRA Part B permitted activity when conducted away from the waste generator's site. These three treatment activities have been identified as selected treatment technologies based on historical experience.

Sorting and Segregation Alternative

Historical experience at the NNSS Disposal Facility has shown that significant reductions in the amount of waste to be disposed of and/or the amount of waste needing treatment can be achieved through the sorting and segregating of wastes after they have been received. Having a "sort and segregate" alternative allows waste containers, especially legacy waste containers, to be opened and the wastes sorted and segregated into streams that require further treatment and those that do not require any treatment. This would greatly reduce the volume of wastes requiring treatment and subsequently requiring disposal in the RCRA permitted disposal facility at the NNSS Disposal Facility.

Bench-Scale Amalgamation

Historically, small quantities of MLLW liquid mercury have been found in things such as vials, switches, and thermostats during sort and segregation operations. These small quantities of MLLW mercury are difficult to dispose of because they require trans-shipping to an offsite facility for further treatment prior to being shipped back to the NNSS Disposal Facility for disposal. The ability to treat small quantities of MLLW liquid mercury by the process of bench-scale amalgamation would eliminate offsite shipping and treatment.

UltraTech Macro Box[®]

The UltraTech Macro Box[®] is a macroencapsulation system composed of high-density polyethylene (HDPE)/linear low-density polyethylene (LDPE) macro-liners housed within the NNSS Disposal Facility Waste Acceptance Criteria-compliant stainless steel boxes. These containers also meet RCRA LDRs for macroencapsulation. Although cost prohibitive for repetitive use, the containers are a patented technology with existing design specifications, and their use could be included in a RCRA treatment permit application with very little additional effort. As a result of little additional permitting effort, these boxes could provide an emergency or alternative form of macroencapsulation for waste debris that cannot be readily treated with Portland cement. An example would be waste streams with higher activity in which as low as reasonably achievable principles would potentially drive use of the macro box technology.

4.2 SELECTION OF POTENTIAL TREATMENT TECHNOLOGIES

In Section 2 of this evaluation, the potential treatment technologies available were listed; in Section 3 the treatments' historical and projected waste volumes were compared. This comparison found that macro/microencapsulation and stabilization composed the two most significant waste volumes and treatment technologies used and projected to be used at the NNSS Disposal Facility. In addition, historical

experience at the site has indicated that sort and segregation and amalgamation of mercury on a small scale would be complementary to the encapsulation and stabilization technologies.

The following treatment technologies are recommended for installation at the NNSS Disposal Facility:

- Macroencapsulation
 - Portland cement
 - UltraTech Macro Boxes[®]
- Stabilization/Microencapsulation
 - Portland cement
- Sort and Segregation
- Bench-scale Mercury Amalgamation

The following list provides some examples of the specific treatment technologies and approaches for implementations which were initially screened for applicability to the waste streams and for installation at the NNSS Disposal Facility:

Macroencapsulation

- Grouting in carbon-steel boxes or drums
- Welded stainless steel containers
- UltraTech Macro Boxes[®]
- High integrity containers
- Portland cement and fly ash – Numerous
- Pozzolan (Chemfix Technologies Inc.)
- Chemically bonded Phosphate Ceramic Encapsulation
- Polyethylene encapsulation (LDPE and HDPE)
 - LDPE – single screw extractor (EnergySolutions)
 - HDPE – Pre-manufactured containers (Chemical Waste Management Inc., BOH Environmental LLC, and Ultra-Tech International Inc.)
- Asphalt (cold/hot mix)
- Thermosetting Resin (polyester and epoxy)
- Synthetic Elastomers (rubber)
- Ceramic silicone foam (Orbit Technologies)
- Dolocrete[™] (calcined dolomitic binder material)
- Sulfur Polymer Cement (Newmont Mining Corp)

Microencapsulation

- Polyethylene encapsulation (LDPE and HDPE)
 - LDPE – single screw extractor (EnergySolutions)
 - HDPE – Pre-manufactured containers (Chemical Waste Management Inc., BOH Environmental LLC, and Ultra-Tech International Inc.)
- Portland cement and fly ash – Numerous

Stabilization

- Portland cement and fly ash – Numerous

Amalgamation – Bench-scale application

- Sulfur polymer stabilization/solidification
- Mixing with sulfur and small amounts of inorganic agents to stabilize mercury

A brief literature review of these specific technologies and an informal survey of two of the industries' largest existing treatment facilities determined the two treatment technologies that could most cost-effectively be applied at the NNSS Disposal Facility for encapsulation and stabilization would be the use of Portland cement or polyethylene resins.

Portland Cement vs. Polyethylene Resin

Portland cement and polyethylene macroencapsulation both offer many technological and economic advantages:

- Extruders and pugmills (cement mixers) are commercially available and have a long history of industrial use.
- The equipment and materials used in the processes are available off the shelf, except for specialized pour nozzles.
- Both technologies can be scaled or tailored to site-specific conditions and can be readily incorporated into existing facilities.
- The processes operate at low temperatures and need no off-gas treatment.
- Both media are commonly used and relatively inexpensive compared to other treatment processes.
- Both can be formulated to produce a waste barrier that is durable, leach resistant, and compliant with Nuclear Regulatory Commission guidelines and RCRA requirements for disposal of MLLW.

Selection of Portland Cement

Although polyethylene resin is extremely tough and flexible, has excellent chemical resistance, is easy to process, and is used at the two major MLLW commercial treatment facilities, Portland cement has been recommended for installation at the NNSS Disposal Facility for the following reasons:

- An operating cement batch plant is already constructed on site near the NNSS Disposal Facility.
- Portland cement qualifies as an accepted media for both macroencapsulation and stabilization/microencapsulation.
- Using an existing portable cement mixing truck, Portland cement could be used with a methodology that is approved by the regulators on a case-by-case basis, for performing macroencapsulation of large debris in place within the landfill cell.

Amalgamation of Elemental Mercury Mixed Waste

As noted above, approximately 1 liter/year of elemental liquid mercury mixed waste is projected during the mixed waste sort and segregation activities at the NNSS Disposal Facility. For this small quantity of waste, the NNSS Disposal Facility could use bench-scale equipment to carry out the amalgamation/stabilization treatment. From a review of technical publications that address treatment of radiologically contaminated elemental mercury, and discussions with RCRA treatability laboratory personnel who have direct experience with treating this type of waste, two viable methods of treating elemental mercury mixed waste on a bench scale, which can result in a waste material being disposed in accordance with the U.S. Environmental Protection Agency (EPA) land disposal restrictions, include:

1. **Mercury Amalgamation** – Physical mixing of the waste liquid elemental mercury with a metallic compound (typically powdered sulfur) at room temperature resulting in formation of a stable mercury non-liquid compound, such as mercury sulfide. Additional chemical additives in relative small percent quantities are required to be mixed with the reacted mercury mixture to render it suitable for land disposal. The mercury amalgamation reaction is exothermic and will result in the evolution of some mercury-containing air emissions.
2. **Sulfur Polymer Stabilization/Solidification (SPSS)** – Physical mixing of the waste liquid elemental mercury with a powdered sulfur polymer cement to form a stable mercury sulfide compound, followed by heating to melt the compound while mixing. The mixture is then cooled to form a monolithic solid waste in which the stabilized mercury particles are microencapsulated within a sulfur polymer matrix, rendering this solid waste suitable for land disposal. This process was developed at Brookhaven National Laboratory.

Both elemental mercury treatment methods listed above involve evolution of mercury-containing emissions that are generated during treatment; therefore, at a minimum, the treatment would need to be performed under a laboratory fume hood. The mercury amalgamation requires only bench-scale mixing equipment, whereas the SPSS treatment method requires the reaction vessel to be placed under an inert gas atmosphere and be capable of heating the contents to approximately 130°C. To avoid the need for inert gases and heating devices, the bench-scale mercury amalgamation method is recommended for installation at the NNSS Disposal Facility within the Visual Examination and Repackaging Building (VERB).

Two key factors have been found to significantly impact the success of elemental mercury mixed waste treatment systems to yield a stabilized material that can meet EPA land disposal restrictions: (1) the presence of other inorganic contaminants in the liquid mercury and (2) the consistency of the mercury waste stream's composition. These are factors to consider in establishing waste acceptance criteria for elemental mercury mixed waste, and in arriving at a treatment "recipe" that consistently results in meeting the treatment objectives.

5. DESIGN, CONSTRUCTION, AND PERMITTING

5.1 DESIGN AND CONSTRUCTION REQUIREMENTS

Existing Facilities

The first task in examining the potential design requirements was to look at existing facilities at the NNSS Disposal Facility. The use of existing facilities would greatly reduce both design and construction costs and would reduce the permitting timeframe because the design drawings already exist for inclusion in the permit application. Presently at the NNSS Disposal Facility, the following facilities exist that could be used in a treatment and storage process. The brief description of these facilities also includes comments regarding design and construction changes that may be required to support a treatment process.

- **VERB** – Visual Examination and Repackaging Building
- **TP** – Transuranic (TRU) Pad
- **TPCB** – TRU Pad Cover Building
- **DHP** – Drum Holding Pad
- **Area 1 Cement mixing batch plant**
- **RTR** – Real Time Radiography Building
- **SIS** – Sprung Instant Structure (covered with gravel edges)

VERB – The VERB is a covered building, approximately 60 x 80 feet (ft), and contains a Permacon structure that is constructed to withstand negative air pressure with a curbed impervious floor. The air is currently emitted through a bank of HEPA filters. This structure could be used to perform treatments that may include sort and segregate, macro/microencapsulation, stabilization, and bench-scale amalgamation of elemental mercury. Air emission controls may have to be modified and permitted depending on the wastes accepted and treatment conducted. In addition, this area would need to be modified to include whatever process equipment is needed for the selected treatment technologies. For example, if treatment with a pozzolanic cement grout were selected, a pugmill mixer would be needed to keep the grout mix from setting up, and a grout pump/delivery system would need to be installed to transfer the grout to the treatment area within the VERB.

TP and TPCB – The TRU Pad is a large asphalt covered and bermed pad approximately 150 by 300 ft that was constructed to meet the engineering requirements for MLLW storage. The TPCB is an enclosed, soft sided building supported by a metal superstructure, which covers approximately one-half of the TRU Pad area. This building is currently used to stage wastes in an enclosed environment out of the weather. The TRU Pad and TPCB were constructed to meet RCRA engineering requirements and offer ample room to stage and store wastes prior to treatment and/or prior to disposal. Little or no construction activities would be required to include the areas for waste storage within a treatment process permit.

DHP – The Drum Holding Pad is a smaller (20 by 40 ft) cement bermed and covered pad that is currently used to accumulate drummed waste prior to being sent off site for disposition. This pad could also be included in an application for onsite treatment with little or no engineering or construction costs. This pad could be used to store smaller quantities of waste drums that may need to be stored separately from other waste streams.

Area 1 Cement Mixing Batch Plant – This existing plant, which is located on the NNSS Disposal Facility, but separate from the NNSS Disposal Facilities area, could be used to develop and mix a pozzolanic grout that would meet the requirements for treatment technologies such as stabilization and macro/microencapsulation. The existing fleet of mixer trucks could be used to deliver the grout to the pugmill at the VERB. Since this facility is not involved in the treatment process, but only delivers a product for the treatment, it would not need to be included in permit for MLLW treatment and would not represent any design or construction costs.

SIS and RTR – Other structures located at the NNSS Disposal Facility, such as the SIS and the RTR, could be used to support a treatment process, but at present would require specific engineering upgrades in order to meet requirements. The SIS, a soft-sided enclosed building, currently does not have an impermeable floor or berm, which would be required and most likely would be used to store waste. The RTR's usable area is largely occupied by the radiography unit at the present time and would require significant modification to enlarge the building to obtain any usable area. Unless radiography is found to be a necessary step in the treatment process, the RTR should not be considered under a permit for MLLW treatment.

Design and Construction Requirements

Even if the existing structures and their existing design drawings are used, some portions of the treatment process would require the development of design drawings and treatment process specifications and the associated construction of the newly designed treatment processes. Table 5 identifies some of the design requirements and ensuing construction activities for the proposed treatment technologies.

Table 5. Design Requirements Utilizing Existing Facilities at the NNSS Disposal Facility

Existing Facility	Macro/Micro	Amalgamation	Storage
VERB	Cement pad and cover for material delivery and base for material preparation system (i.e., pugmill pad)	Bench-scale area amalgamation process and specifications for meeting LDR treatment standards	None
	Material preparation system design and specifications for meeting LDR treatment standards (i.e., HDPE heating system or grout pugmill mixing system)	Ventilation hood design	
	Material delivery system inside building to the treatment area (i.e., piping, hoses, nozzles)	Air emission control system modifications to deal with mercury vapors	
	Waste suspension system within containers to accomplish macroencapsulation		
TP/TPCB	None	None	Calculations of maximum waste volumes in consideration of waste codes and treatment volumes
DHP	None	None	Calculations of maximum waste volumes in consideration of waste codes and treatment volumes
Area 1 Cement Plant	None	None	None
DHP = Drum Holding Pad TP/TPCB = TRU Pad/TRU Pad Cover Building VERB = Visual Examination and Repackaging Building			

5.2 PERMITTING REQUIREMENTS

Permitting Approach

Currently, the NNSS Disposal Facility holds a RCRA Part B permit for the landfill disposal of MLLW from the Nevada Division of Environmental Protection (NDEP). This permit only allows for the direct disposal of wastes that must be received in a RCRA LDR-compliant form.

The permitting structure could be changed in one of two ways:

1. **Major modification of the existing permit** to include treatment of MLLW and its associated storage.
2. **Issuance of a separate stand-alone permit** for the treatment of MLLW and its associated storage.

With either approach, the permitting process will require the same steps and take approximately the same time to conduct.

Significant Permitting Elements

Beyond selection of the actual treatment technologies, the following three elements will be significant in preparing the permit application. These elements may require substantial input from outside sources, such as vendors for the treatment specifications, generators for the waste acceptance criteria, and NDEP for the waste analysis plan. The following three elements and their impacts have been incorporated into the schedule estimate:

- Development of specific **Waste Acceptance Criteria** will mandate the shipment and receipt only of waste streams that can be successfully treated by the selected technologies.
- Determining and incorporating the **treatment technologies specifications** to demonstrate that the treatment technology can meet LDR treatment requirements.
- Development of the **Waste Analysis Plan**, which will specify the sampling and analysis, will need to be performed on treated wastes in order to verify the treatment has met LDR requirements prior to disposal.

5.3 ESTIMATED DESIGN, PERMITTING, AND CONSTRUCTION SCHEDULE

This section provides an estimated schedule for the design, permitting, and construction activities associated with the installation of the Portland cement and bench-scale amalgamation technologies at the NNSS Disposal Facility. The schedule indicates that these tasks could be completed in an estimated 20 month design, permitting, and construction timeline.

The schedule is based largely upon previous field experience with similar projects and contains these assumptions:

- Significant reduction in application preparation time can be achieved by utilizing sections of the existing Part B landfill permit.
- The NDEP review time will be only 75 days.
- Significant public comment for the purpose of delaying the application will not be given.
- Construction contractors' access onto the secure the NNSS Disposal Facility will not be delayed.

APPENDIX A

COMBINED PROJECTED WASTE VOLUMES

FY2010 BLDD
Streams With NNSS Disposition Path

Wtype	SendingSite	Stream Name	CH/RH	Phys Form	Treatment Tech	Projected Disposition Qtys (M3)							FollowOn
						FY2010	FY2011	FY2012	FY2013	FY2014	FY2015	FY2016+	
WASTE STREAM WHERE DISPOSAL LOCATION IS TO NNSS													
MLLW	Idaho	ICP MW treated	CH	Solids	None	171	88	88	169	215	0	0	
MLLW	Idaho	AMWTP treated MW for NNSS disposal	CH	Solids	None	0	0	0	0	0	0	0	
MLLW	Idaho	INL MLLW for disposal from commercial treatment	CH	Solids	None	16.57	16.57	16.57	16.57	16.57	16.57	579.95	
MLLW	Idaho	AMWTP ES-BC treated MW for NNSS disposal	CH	Solids	None	100	0	0	0	0	0	0	
MLLW	Idaho	CH MLLW resulting from accelerated INL RH TRU processing	CH	Debris Waste	Macroencapsulation	32	35	0	36	36	36	0	
MLLW	Idaho	ICP MLLW prev. treated	CH	Solids	None	0	0	0	0	0	0	0	
MLLW	Idaho	ICP MLLW	CH	Solids	None	4.16	45.79	87.45	12	24	36	192	
MLLW	Idaho	INL CH-MLLW Treatment onsite at Sodium Components Maintenance S	CH	Solids	Multiple/Various	2	2	2	2	2	2	38.63	96
MLLW	Idaho	AMWTP Treated MLLW by PF M&EC for NNSS Disposal	CH	Solids	Incineration	191.58	0	0	0	0	0	0	
MLLW	Idaho	ICP MLLW (ARP)	CH	Solids	To Be Determined	39	5	5	5	5	5	10	
MLLW	Idaho	CH/RH MLLW resulting from accelerated INL RH TRU processing	RH	Solids	Stabilization/Solidification	0	0	0	45	45	45	0	
MLLW	Lawrence Berkeley	MW >Class A	CH	Solids	None	0.2	0	0	0	0	0	0	
MLLW	Lawrence Livermore	Mixed Waste for NNSS	CH	Solids	Macroencapsulation	0	7.211	0	0	0	0	0	
MLLW	Los Alamos	ER MW to NNSS	CH	Solids	Multiple/Various	5	0	5	0	0	0	0	
MLLW	Los Alamos	10-100 MW drums from TRU to NNSS	CH	To Be Characterized	Multiple/Various	191	0	458	193	0	0	0	
MLLW	Los Alamos	Operational MW to NNSS	CH	Solids	Multiple/Various	1	0	2	1	1	1	36	
MLLW	Los Alamos	Non-routine MW to NNSS	CH	To Be Characterized	Multiple/Various	0	0	0	0	0	0	36	
MLLW	Nevada	CAU 116	CH	Debris Waste	Macroencapsulation	0	9	0	0	0	0	0	
MLLW	Nevada	CAU 114	CH	Debris Waste	Macroencapsulation	0	28	28	106	0	0	0	
MLLW	Nevada	CAU 113	CH	Debris Waste	Macroencapsulation	28	0	0	0	0	0	0	
MLLW	Nevada	CAU 117	CH	Debris Waste	Macroencapsulation	0.2	0	0	0	0	0	0	
MLLW	Nevada	Miscellaneous secondary MLLW from NNSS RTBF projects	CH	Homogeneous Solids	Macroencapsulation	1	1	1	1	1	1	0	
MLLW	Oak Ridge	Classified MLLW Treatment Residues	CH	Solids	None	0.5	0	0	0	0	0	0	
MLLW	Oak Ridge	040-K25-MLLW-2_NNSS	CH	Solids	None	0	0	0	0	0	0	0	
MLLW	Oak Ridge	11Z-MLLW-1_NNSS	CH	Debris Waste	None	0	0	0	0	0	0	0	
MLLW	Oak Ridge	13B-EnergX_MLLW-1	CH	Debris Waste	None	291.88	0	0	0	0	0	0	
MLLW	Oak Ridge	13B-MLLW-3_NNSS	CH	Debris Waste	None	0	0	0	0	0	0	0	
MLLW	Oak Ridge	042-IFDP-MLLW-4_NNSS	CH	Debris Waste	None	10.7	168.2	198.78	53.52	38.23	0	5806.57	
MLLW	Paducah	Legacy MLLW	CH	Solids	None	18	0	0	0	0	0	0	
MLLW	Paducah	D&D and Inactive Facilities	CH	Debris Waste	None	36	0	0	0	0	0	0	
MLLW	Sandia - NM	MLLW, Class A, Unclassified, Solids, Macro	CH	Solids	Macroencapsulation	50	50	5	0	0	0	0	
MLLW	Sandia - NM	MLLW, Class A, Classified, Solids	CH	Solids	None	5	5	2	0	0	0	0	
MLLW	Sandia - NM	MLLW, > Class A, Classified, Solids	CH	Solids	None	5	5	3	0	0	0	0	
MLLW	Sandia - NM	MLLW, Class A, Unclassified, Solids	CH	Solids	None	10	10	5	0	0	0	0	
MLLW	Savannah	Already Treated Waste - DP	CH	Final Waste Forms	Multiple/Various	2.5	1.3	0	0	0	0	0	
MLLW	Savannah	No Path To Disposal Waste	CH	To Be Characterized	To Be Determined	0	0	0	0	0	0	0	
MLLW	Savannah	Stabilized Organic Liquids	CH	Final Waste Forms	None	0	0	0	0	0	0	0	
MLLW	Savannah	Stabilized Depleted Uranyl Nitrate (DUN)	CH	Final Waste Forms	None	0	0	0	0	0	0	0	
MLLW	Savannah	Treated MLLW (10-100 nCi/g)	CH	Final Waste Forms	None	258	344	258	0	0	0	0	
MLLW	West Valley	Debris - TBD - Legacy (GTCA) (NNSS)	CH	Debris Waste	Multiple/Various	0	30	45	0	0	0	0	
MLLW	West Valley	Debris - TBD - New Projects (GTCA) (NNSS)	CH	Debris Waste	Multiple/Various	0	5	51	0	0	0	0	

TOTAL ALL "To NNSS" WASTES	1470.29	856.071	1260.8	640.09	383.8	142.57	6699.15	96
TOTAL WITH "MACROENCAPSOLATION" AS TREATMENT TECH	111.2	130.2	34.0	143.0	37.0	37.0	0.0	0.0
TOTAL WITH "NONE" AS TREATMENT TECH	927.01	682.56	658.8	251.09	293.8	52.57	6578.52	0
TOTAL WITH "MULTIPLE/VARIOUS" AS TREATMENT TECH	201.5	38.3	563	196	3	3	110.63	96
TOTAL WITH "TO BE DETERMINED" AS TREATMENT TECH	39.0	5.0	5.0	5.0	5.0	5.0	10.0	0.0
TOTAL WITH "INCINERATION" AS TREATMENT TECH	191.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0

FY 2010-2016 (M³)	FY 2010-2016 (Ft³)	FY2010-2016 Volumes by Facility
731	25,804	
0	0	
679	23,982	
100	3,530	
175	6,178	
0	0	
401	14,169	
51	1,787	
192	6,763	
74	2,612	
135	4,766	89,591 Ft³ Idaho
0	7	249 Ft³ Lawrence Berkeley
7	255	8,986 Ft³ Lawrence Livermore
10	353	
842	29,723	
42	1,483	
36	1,271	32,829 Ft³ Los Alamos
9	318	
162	5,719	
28	988	
0	7	
6	212	7,244 Ft³ Nevada
1	18	
0	0	
0	0	
292	10,303	
0	0	
6,276	221,543	10,321 Ft³ Oak Ridge
18	635	
36	1,271	1,906 Ft³ Paducah
105	3,707	
12	424	
13	459	
25	883	5,472 Ft³ Sandia - NM
4	134	
0	0	
0	0	
0	0	
860	30,358	30,492 Ft³ Savannah
75	2,648	
56	1,977	4,624 Ft³ West Valley
11,453	404,283	
492	17,382	
9,444	333,386	
1,115	39,375	
74	2,612	
192	6,763	

WASTE STREAM WHERE DISPOSAL LOCATION IS TO BE DETERMINED													
Wtype	SendingSite	Stream Name	CH/RH	Phys Form	Treatment Tech	Projected Disposition Qtys (M3)							FollowOn
						FY2010	FY2011	FY2012	FY2013	FY2014	FY2015	FY2016+	
MLLW	Argonne	General TRU Waste - Requiring Handling (contains elemental lead)	CH	Solids	Multiple/Various	3.35	0.489	0.489	0.489	0.489	0.489	0	
MLLW	Argonne	TRU Corrosive Waste	CH	Solids	Multiple/Various	1.946	0.106	0.106	0.106	0.106	0.106	0	
MLLW	Hanford-RL	RH & Large Package Misc. Solids	RH	Solids	Multiple/Various	107.2	128.4	7.2	7.2	7.2	7.2	960.3	12
MLLW	Hanford-RP	RH LLMW Debris	RH	Debris Waste	Macroencapsulation	0	0	0	0	0	0	1186	582
MLLW	Hanford-RP	RH MLLW Spent Resin (IX Resin)	RH	Solids	Other Thermal Treatment	0	0	0	0	0	0	445	584
MLLW	Hanford-RP	RH MLLW Spent Resin (Eichrome Resin)	RH	Solids	Other Thermal Treatment	0	0	0	0	0	0	4.25	586
MLLW	Idaho	INL RWDP MLLW	RH	Solids	Multiple/Various	0	0	0	0	0	0	0	
MLLW	Lawrence Berkeley	Organic contaminated Solids	CH	To Be Characterized	Multiple/Various	0	0	1.2	0	0	0	0	
MLLW	Lawrence Berkeley	Miscellaneous Debris	CH	Solids	Sort/Segregate	0	0	0.23	0	0	0.49	0	
MLLW	Lawrence Berkeley	Reactivities	CH	Organic Liquids	Other	0	0	0	0	0	0	0	1632
MLLW	Lawrence Berkeley	Stabilization	CH	Liquids	Stabilization/Solidification	0	0	0	0	0	0	0	1632
MLLW	Lawrence Berkeley	MLLW Sources	CH	Solids	None	0.2	0	0	0	0	0	0	
MLLW	Lawrence Livermore	Dep-U Chips and Turnings	CH	Specific Waste Forms	To Be Determined	0	0	0	1	0	0	12.3	
MLLW	Lawrence Livermore	Granular Activated Carbon	CH	Homogeneous Solids	To Be Determined	0	0	0	0	1	1	0	
MLLW	Lawrence Livermore	Reactivities	CH	Solids	Neutralization	0.2	0.1	0.2	0.1	0.2	0.1	5.5	
MLLW	Los Alamos	10-100 MW drums from TRU to commercial	CH	To Be Characterized	Multiple/Various	0	0	0	0	0	0	0	
MLLW	Los Alamos	ER MW to commercial	CH	Solids	Multiple/Various	8987	3377	234	260	445	445	0	
MLLW	Los Alamos	Non-routine MW to commercial	CH	To Be Characterized	Multiple/Various	0	0	0	0	0	0	1800	
MLLW	Los Alamos	Operational MW to commercial	CH	To Be Characterized	Multiple/Various	10	10	7	8	8	8	288	
MLLW	Oak Ridge	Spallation Neutron Source RH Mixed LLW	RH	Solids	To Be Determined	3	3	3	3	3	3	105	
MLLW	Oak Ridge	Spallation Neutron Source RH Mixed LLW	RH	Liquids	To Be Determined	0.03	0.03	0.03	0.03	0.03	0.03	1.05	
MLLW	Oak Ridge	040-MLLW-7 TBD	CH	Solids	To Be Determined	0	0	0	0	10.19	10.19	10.19	
MLLW	Oak Ridge	041-IFDP-MLLW-3 TBD	CH	Debris Waste	To Be Determined	0	0	0	0.57	0	6.4	15.52	
MLLW	Oak Ridge	041-IFDP-MLLW-4 TBD	CH	Soil/Gravel	To Be Determined	0	0	0	0	0	1597.07	6371.29	
MLLW	Oak Ridge	042-IFDP-MLLW-2 TBD	CH	Organic Liquids	To Be Determined	0	2.26	2.26	0	1.25	0	17.06	
MLLW	Oak Ridge	042-IFDP-MLLW-3 TBD	CH	Soil/Gravel	To Be Determined	0	0	0	0	21.24	21.24	0	
MLLW	Oak Ridge	042-NPTD-MLLW-3	CH	Debris Waste	To Be Determined	0	0	0.22	0	0	0	0	
MLLW	Oak Ridge	13B-NPTD-MLLW-7 COMM	CH	Debris Waste	To Be Determined	43.2	0	0	0	0	0	0	
MLLW	Oak Ridge	042-IDIQ-MLLW-2 TBD	CH	Debris Waste	To Be Determined	1140.99	64.97	0	0	0	0	0	
MLLW	Oak Ridge	042-IDIQ-MLLW-3 TBD	CH	Liquids	To Be Determined	5.2	0.09	0	0	0	0	0	
MLLW	Oak Ridge	042-IDIQ-MLLW-4 TBD	RH	Debris Waste	To Be Determined	0.11	0.21	0	0	0	0	0	
MLLW	Oak Ridge	042-IFDP-MLLW-5 TBD	CH	Debris Waste	To Be Determined	87.92	156.73	336.4	321.11	183.49	137.62	1964.89	
MLLW	Oak Ridge	13B-EnergX_MLLW-2 TBD	CH	Debris Waste	To Be Determined	0	276.89	32.09	65.97	0	0	0	
MLLW	Oak Ridge	13B-NPTD-MLLW-17 COMM	CH	Liquids	To Be Determined	0.3	0	0	0	0	0	0	
MLLW	Oak Ridge	Alpha 5 MLLW	CH	Debris Waste	To Be Determined	4830	4605	0	0	0	0	0	
MLLW	Oak Ridge	Beta 4 MLLW	CH	Debris Waste	To Be Determined	24	5	0	0	0	0	0	
MLLW	Oak Ridge	WEMA MLLW	CH	Debris Waste	To Be Determined	0	396	0	0	0	0	0	
MLLW	Paducah	GDP-MLLW	CH	To Be Characterized	To Be Determined	0	0	0	0	0	0	23716.7	
MLLW	Portsmouth	D & D 3	CH	Liquids	Multiple/Various	0	0	183	183	183	183	3694	
MLLW	Savannah	Aqueous Liquids for Onsite Treatment	CH	Aqueous Liquids/Slurries	Multiple/Various	0	0	0	0	0	0	0	
MLLW	SLAC	Activated or Contaminated Smoke Detectors	CH	Debris Waste	Macroencapsulation	1.35	0.05	0.05	0.05	0.05	0.05	1.75	
MLLW	West Valley	Debris - Future Projects (TBD)	CH	Debris Waste	To Be Determined	0	0	0	0	0	0	0	
OTH	Fermi	Non-Radioactive Nevis Shield Blocks	CH	Solids	To Be Determined	0	0	0	0	0	0	0	
OTH	Paducah	CaF2	CH	Solids	None	0	0.8	8	8	8	8	152	
OTH	Paducah	HF Clean UP	CH	Solids	Neutralization	0	0.8	4	4	4	4	76	
OTH	Paducah	UDS-D&D	CH	To Be Characterized	To Be Determined	0	0	0	0	0	0	0	
UNK	Hanford-RP	D&D Waste	CH	Debris Waste	To Be Determined	0	0	0	0	0	0	0	
TOTAL ALL TBD WASTES						15,246.0	9,027.9	819.5	862.6	876.2	2,433.0	40,826.8	5,028.0

6 205
2 87
1,225 43,232
1,186 41,866
445 15,709
4 150
0 0
1 42
1 25
0 0
0 0
0 7
13 469
2 71
6 226
0 0
13,748 485,304
1,800 63,540
339 11,967
123 4,342
1 43
31 1,079
22 794
7,968 281,283
23 806
42 1,500
0 8
43 1,525
1,206 42,570
5 187
0 11
3,188 112,542
375 13,236
0 11
9,435 333,056
29 1,024
396 13,979
23,717 837,200
4,426 156,238
0 0
3 118
0 0
0 0
185 6,523
93 3,276
0 0
0 0
0 0
70,092 2,474,249

COMBINED ToNNSS AND ToTBD								
Total Contact Handled Identified for MACROENCAPSULATION	112.6	130.3	34.1	143.1	37.1	37.1	1,187.8	582.0
Total Contact Handled Identified for STABILIZATION	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1,632.0

Combined Projected MLLW Volumes

Wtype	SendingSite	Phys Form	Prescribed Treatment	Treatment Assumptions	Projected Disposition Quantities		MACRO/MICRO ENCAPSULATION		STABILIZATION	
							Prescribed	Assumed	Prescribed	Assumed
WASTE STREAM WHERE DISPOSAL LOCATION IS "TO NNSS"					FY 2010-2016 (Ft³)	FY2010-2016 Volumes by Facility (Ft³)	FY 2010-2016 (Ft³) by Treatment Method			
MLLW	Idaho	Debris Waste	Macroencapsulation		6,178	17,340 Ft³ Idaho	6,178			
MLLW	Idaho	Solids	Multiple/Various	75% Macro;	1,787			1,340		
MLLW	Idaho	Solids	Incineration	100% stabilization-ash	6,763					6,763
MLLW	Idaho	Solids	To Be Determined	?	2,612					
MLLW	Lawrence Livermore	Solids	Macroencapsulation		255		255 Ft³ Lawrence Livermore	255		
MLLW	Los Alamos	Solids	Multiple/Various	100% stabilization - dirt	353	32,829 Ft³ Los Alamos				353
MLLW	Los Alamos	To Be Characterized	Multiple/Various	100% Macro	29,723			29,723		
MLLW	Los Alamos	Solids	Multiple/Various	50% Macro/micro; 25% stabilization	1,483			741		371
MLLW	Los Alamos	To Be Characterized	Multiple/Various	50% Macro; 25% stabilization	1,271			635		318
MLLW	Nevada	Debris Waste	Macroencapsulation		318			318		
MLLW	Nevada	Debris Waste	Macroencapsulation		5,719	7,244 Ft³ Nevada	5,719			
MLLW	Nevada	Debris Waste	Macroencapsulation		988			988		
MLLW	Nevada	Debris Waste	Macroencapsulation		7			7		
MLLW	Nevada	Homogeneous Solids	Macroencapsulation		212		7,244 Ft³ Nevada	212		
MLLW	Sandia - NM	Solids	Macroencapsulation		3,707		3,707 Ft³ Sandia-NM	3,707		
MLLW	Savannah	Final Waste Forms	Multiple/Various	None	134	134 Ft³ Savannah				
MLLW	Savannah	To Be Characterized	To Be Determined	None	0					
MLLW	West Valley	Debris Waste	Multiple/Various	100% Macro	2,648	4,624 Ft³ West Valley		2,648		
MLLW	West Valley	Debris Waste	Multiple/Various	75% Macro;	1,977			1,483		
TOTAL ALL "To NNSS" WASTES					66,132	66,132	17,382	36,570	0	7,804
WASTE STREAM WHERE DISPOSAL LOCATION IS "TO BE DETERMINED"					FY 2010-2016 (Ft³)	FY2010-2016 Volumes by Facility	FY 2010-2016 (Ft³) by Treatment			
MLLW	Argonne	Solids	Multiple/Various	100% Macro	205	292 Ft³ Argonne		205		
MLLW	Argonne	Solids	Multiple/Various	None	87					
MLLW	Lawrence Berkeley	To Be Characterized	Multiple/Various	None	42					
MLLW	Lawrence Berkeley	Solids	Sort/Segregate		25					
MLLW	Lawrence Berkeley	Organic Liquids	Other	None	0					
MLLW	Lawrence Berkeley	Liquids	Stabilization/Solidification	None	0	75 Ft³ Lawrence Berkeley				
MLLW	Lawrence Berkeley	Solids	None	None	7					
MLLW	Lawrence Livermore	Specific Waste Forms	To Be Determined	100% Micro	469			469		
MLLW	Lawrence Livermore	Homogeneous Solids	To Be Determined	100% Micro	71			71		
MLLW	Lawrence Livermore	Solids	Neutralization	None	226		766 Ft³ Lawrence Livermore			
MLLW	Los Alamos	To Be Characterized	Multiple/Various	None	0	560,811 Ft³ Los Alamos				
MLLW	Los Alamos	Solids	Multiple/Various	90% Macro/ micro	485,304			436,774		
MLLW	Los Alamos	To Be Characterized	Multiple/Various	33% Macro; 20% stabilization	63,540			20,968		12,708
MLLW	Los Alamos	To Be Characterized	Multiple/Various	33% Macro; 20% stabilization	11,967			3,949		2,393
MLLW	Oak Ridge	Solids	To Be Determined	90% Macro	1,079			971		
MLLW	Oak Ridge	Debris Waste	To Be Determined	90% Macro	794	803,598 Ft³ Oak Ridge		715		
MLLW	Oak Ridge	Soil/Gravel	To Be Determined	90% Macro	281,283			253,155		
MLLW	Oak Ridge	Organic Liquids	To Be Determined	90% Macro	806			725		
MLLW	Oak Ridge	Soil/Gravel	To Be Determined	90% Macro	1,500			1,350		
MLLW	Oak Ridge	Debris Waste	To Be Determined	100% Macro	8			8		
MLLW	Oak Ridge	Debris Waste	To Be Determined	100% Macro	1,525			1,525		
MLLW	Oak Ridge	Debris Waste	To Be Determined	100% Macro	42,570			42,570		
MLLW	Oak Ridge	Liquids	To Be Determined	100% Stabilization	187					187
MLLW	Oak Ridge	Debris Waste	To Be Determined	100% Macro	112,542			112,542		
MLLW	Oak Ridge	Debris Waste	To Be Determined	None	13,236					
MLLW	Oak Ridge	Liquids	To Be Determined	100% Stabilization	11					11
MLLW	Oak Ridge	Debris Waste	To Be Determined	90% Macro	333,056			299,750		
MLLW	Oak Ridge	Debris Waste	To Be Determined	90% Macro	1,024			921		
MLLW	Oak Ridge	Debris Waste	To Be Determined	90% Macro	13,979		803,598 Ft³ Oak Ridge	12,581		
MLLW	Paducah	To Be Characterized	To Be Determined	50% Macro	837,200	837,200 Ft³ Paducah	418,600			
MLLW	Portsmouth	Liquids	Multiple/Various	100% Stabilization	156,238	156,238 Ft³ Portsmouth			156,238	
MLLW	Savannah	Aqueous Liquids/Slurries	Multiple/Various	None	0	0 Ft³ Savannah				
MLLW	SLAC	Debris Waste	Macroencapsulation		118	118 Ft³ SLAC	118			
MLLW	West Valley	Debris Waste	To Be Determined	None	0	0 Ft³ West Valley				
TOTAL ALL "ToTBD" WASTES					2,359,097	2,359,097	118	1,607,848	0	171,536
50% of "ToTBD" WASTES					1,179,549	1,179,549	59	803,924		85,768
COMBINED FT3 of ToNNSS AND 50% of ToTBD					1,245,680	1,245,680	17,441	840,494	0	93,572