

Feed Basis for Processing Relatively Low Radioactivity Waste Tanks

M. D. Drumm

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808



This document was prepared in conjunction with work accomplished under Contract No. DE-AC09-96SR18500 with the U. S. Department of Energy.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

**Available for sale to the public, in paper, from: U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161,
phone: (800) 553-6847,
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/help/index.asp>**

**Available electronically at <http://www.osti.gov/bridge>
Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from: U.S. Department of Energy, Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831-0062,
phone: (865)576-8401,
fax: (865)576-5728
email: reports@adonis.osti.gov**

WSRC-TR-2001-00559, Rev. 2
Keywords: Salt Processing, Waste
Characterization
Retention: Permanent
Publication Date: November 21, 2002

Feed Basis for Processing Relatively Low Radioactivity Waste Tanks

M. D. Drumm

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808



This page intentionally left blank.

ABSTRACT

This paper presents the characterization of potential feed for processing relatively low radioactive waste tanks. The feed characterization is based on waste characterization data extracted from the waste characterization system. This data is compared to salt cake sample results from Tanks 37, 38 and 41.

CONTENTS

1	Introduction	1
2	Approach	1
3	Salt Cake and Feed Solution Characterization	2
4	Real Waste Salt Cake Samples	20
5	References	25
	Appendix A	26

LIST OF TABLES

Table 1: Salt Cake Composition	4
Table 2: Supernate Composition	5
Table 3: Average Radionuclide Concentration in Sludge	9
Table 4: DWPF Recycle Composition (Tank 22 Supernate)	10
Table 5: ARP Adjusted to 6.44 M $[\text{Na}^+]$ with Inhibited Water	11
Table 6: ARP Adjusted to 6.44 M $[\text{Na}^+]$ with DWPF Recycle	13
Table 7: LCS Dissolved and Adjusted to 6.0 M $[\text{Na}^+]$ with Inhibited Water	15
Table 8: LCS Dissolved to 7.4 M $[\text{Na}^+]$ with Inhibited Water then Adjusted to 6.0 M $[\text{Na}^+]$ with DWPF Recycle	17
Table 9: Volumes for ARP Adjustment Using Inhibited Water	19
Table 10: Volumes for ARP Adjustment Using DWPF Recycle	19
Table 11: Volumes for LCS Dissolved and Adjusted with Inhibited Water	19
Table 12: Volumes for LCS Dissolved with Inhibited Water and Adjusted with DWPF Recycle	19
Table 13: Comparison of Real Salt Cake Sample Results with Predicted Compositions	22

This page intentionally left blank

Feed Basis for Processing Relatively Low Radioactivity Waste Tanks

By M. D. Drumm

1 Introduction

To prepare cesium (Cs) for final disposal, it is necessary to separate Cs and other soluble transuranic material from the waste stream. The original baseline salt processing step at SRS, known as In-Tank Precipitation (ITP), initiated operation in September 1995. During operations, benzene (a flammable gas) evolved from the process at higher rates than expected.

In August 1996, the Defense Nuclear Facilities Safety Board (DNFSB) issued Recommendation 96-1 that operations and tests in the ITP Facility not proceed without an improved understanding of the mechanisms of benzene generation, retention, and release. Extensive laboratory studies conducted from December 1995 through January 1998 ultimately concluded that production goals and safety requirements could not be simultaneously met in the ITP Facility, as configured. This resulted in a Westinghouse Savannah River Company (WSRC) recommendation to the Department of Energy in January 1998 to suspend ITP operations and conduct a systems engineering evaluation of salt disposition options and to recommend the preferred alternatives.

DOE designated a preferred alternative, Caustic Side Solvent Extraction, in October 2001. As described in the Salt Processing EIS Record of Decision (ROD), DOE plans to pursue a variety of methods to disposition the salt waste. These are:

- Low Curie Salt Waste to Saltstone
- Actinide Removal from Low Curie Waste followed by Disposal in Saltstone
- Actinide Removal followed by future treatment of the resulting stream rich in Cs
- Caustic Side Solvent Extraction

This paper presents the characterization of potential feed for processing relatively low radioactive waste tanks. The feed characterization is based on waste characterization data extracted from the Waste Characterization System (WCS). This data is compared to salt cake sample results from Tanks 37, 38 and 41. Any revisions to the expected feed will be represented by revisions to this document.

2 Approach

Salt cake in High Level Waste (HLW) tanks consists of crystallized salts with interstitial void space and entrained insoluble solids assumed to be sludge solids. In order to determine the composition of the salt cake, the individual parts (saltcake, interstitial supernate, and entrained sludge) are first identified and then combined in the appropriate ratios to formulate the final characterization.

The interstitial space is assumed to consist of gas and supernate. Prior to dissolving the salt cake, the interstitial space is assumed to be drained such that 30% liquid supernate remains. Such drainage is possible in a laboratory test on simulated salt cake in a small scale tank.¹ Hydraulic modeling of a full-scale tank indicates the same may be possible at full-scale.² The total interstitial liquid volume is assumed to be 22%.³

Chemical and Radionuclide concentrations for salt cake and supernate in each waste tank with salt cake are extracted from the HLW Waste Characterization System (WCS)³ or calculated from the information given in the WCS. WCS indicates radionuclides are assumed to be in the interstitial supernate and entrained insoluble solids and not in the saltcake solids.

The waste tanks deemed relatively low in activity are assumed to be processed by two options: treatment by actinide removal at 512-S (formerly Late Wash) or sending the dissolved salt to Tank 50 to be processed by Saltstone with only chemical adjustment to meet the Saltstone chemical concentration requirements.

For the tanks being treated by the Actinide Removal Process (ARP) the chemical and radionuclide data are adjusted to a sodium concentration of 6.44 M by two different methods, simulating dissolution with inhibited water (0.01 M NaOH/0.011 M NaNO₂) and simulating dissolution with DWPF recycle. The DWPF recycle is assumed to be characteristic of Tank 22 supernate.

For tanks being treated by the Low Curie Salt (LCS) process, the chemical and radionuclide data are adjusted assuming two different scenarios. In both scenarios, the chemical and radionuclide data are adjusted to a sodium concentration of 7.4 M by simulating dissolution with inhibited water. The dissolved 7.4 M salt solution is then adjusted to a sodium concentration of 6.0 M assuming two different mediums, inhibited water and DWPF recycle. The DWPF recycle is assumed to be characteristic of Tank 22 supernate.

The radionuclide contribution of the insoluble solids is estimated from the average distribution of radionuclides in HLW sludge, which is extracted from the WCS. The radionuclide contribution range of sludge is then calculated by multiplying the mass-based distribution by 600 mg of sludge solids per liter of 6.44 M salt solution for the ARP feed and 300 mg of sludge solids per liter of 6.0 M salt solution for LCS.³ The sludge contribution is then added to the supernate contribution estimated above.

3 Salt Cake and Feed Solution Characterization

Waste tanks with Salt cake include Tanks 1, 2, 3, 9, 10, 25, 27, 28, 29, 31, 33, 34, 36, 37, 38, 41, 44, 45, 46, and 47. Tanks 1, 2, 3, 9, and 10 do not have transferable free supernate, so no recent supernate sample data is available to adequately characterize the radionuclide inventory. The lack of current information on the composition of the supernate in these waste tanks should be considered when using any of the available data for these tanks. The tanks to be treated by LCS are Tanks 9, 10, 29, 31, 36, 37, 38, and 41. The waste tanks treated by ARP are Tanks 1, 2, 3, 25, 27, 28, 33, 34, 44, 45, 46, and 47.

Table 1 shows the salt cake composition as calculated from the information given in the WCS. WCS lists only two compositions for salt cake, one for F-Area salt waste and one for H-Area salt waste, thus, Table 1: Salt Cake Composition shows tanks in F-Area have the same saltcake composition and the tanks in H-Area have the same saltcake composition. Table 2 shows the supernate composition per tank extracted from WCS and converted to a consistent set of units. Table 3 shows the average composition of sludge from WCS. Average sludge composition is estimated by dividing the total of each component by the total mass of sludge in both tank farms as reported by WCS. Table 4 shows the supernate composition of Tank 22 supernate that is assumed to be the composition of DWPF recycle. Table 5 and Table 6 show the estimated compositions of the feed material produced from the ARP waste tanks after adjusting the drained saltcake to a sodium concentration of 6.44 M with inhibited water (0.01 M NaOH) and DWPF recycle, respectively. Table 7 shows the estimated compositions of feed material from LCS waste tanks after dissolution with inhibited water to a sodium concentration of 7.4 M, and adjustment to a 6.0 M sodium concentration using inhibited water. Table 8 shows the estimated compositions of feed material from LCS waste tanks after dissolution with inhibited water to a sodium concentration of 7.4 M and adjustment to a 6.0 M sodium concentration using DWPF recycle.

Table 9, Table 10, Table 11 and Table 12 show the total estimated volume of salt solution produced after dissolution and chemical adjustment of each of the four scenarios. To account for the non-ideal solution, the specific gravity of the dissolved salt solution was calculated based on the sodium concentration.⁴ The amount of dilution water required to give a final dissolved salt solution sodium concentration of 6.44 M was then determined algebraically.

$$\rho_{ss} = (1.009 + 0.04454 \cdot [\text{Na}]_{ss}) \cdot 8.34 \quad (1)$$

$$\rho_{ss} = m_{ss} / V_{ss} \quad (2)$$

$$m_{ss} = m_{ds} + m_{H_2O} \quad (3)$$

Combining equations 2 and 3 and equating them to equation 1, yields

$$(m_{ds} + m_{H_2O}) / V_{ss} = (1.009 + .04454 * [Na]_{ss}) * 8.34 \quad (4)$$

$$m_{H_2O} = V_{ss} * [(1.009 + .04454 * [Na]_{ss}) * 8.34] - m_{ds} \quad (5)$$

$$V_{ss} = [Na]_{ds} / [Na]_{ss} * V_{ds} \quad (6)$$

Inserting equation 6 into equation 5 yields

$$m_{H_2O} = [Na]_{ds} / [Na]_{ss} * V_{ds} * [(1.009 + .04454 * [Na]_{ss}) * 8.34] - m_{ds} \quad (7)$$

$$V_{H_2O} = m_{H_2O} / \rho_{H_2O} \quad (8)$$

Combining equations 7 and 8 yield

$$V_{H_2O} = \{ [Na]_{ds} / [Na]_{ss} * V_{ds} * [(1.009 + .04454 * [Na]_{ss}) * 8.34] - m_{ds} \} / \rho_{H_2O} \quad (9)$$

ss = salt solution after dilution

ds = drained salt

H₂O = dilution water

ρ = density (lb/gal)

[Na] = sodium concentration (M)

V = volume (gal)

m = mass (lb)

Appendix A contains total gamma data from the Tank Chemistry Database, which provides a comparison of current cesium values in WCS to historical analysis.

Table 1: Salt Cake Composition

	ARP Waste Tanks (M)									
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 44	Tank 45	Tank 46	Tank 47
Na	1.90E+01	1.90E+01	1.90E+01	1.90E+01	1.90E+01	1.90E+01	1.90E+01	1.90E+01	1.90E+01	1.90E+01
Al(OH) ₄	9.52E-01	9.52E-01	9.52E-01	9.52E-01	9.52E-01	9.52E-01	9.52E-01	9.52E-01	9.52E-01	9.52E-01
CO ₃	6.62E-01	6.62E-01	6.62E-01	6.62E-01	6.62E-01	6.62E-01	6.62E-01	6.62E-01	6.62E-01	6.62E-01
C ₂ O ₄	6.67E-02	6.67E-02	6.67E-02	6.67E-02	6.67E-02	6.67E-02	6.67E-02	6.67E-02	6.67E-02	6.67E-02
NO ₂	3.03E-01	3.03E-01	3.03E-01	3.03E-01	3.03E-01	3.03E-01	3.03E-01	3.03E-01	3.03E-01	3.03E-01
NO ₃	1.13E+01	1.13E+01	1.13E+01	1.13E+01	1.13E+01	1.13E+01	1.13E+01	1.13E+01	1.13E+01	1.13E+01
OH	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00	2.68E+00
PO ₄	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03
SO ₄	9.74E-01	9.74E-01	9.74E-01	9.74E-01	9.74E-01	9.74E-01	9.74E-01	9.74E-01	9.74E-01	9.74E-01
Ca	1.51E-04	1.51E-04	1.51E-04	1.51E-04	1.51E-04	1.51E-04	1.51E-04	1.51E-04	1.51E-04	1.51E-04
Cl	1.28E-01	1.28E-01	1.28E-01	1.28E-01	1.28E-01	1.28E-01	1.28E-01	1.28E-01	1.28E-01	1.28E-01
F	2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.13E-01	2.13E-01
K	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02
NH ₄	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

	LCS Waste Tanks (M)							
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Na	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01	2.06E+01
Al(OH) ₄	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00	1.28E+00
CO ₃	4.28E-01	4.28E-01	4.28E-01	4.28E-01	4.28E-01	4.28E-01	4.28E-01	4.28E-01
C ₂ O ₄	4.54E-02	4.54E-02	4.54E-02	4.54E-02	4.54E-02	4.54E-02	4.54E-02	4.54E-02
NO ₂	2.37E+00	2.37E+00	2.37E+00	2.37E+00	2.37E+00	2.37E+00	2.37E+00	2.37E+00
NO ₃	8.55E+00	8.55E+00	8.55E+00	8.55E+00	8.55E+00	8.55E+00	8.55E+00	8.55E+00
OH	5.91E+00	5.91E+00	5.91E+00	5.91E+00	5.91E+00	5.91E+00	5.91E+00	5.91E+00
PO ₄	5.03E-02	5.03E-02	5.03E-02	5.03E-02	5.03E-02	5.03E-02	5.03E-02	5.03E-02
SO ₄	5.92E-01	5.92E-01	5.92E-01	5.92E-01	5.92E-01	5.92E-01	5.92E-01	5.92E-01
Ca	1.00E-04	1.00E-04	1.00E-04	1.00E-04	1.00E-04	1.00E-04	1.00E-04	1.00E-04
Cl	1.24E-01	1.24E-01	1.24E-01	1.24E-01	1.24E-01	1.24E-01	1.24E-01	1.24E-01
F	1.16E-01	1.16E-01	1.16E-01	1.16E-01	1.16E-01	1.16E-01	1.16E-01	1.16E-01
K	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02	1.43E-02
NH ₄	4.53E-03	4.53E-03	4.53E-03	4.53E-03	4.53E-03	4.53E-03	4.53E-03	4.53E-03

Table 2: Supernate Composition

	ARP Waste Tanks (M)											
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
Na	1.42E+01	1.41E+01	1.42E+01	1.19E+01	1.30E+01	1.24E+01	3.07E+00	1.08E+01	1.41E+01	1.33E+01	1.50E+01	8.56E+00
Al(OH) ₄	7.20E-01	1.06E+00	3.00E-01	5.00E-01	1.08E+00	5.10E-01	1.00E-02	2.90E-01	3.80E-01	2.20E-01	7.00E-02	4.00E-01
CO ₃	1.40E-01	1.50E-01	2.00E-01	1.30E-01	1.20E-01	4.00E-02	1.00E-02	5.30E-01	2.00E-01	2.90E-01	1.00E-02	2.80E-01
C ₂ O ₄	7.80E-03	6.80E-03	6.80E-03	6.80E-03	6.70E-03	6.80E-03	5.70E-03	7.40E-03	6.80E-03	6.70E-03	5.70E-03	6.80E-03
NO ₂	2.75E+00	3.04E+00	2.70E+00	1.30E+00	1.42E+00	1.72E+00	4.70E-02	1.16E+00	1.52E+00	1.70E+00	1.58E+00	6.20E-01
NO ₃	2.00E+00	2.25E+00	1.60E+00	1.34E+00	1.71E+00	2.10E+00	1.34E+00	2.47E+00	1.13E+00	1.22E+00	1.73E+00	2.37E+00
OH	9.30E+00	7.18E+00	9.40E+00	9.22E+00	9.54E+00	7.04E+00	1.22E+00	6.16E+00	1.18E+01	1.31E+01	6.39E+00	3.76E+00
PO ₄	2.60E-02	5.80E-02	5.80E-02	1.80E-02	1.80E-02	2.40E-02	5.30E-03	6.90E-03	1.20E-02	1.30E-02	1.76E-02	6.30E-03
SO ₄	5.70E-03	5.30E-03	5.30E-03	5.00E-03	8.60E-03	7.60E-03	5.15E-02	3.00E-02	4.20E-03	5.00E-03	1.87E-02	3.90E-02
Ag	2.78E-05	3.71E-07	3.71E-07	8.34E-07	4.91E-06	3.62E-06	1.69E-06	1.69E-06	1.69E-06	1.69E-06	1.69E-06	1.69E-06
As	4.18E-03	3.39E-03	4.21E-03	1.47E-04	1.33E-04	1.74E-04	1.16E-03	3.01E-03	5.12E-03	5.60E-03	3.09E-03	2.11E-03
Ba	0.00E+00	0.00E+00	0.00E+00	1.46E-07	1.46E-06	1.09E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ca	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.91E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.41E-05
Cd	1.30E-04	9.98E-05	1.32E-04	4.00E-06	3.83E-06	5.07E-06	1.39E-05	8.51E-05	1.67E-04	1.85E-04	8.84E-05	5.05E-05
Cl	2.50E-02	2.20E-02	2.20E-02	2.00E-02	2.10E-02	2.10E-02	2.80E-03	1.60E-02	2.40E-02	2.80E-02	2.24E-02	7.70E-03
Co	2.14E-05	1.82E-05	2.16E-05	2.13E-05	2.18E-05	1.79E-05	8.94E-06	1.66E-05	2.53E-05	2.73E-05	1.69E-05	1.29E-05
Cr	8.00E-03	4.00E-03	4.00E-03	8.85E-04	5.39E-04	1.79E-03	1.18E-02	1.03E-02	8.61E-03	8.22E-03	1.03E-02	1.11E-02
Cu	7.72E-03	5.92E-03	7.81E-03	7.66E-03	7.93E-03	5.80E-03	8.32E-04	5.05E-03	9.87E-03	1.10E-02	5.24E-03	3.00E-03
Fe	5.00E-04	3.20E-04	3.20E-04	6.45E-05	6.45E-05	5.01E-05	4.26E-05	2.29E-04	4.42E-04	4.90E-04	2.37E-04	1.38E-04
F	1.50E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02	5.90E-03	1.30E-02	1.30E-02	1.30E-02	7.80E-03	1.30E-02
Hg	1.50E-04	9.97E-05	9.97E-05	4.99E-05	4.99E-05	4.99E-05	5.82E-04	6.20E-04	6.63E-04	6.73E-04	6.22E-04	6.02E-04
K	2.00E-01	2.00E-01	2.00E-01	1.30E-01	1.40E-01	1.30E-01	1.30E-02	7.60E-02	1.60E-01	1.80E-01	8.60E-02	5.40E-02
Mg	0.00E+00	3.05E-07	0.00E+00	0.00E+00	0.00E+00	4.70E-07	7.32E-06	1.51E-06	0.00E+00	0.00E+00	1.23E-06	4.33E-06
Mn	1.54E-05	1.26E-05	1.55E-05	2.73E-06	3.28E-06	4.37E-06	4.73E-06	1.12E-05	1.87E-05	2.04E-05	1.15E-05	8.07E-06
Nd	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.65E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.24E-05
Ni	5.14E-05	4.26E-05	5.18E-05	5.11E-05	5.24E-05	4.21E-05	1.81E-05	3.85E-05	6.18E-05	6.71E-05	3.94E-05	2.86E-05
Pb	0.00E+00	0.00E+00	0.00E+00	1.40E-04	1.16E-04	1.59E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ru	8.15E-04	6.38E-04	8.23E-04	8.08E-04	8.35E-04	6.27E-04	1.42E-04	5.53E-04	1.02E-03	1.13E-03	5.73E-04	3.54E-04
Se	6.41E-03	7.31E-03	6.36E-03	1.04E-03	7.98E-04	1.34E-03	9.87E-03	7.75E-03	5.33E-03	4.78E-03	7.65E-03	8.78E-03
Si	0.00E+00	0.00E+00	0.00E+00	4.95E-03	4.34E-03	2.54E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Sr	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.83E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.98E-05
Zn	9.37E-03	7.41E-03	9.46E-03	9.30E-03	9.59E-03	7.28E-03	1.88E-03	6.46E-03	1.17E-02	1.29E-02	6.68E-03	4.24E-03
Zr	2.47E-04	1.90E-04	2.49E-04	2.45E-04	2.53E-04	1.87E-04	3.22E-05	1.63E-04	3.14E-04	3.48E-04	1.70E-04	9.96E-05

Table 2: Supernate Composition (continued)

	ARP Waste Tanks (Ci/gal)											
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
Sr-90	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03
Y-90	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03
Cs-137	1.98E+01	7.35E+00	7.35E+00	4.29E+00	4.07E+00	4.47E+00	9.93E-02	3.48E+00	5.30E+00	5.01E+00	6.47E+00	2.67E+00
Ba-137m	1.88E+01	6.96E+00	6.96E+00	4.06E+00	3.85E+00	4.23E+00	9.40E-02	3.29E+00	5.01E+00	4.74E+00	6.12E+00	2.52E+00
Th-232	----	----	----	----	----	----	----	----	----	----	----	----
U-232	4.28E-10	4.28E-10	4.28E-10	3.48E-09	3.48E-09	3.48E-09	4.59E-08	4.66E-08	3.48E-09	3.48E-09	3.48E-09	3.48E-09
U-233	----	----	----	----	----	----	----	----	----	----	----	----
U-234	----	----	----	----	----	----	----	----	----	----	----	----
U-235	1.86E-09	1.86E-09	1.86E-09	7.79E-09	7.79E-09	7.79E-09	5.44E-08	4.36E-08	7.79E-09	7.79E-09	7.79E-09	7.79E-09
U-236	----	----	----	----	----	----	----	----	----	----	----	----
U-238	4.49E-08	4.49E-08	4.49E-08	7.12E-07	7.12E-07	7.12E-07	4.97E-06	3.08E-06	7.12E-07	7.12E-07	7.12E-07	7.12E-07
Np-237	4.12E-08	4.12E-08	4.12E-08	----	----	----	4.10E-06	2.38E-06	----	----	----	----
Pu-238	1.19E-04	1.19E-04	1.19E-04	5.90E-03	5.90E-03	5.90E-03	----	----	5.90E-03	5.90E-03	5.90E-03	5.90E-03
Pu-239	1.80E-05	1.80E-05	1.80E-05	8.43E-04	8.43E-04	8.43E-04	5.95E-04	4.98E-04	8.43E-04	8.43E-04	8.43E-04	8.43E-04
Pu-240	4.29E-06	4.29E-06	4.29E-06	1.88E-04	1.88E-04	1.88E-04	1.33E-04	1.11E-04	1.88E-04	1.88E-04	1.88E-04	1.88E-04
Pu-241	3.78E-05	3.78E-05	3.78E-05	5.05E-03	5.05E-03	5.05E-03	3.46E-03	2.83E-03	5.05E-03	5.05E-03	5.05E-03	5.05E-03
Pu-242	1.38E-09	1.38E-09	1.38E-09	3.87E-08	3.87E-08	3.87E-08	2.74E-08	2.31E-08	3.87E-08	3.87E-08	3.87E-08	3.87E-08
Am-241	6.24E-05	6.24E-05	6.24E-05	----	----	----	6.24E-03	6.38E-03	----	----	----	----
Am-242m	7.87E-08	7.87E-08	7.87E-08	----	----	----	8.52E-06	8.68E-06	----	----	----	----
Cm-244	1.31E-08	1.31E-08	1.31E-08	7.32E-08	7.32E-08	7.32E-08	3.31E-06	3.26E-06	7.32E-08	7.32E-08	7.32E-08	7.32E-08
Cm-245	1.42E-14	1.42E-14	1.42E-14	2.88E-14	2.88E-14	2.88E-14	1.30E-12	1.33E-12	2.88E-14	2.88E-14	2.88E-14	2.88E-14
Total Alpha	2.04E-04	2.04E-04	2.04E-04	6.93E-03	6.93E-03	6.93E-03	6.98E-03	7.00E-03	6.93E-03	6.93E-03	6.93E-03	6.93E-03

Notes:

- Sr/Y concentrations are extracted from reference 5 due to limited data within WCS.
- Cs concentrations were converted to Ci/gal from the Cs concentrations in mg/L given in WCS, using a Specific Activity of 8.70 E-2 Ci/mg.
- Ba-137m concentrations assumed to be 94.6% of the Cs-137 concentration.

Table 2: Supernate Composition (continued)

	LCS Waste Tanks (M)							
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Na	1.10E+01	8.20E+00	4.87E+00	1.27E+01	1.27E+01	1.27E+01	1.48E+00	9.94E+00
Al(OH) ₄	1.60E+00	1.60E+00	3.20E-01	8.60E-01	1.00E-02	4.80E-01	1.60E-01	2.00E-01
CO ₃	1.00E-01	1.00E-01	1.00E-02	5.00E-02	8.00E-02	6.00E-02	1.00E-01	2.60E-01
C ₂ O ₄	6.80E-03	6.80E-03	6.40E-03	6.80E-03	6.80E-03	1.70E-02	5.90E-03	5.70E-03
NO ₂	3.20E+00	3.62E-01	8.79E-01	2.50E+00	2.24E+00	1.96E+00	3.42E-01	9.89E-01
NO ₃	1.90E+00	3.82E+00	8.49E-01	2.39E+00	1.66E+00	2.29E+00	3.59E-01	3.30E+00
OH	3.80E+00	8.30E-01	1.97E+00	5.22E+00	1.05E+01	7.00E+00	1.71E+00	3.95E+00
PO ₄	5.00E-02	5.00E-02	7.30E-03	2.20E-02	3.10E-02	1.60E-02	5.50E-03	2.63E-02
SO ₄	2.00E-02	2.00E-02	9.70E-03	1.60E-02	4.20E-03	1.50E-02	8.60E-03	4.86E-02
Ag	2.78E-06	1.85E-06	1.95E-06	1.69E-06	1.69E-06	1.69E-06	2.13E-06	1.69E-06
As	2.13E-03	1.02E-03	2.54E-04	2.66E-03	4.61E-03	3.32E-03	1.74E-04	2.18E-03
Ba	0.00E+00	0.00E+00	1.02E-05	0.00E+00	0.00E+00	0.00E+00	3.64E-07	0.00E+00
Ca	1.32E-05	7.76E-05	5.29E-05	0.00E+00	0.00E+00	0.00E+00	5.85E-05	9.97E-06
Cd	5.11E-05	8.30E-06	6.67E-06	7.15E-05	1.47E-04	9.72E-05	3.56E-06	5.32E-05
Cl	2.90E-02	2.90E-02	5.30E-03	9.80E-03	1.90E-02	1.30E-02	2.90E-03	1.16E-02
Co	1.29E-05	8.34E-06	1.01E-05	1.51E-05	2.32E-05	1.79E-05	9.70E-06	1.32E-05
Cr	3.00E-03	2.00E-03	7.83E-03	1.06E-02	9.02E-03	1.01E-02	9.79E-03	1.10E-02
Cu	3.03E-03	4.99E-04	1.47E-03	4.24E-03	8.72E-03	5.76E-03	1.25E-03	3.16E-03
Fe	1.79E-07	1.79E-07	4.12E-05	1.93E-04	3.91E-04	2.60E-04	9.49E-05	1.45E-04
F	2.00E-03	2.00E-03	5.90E-03	1.30E-02	1.30E-02	1.30E-02	5.50E-03	5.20E-03
Hg	6.48E-04	1.40E-03	9.97E-05	6.13E-04	6.53E-04	6.26E-04	4.99E-05	6.03E-04
K	2.00E-01	2.00E-01	4.10E-02	7.60E-02	1.70E-01	8.70E-02	1.33E-02	3.70E-02
Mg	4.28E-06	7.78E-06	6.44E-06	2.61E-06	0.00E+00	5.17E-07	6.74E-06	4.11E-06
Mn	8.12E-06	4.21E-06	5.46E-06	9.99E-06	1.69E-05	1.23E-05	2.91E-06	8.32E-06
Nd	8.97E-05	2.91E-04	2.14E-04	0.00E+00	0.00E+00	0.00E+00	2.31E-04	7.95E-05
Ni	2.87E-05	1.65E-05	2.12E-05	3.46E-05	5.62E-05	4.19E-05	2.01E-05	2.94E-05
Pb	0.00E+00	0.00E+00	2.46E-04	0.00E+00	0.00E+00	0.00E+00	1.45E-04	0.00E+00
Ru	3.57E-04	1.10E-04	2.05E-04	4.75E-04	9.12E-04	6.23E-04	1.83E-04	3.69E-04
Se	8.76E-03	1.00E-02	2.98E-03	8.15E-03	5.91E-03	7.39E-03	2.85E-03	8.70E-03
Si	0.00E+00	0.00E+00	8.90E-04	0.00E+00	0.00E+00	0.00E+00	6.94E-03	0.00E+00
Sr	4.77E-05	2.04E-04	1.44E-04	0.00E+00	0.00E+00	0.00E+00	1.57E-04	3.98E-05
Zn	4.27E-03	1.52E-03	2.58E-03	5.59E-03	1.05E-02	7.24E-03	2.34E-03	4.41E-03
Zr	1.01E-04	2.18E-05	5.21E-05	1.38E-04	2.78E-04	1.86E-04	4.52E-05	1.05E-04

Table 2: Supernate Composition (continued)

	LCS Waste Tanks (Ci/gal)							
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Sr-90	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02
Y-90	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02
Cs-137	7.21E+00	1.26E+00	4.09E+00	1.14E+01	2.09E+01	1.52E+01	2.70E-01	2.52E+00
Ba-137m	6.82E+00	1.19E+00	3.87E+00	1.07E+01	1.98E+01	1.44E+01	2.56E-01	2.39E+00
Th-232	5.39E-10	5.39E-10	5.39E-10	5.39E-10	5.39E-10	5.39E-10	----	----
U-232	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	1.53E-10	----	----
U-233	1.10E-07	1.10E-07	1.10E-07	1.10E-07	1.10E-07	1.10E-07	----	----
U-234	1.56E-08	1.56E-08	1.56E-08	1.56E-08	1.56E-08	1.56E-08	2.55E-07	2.55E-07
U-235	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	4.26E-10	2.57E-09	2.57E-09
U-236	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09	1.61E-09	3.88E-08	3.88E-08
U-238	4.98E-09	4.98E-09	4.98E-09	4.98E-09	4.98E-09	4.98E-09	3.60E-10	3.60E-10
Np-237	4.01E-08	4.01E-08	4.01E-08	4.01E-08	4.01E-08	4.01E-08	2.22E-07	2.22E-07
Pu-238	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	7.00E-03	7.00E-03
Pu-239	3.96E-06	3.96E-06	3.96E-06	3.96E-06	3.96E-06	3.96E-06	2.16E-05	2.16E-05
Pu-240	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.64E-06	1.43E-05	1.43E-05
Pu-241	3.56E-05	3.56E-05	3.56E-05	3.56E-05	3.56E-05	3.56E-05	1.19E-03	1.19E-03
Pu-242	1.09E-09	1.09E-09	1.09E-09	1.09E-09	1.09E-09	1.09E-09	2.68E-07	2.68E-07
Am-241	4.50E-05	4.50E-05	4.50E-05	4.50E-05	4.50E-05	4.50E-05	3.74E-05	3.74E-05
Am-242m	5.50E-08	5.50E-08	5.50E-08	5.50E-08	5.50E-08	5.50E-08	4.65E-08	4.65E-08
Cm-244	1.32E-07	1.32E-07	1.32E-07	1.32E-07	1.32E-07	1.32E-07	6.31E-07	6.31E-07
Cm-245	1.63E-11	1.63E-11	1.63E-11	1.63E-11	1.63E-11	1.63E-11	3.88E-11	3.88E-11
Total Alpha	2.04E-04	2.04E-04	2.04E-04	2.04E-04	2.04E-04	2.04E-04	7.08E-03	7.08E-03

Notes:

- Sr/Y concentrations are extracted from reference 5 due to limited data within WCS.
- Cs concentrations were converted to Ci/gal from the Cs concentrations in mg/L given in WCS, using a Specific Activity of 8.70 E-2 Ci/mg.
- Ba-137m concentrations assumed to be 94.6% of the Cs-137 concentration.

Table 3: Average Radionuclide Concentration in Sludge

Nuclides	Sludge Solids (Ci/mg)
C-14	1.49E-12
Ni-59	8.55E-10
Ni-63	1.33E-12
Co-60	1.36E-07
Se-79	5.04E-10
Tc-99	8.58E-09
Ru-106	3.17E-09
Rh-106	3.17E-09
Sb-125	8.11E-08
Sn-126	6.74E-10
I-129	7.89E-14
Cs-134	3.55E-09
Cs-135	6.03E-12
Cs-137	1.79E-06
Ba-137m	1.70E-06
Sr-90	2.97E-05
Y-90	2.97E-05
Ce-144	1.63E-09
Pr-144	1.63E-09
Pm-147	1.71E-06
Eu-154	3.33E-07
Th-232	9.57E-13
U-232	2.06E-13
U-233	3.24E-11
U-234	1.04E-11
U-235	5.12E-13
U-236	1.47E-12
U-238	1.57E-11
Np-237	2.24E-11
Pu-238	6.31E-07
Pu-239	1.08E-08
Pu-240	5.04E-09
Pu-241	3.44E-07
Pu-242	9.84E-12
Am-241	7.12E-08
Am-242m	6.69E-11
Cm-244	7.32E-08
Cm-245	5.45E-12

Notes:

- Sludge radionuclide distribution derived from HLW Waste Characterization Database.

Table 4: DWPF Recycle Composition (Tank 22 Supernate)

Concentration (M)		Ci/gal	
Na	7.29E-01	Sr-90	2.90E-03
Al(OH) ₄	1.00E-02	Y-90	2.90E-03
CO ₃	4.00E-02	Cs-137	1.20E-03
C ₂ O ₄	5.00E-04	Ba-137m	1.14E-03
NO ₂	1.87E-01	Th-232	-----
NO ₃	7.06E-02	U-232	-----
OH	4.60E-01	U-233	1.29E-07
PO ₄	5.00E-04	U-234	4.65E-08
SO ₄	5.00E-04	U-235	7.11E-10
Ag	1.69E-06	U-236	7.66E-09
As	8.80E-04	U-238	1.04E-09
Ba	-----	Np-237	2.83E-08
Ca	8.56E-05	Pu-238	1.98E-04
Cd	2.97E-06	Pu-239	-----
Cl	6.00E-04	Pu-240	-----
Co	7.77E-06	Pu-241	-----
Cr	1.21E-02	Pu-242	-----
Cu	1.83E-04	Am-241	1.13E-05
Fe	1.40E-05	Am-242m	1.38E-08
F	5.30E-04	Cm-244	1.41E-07
Hg	5.76E-04	Cm-245	1.20E-11
K	2.60E-03	Total Alpha	2.10E-04
Mg	8.21E-06		
Mn	3.73E-06		
Nd	3.16E-04		
Ni	1.50E-05		
Pb	-----		
Ru	7.90E-05		
Se	1.02E-02		
Si	-----		
Sr	2.23E-04		
Zn	1.18E-03		
Zr	1.20E-05		

Notes:

- Sr/Y concentrations are extracted from reference 5 due to limited data within WCS.
- Cs concentrations were converted to Ci/gal from the Cs concentrations in mg/L given in WCS, using a Specific Activity of 8.70 E-2 Ci/mg.
- Ba-137m concentrations assumed to be 94.6% of the Cs-137 concentration.

Table 5: ARP Adjusted to 6.44 M [Na⁺] with Inhibited Water

	Concentration (M)											
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
Na	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00
Al(OH) ₄	3.22E-01	3.29E-01	3.13E-01	3.20E-01	3.31E-01	3.20E-01	3.19E-01	3.17E-01	3.15E-01	3.12E-01	3.07E-01	3.21E-01
CO ₃	2.16E-01	2.17E-01	2.18E-01	2.18E-01	2.17E-01	2.15E-01	2.22E-01	2.27E-01	2.18E-01	2.20E-01	2.13E-01	2.23E-01
C ₂ O ₄	2.16E-02	2.16E-02	2.16E-02	2.18E-02	2.17E-02	2.17E-02	2.24E-02	2.19E-02	2.16E-02	2.17E-02	2.15E-02	2.20E-02
NO ₂	1.65E-01	1.71E-01	1.64E-01	1.35E-01	1.37E-01	1.44E-01	1.11E-01	1.33E-01	1.39E-01	1.43E-01	1.40E-01	1.22E-01
NO ₃	3.70E+00	3.70E+00	3.69E+00	3.71E+00	3.71E+00	3.72E+00	3.82E+00	3.75E+00	3.68E+00	3.69E+00	3.68E+00	3.78E+00
OH	1.06E+00	1.02E+00	1.06E+00	1.07E+00	1.07E+00	1.02E+00	9.24E-01	1.01E+00	1.12E+00	1.15E+00	9.97E-01	9.62E-01
PO ₄	1.79E-03	2.48E-03	2.48E-03	1.64E-03	1.63E-03	1.76E-03	1.41E-03	1.40E-03	1.50E-03	1.52E-03	1.61E-03	1.40E-03
SO ₄	3.14E-01	3.14E-01	3.14E-01	3.16E-01	3.15E-01	3.16E-01	3.27E-01	3.18E-01	3.14E-01	3.15E-01	3.13E-01	3.21E-01
Ag	5.91E-07	7.89E-09	7.88E-09	1.79E-08	1.05E-07	7.73E-08	3.72E-08	3.63E-08	3.59E-08	3.60E-08	3.58E-08	3.66E-08
As	8.88E-05	7.20E-05	8.96E-05	3.15E-06	2.85E-06	3.71E-06	2.57E-05	6.46E-05	1.09E-04	1.19E-04	6.56E-05	4.57E-05
Ba	----	----	----	3.12E-09	3.11E-08	2.34E-08	----	----	----	----	----	----
Ca	4.87E-05	4.87E-05	4.87E-05	4.91E-05	4.89E-05	4.90E-05	5.21E-05	4.93E-05	4.87E-05	4.89E-05	4.86E-05	5.00E-05
Cd	2.77E-06	2.12E-06	2.80E-06	8.58E-08	8.17E-08	1.08E-07	3.07E-07	1.83E-06	3.54E-06	3.95E-06	1.87E-06	1.09E-06
Cl	4.16E-02	4.16E-02	4.15E-02	4.18E-02	4.17E-02	4.18E-02	4.27E-02	4.19E-02	4.16E-02	4.18E-02	4.14E-02	4.20E-02
Co	4.56E-07	3.86E-07	4.59E-07	4.57E-07	4.65E-07	3.84E-07	1.97E-07	3.57E-07	5.39E-07	5.83E-07	3.59E-07	2.79E-07
Cr	1.70E-04	8.51E-05	8.50E-05	1.90E-05	1.15E-05	3.83E-05	2.61E-04	2.22E-04	1.83E-04	1.75E-04	2.17E-04	2.39E-04
Cu	1.64E-04	1.26E-04	1.66E-04	1.64E-04	1.69E-04	1.24E-04	1.84E-05	1.09E-04	2.10E-04	2.34E-04	1.11E-04	6.50E-05
Fe	1.06E-05	6.81E-06	6.80E-06	1.38E-06	1.38E-06	1.07E-06	9.40E-07	4.91E-06	9.39E-06	1.05E-05	5.03E-06	2.99E-06
F	6.90E-02	6.89E-02	6.89E-02	6.95E-02	6.92E-02	6.93E-02	7.14E-02	6.97E-02	6.89E-02	6.91E-02	6.86E-02	7.02E-02
Hg	3.18E-06	2.12E-06	2.12E-06	1.07E-06	1.06E-06	1.07E-06	1.29E-05	1.33E-05	1.41E-05	1.44E-05	1.32E-05	1.30E-05
K	8.87E-03	8.88E-03	8.87E-03	7.44E-03	7.63E-03	7.43E-03	5.08E-03	6.31E-03	8.03E-03	8.47E-03	6.43E-03	5.88E-03
Mg	----	6.49E-09	----	----	----	1.01E-08	1.62E-07	3.24E-08	----	----	2.62E-08	9.38E-08
Mn	3.26E-07	2.67E-07	3.29E-07	5.85E-08	6.99E-08	9.34E-08	1.04E-07	2.41E-07	3.97E-07	4.34E-07	2.44E-07	1.75E-07
Nd	----	----	----	----	----	----	5.84E-06	----	----	----	----	2.00E-06
Ni	1.09E-06	9.07E-07	1.10E-06	1.09E-06	1.12E-06	9.00E-07	4.00E-07	8.27E-07	1.31E-06	1.43E-06	8.36E-07	6.19E-07
Pb	----	----	----	3.00E-06	2.47E-06	3.41E-06	----	----	----	----	----	----
Ru	1.73E-05	1.36E-05	1.75E-05	1.73E-05	1.78E-05	1.34E-05	3.14E-06	1.19E-05	2.18E-05	2.41E-05	1.21E-05	7.66E-06
Se	1.36E-04	1.56E-04	1.35E-04	2.23E-05	1.70E-05	2.87E-05	2.18E-04	1.67E-04	1.13E-04	1.02E-04	1.62E-04	1.90E-04
Si	----	----	----	1.06E-04	9.27E-05	5.43E-04	----	----	----	----	----	----
Sr	----	----	----	----	----	----	4.04E-06	----	----	----	----	1.08E-06
Zn	1.99E-04	1.58E-04	2.01E-04	1.99E-04	2.05E-04	1.56E-04	4.16E-05	1.39E-04	2.49E-04	2.75E-04	1.42E-04	9.18E-05
Zr	5.25E-06	4.05E-06	5.30E-06	5.24E-06	5.40E-06	3.99E-06	7.11E-07	3.51E-06	6.67E-06	7.42E-06	3.59E-06	2.16E-06
Insol.Sol.mg/L	600	600	600	600	600	600	600	600	600	600	600	600

Table 5: ARP Adjusted to 6.44 M [Na⁺] with Inhibited Water (continued)

Radionuclide Composition (Ci/gal)												
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
C-14	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09
Ni-59	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06
Ni-63	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
Co-60	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04
Se-79	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06
Tc-99	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05
Ru-106	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06
Rh-106	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06
Sb-125	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04
Sn-126	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06
I-129	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10
Cs-134	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06
Cs-135	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08
Cs-137	4.26E-01	1.60E-01	1.60E-01	9.60E-02	9.11E-02	9.97E-02	6.27E-03	7.89E-02	1.17E-01	1.11E-01	1.41E-01	6.19E-02
Ba-137m	4.03E-01	1.52E-01	1.52E-01	9.08E-02	8.61E-02	9.43E-02	5.93E-03	7.46E-02	1.11E-01	1.05E-01	1.34E-01	5.85E-02
Sr-90	6.77E-02	6.77E-02	6.77E-02	6.75E-02	6.75E-02	6.75E-02	6.77E-02	6.77E-02	6.75E-02	6.75E-02	6.75E-02	6.75E-02
Y-90	6.77E-02	6.77E-02	6.77E-02	6.75E-02	6.75E-02	6.75E-02	6.77E-02	6.77E-02	6.75E-02	6.75E-02	6.75E-02	6.75E-02
H-3	----	----	----	----	----	----	----	----	----	----	----	----
Ce-144	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06
Pr-144	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06
Pm-147	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03
Eu-154	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04
Th-232	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09
U-232	4.78E-10	4.78E-10	4.78E-10	5.44E-10	5.43E-10	5.43E-10	1.48E-09	1.47E-09	5.43E-10	5.43E-10	5.43E-10	5.44E-10
U-233	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08	7.36E-08
U-234	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08	2.35E-08
U-235	1.20E-09	1.20E-09	1.20E-09	1.33E-09	1.33E-09	1.33E-09	2.36E-09	2.10E-09	1.33E-09	1.33E-09	1.33E-09	1.33E-09
U-236	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09	3.34E-09
U-238	3.66E-08	3.66E-08	3.66E-08	5.09E-08	5.09E-08	5.09E-08	1.45E-07	1.02E-07	5.08E-08	5.09E-08	5.08E-08	5.11E-08
Np-237	5.17E-08	5.17E-08	5.17E-08	5.09E-08	5.09E-08	5.09E-08	1.41E-07	1.02E-07	5.09E-08	5.09E-08	5.09E-08	5.09E-08
Pu-238	1.44E-03	1.44E-03	1.44E-03	1.56E-03	1.56E-03	1.56E-03	1.43E-03	1.43E-03	1.56E-03	1.56E-03	1.56E-03	1.56E-03
Pu-239	2.50E-05	2.50E-05	2.50E-05	4.27E-05	4.26E-05	4.27E-05	3.78E-05	3.53E-05	4.26E-05	4.26E-05	4.25E-05	4.29E-05
Pu-240	1.15E-05	1.15E-05	1.15E-05	1.55E-05	1.55E-05	1.55E-05	1.44E-05	1.38E-05	1.54E-05	1.55E-05	1.54E-05	1.55E-05
Pu-241	7.82E-04	7.82E-04	7.82E-04	8.90E-04	8.89E-04	8.89E-04	8.58E-04	8.42E-04	8.89E-04	8.89E-04	8.88E-04	8.91E-04
Pu-242	2.24E-08	2.24E-08	2.24E-08	2.32E-08	2.32E-08	2.32E-08	2.29E-08	2.28E-08	2.32E-08	2.32E-08	2.32E-08	2.32E-08
Am-241	1.63E-04	1.63E-04	1.63E-04	1.62E-04	1.62E-04	1.62E-04	2.99E-04	2.99E-04	1.62E-04	1.62E-04	1.62E-04	1.62E-04
Am-242m	1.54E-07	1.54E-07	1.54E-07	1.52E-07	1.52E-07	1.52E-07	3.40E-07	3.39E-07	1.52E-07	1.52E-07	1.52E-07	1.52E-07
Cm-242	----	----	----	----	----	----	----	----	----	----	----	----
Cm-244	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04
Cm-245	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08
Total Alpha	1.80E-03	1.80E-03	1.80E-03	1.95E-03	1.95E-03	1.95E-03	1.95E-03	1.95E-03	1.94E-03	1.95E-03	1.94E-03	1.95E-03

Table 6: ARP Adjusted to 6.44 M [Na⁺] with DWPF Recycle

Concentration (M)												
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
Na	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00	6.44E+00
Al(OH) ₄	3.00E-01	3.07E-01	2.92E-01	2.98E-01	3.08E-01	2.98E-01	2.98E-01	2.95E-01	2.94E-01	2.91E-01	2.87E-01	3.00E-01
CO ₃	2.30E-01	2.30E-01	2.31E-01	2.31E-01	2.30E-01	2.29E-01	2.34E-01	2.39E-01	2.31E-01	2.33E-01	2.27E-01	2.36E-01
C ₂ O ₄	2.00E-02	2.00E-02	2.00E-02	2.02E-02	2.01E-02	2.01E-02	2.08E-02	2.02E-02	2.00E-02	2.01E-02	1.99E-02	2.04E-02
NO ₂	2.98E-01	3.04E-01	2.97E-01	2.71E-01	2.73E-01	2.79E-01	2.47E-01	2.68E-01	2.75E-01	2.78E-01	2.76E-01	2.58E-01
NO ₃	3.41E+00	3.42E+00	3.40E+00	3.42E+00	3.42E+00	3.43E+00	3.53E+00	3.46E+00	3.39E+00	3.40E+00	3.39E+00	3.48E+00
OH	1.35E+00	1.31E+00	1.35E+00	1.35E+00	1.36E+00	1.31E+00	1.22E+00	1.30E+00	1.40E+00	1.43E+00	1.29E+00	1.26E+00
PO ₄	2.05E-03	2.66E-03	2.66E-03	1.90E-03	1.90E-03	2.02E-03	1.69E-03	1.69E-03	1.78E-03	1.80E-03	1.88E-03	1.69E-03
SO ₄	2.85E-01	2.85E-01	2.85E-01	2.87E-01	2.86E-01	2.87E-01	2.97E-01	2.89E-01	2.85E-01	2.86E-01	2.84E-01	2.91E-01
Ag	1.96E-06	1.43E-06	1.43E-06	1.43E-06	1.51E-06	1.49E-06	1.43E-06	1.45E-06	1.45E-06	1.45E-06	1.46E-06	1.44E-06
As	8.22E-04	8.06E-04	8.22E-04	7.41E-04	7.42E-04	7.42E-04	7.50E-04	7.95E-04	8.40E-04	8.48E-04	8.02E-04	7.75E-04
Ba	----	----	----	2.83E-09	2.82E-08	2.12E-08	----	----	----	----	----	----
Ca	1.16E-04	1.16E-04	1.16E-04	1.16E-04	1.16E-04	1.16E-04	1.18E-04	1.16E-04	1.16E-04	1.16E-04	1.16E-04	1.17E-04
Cd	5.01E-06	4.42E-06	5.04E-06	2.57E-06	2.57E-06	2.59E-06	2.73E-06	4.15E-06	5.71E-06	6.08E-06	4.20E-06	3.47E-06
Cl	3.82E-02	3.82E-02	3.81E-02	3.84E-02	3.83E-02	3.84E-02	3.93E-02	3.85E-02	3.82E-02	3.84E-02	3.80E-02	3.86E-02
Co	6.95E-06	6.89E-06	6.96E-06	6.93E-06	6.95E-06	6.87E-06	6.59E-06	6.83E-06	7.03E-06	7.06E-06	6.88E-06	6.73E-06
Cr	1.03E-02	1.02E-02	1.02E-02	1.01E-02	1.01E-02	1.02E-02	1.02E-02	1.03E-02	1.03E-02	1.03E-02	1.04E-02	1.03E-02
Cu	3.03E-04	2.68E-04	3.05E-04	3.02E-04	3.07E-04	2.66E-04	1.68E-04	2.52E-04	3.45E-04	3.66E-04	2.55E-04	2.12E-04
Fe	2.14E-05	1.79E-05	1.79E-05	1.30E-05	1.30E-05	1.27E-05	1.24E-05	1.62E-05	2.03E-05	2.12E-05	1.63E-05	1.44E-05
F	6.29E-02	6.29E-02	6.29E-02	6.34E-02	6.31E-02	6.33E-02	6.52E-02	6.36E-02	6.29E-02	6.31E-02	6.26E-02	6.41E-02
Hg	4.88E-04	4.87E-04	4.87E-04	4.84E-04	4.85E-04	4.85E-04	4.87E-04	4.95E-04	4.98E-04	4.98E-04	4.98E-04	4.92E-04
K	1.02E-02	1.02E-02	1.02E-02	8.92E-03	9.10E-03	8.91E-03	6.76E-03	7.89E-03	9.46E-03	9.86E-03	8.02E-03	7.50E-03
Mg	6.92E-06	6.92E-06	6.92E-06	6.89E-06	6.90E-06	6.90E-06	6.93E-06	6.90E-06	6.91E-06	6.90E-06	6.95E-06	6.93E-06
Mn	3.43E-06	3.38E-06	3.44E-06	3.18E-06	3.19E-06	3.21E-06	3.17E-06	3.34E-06	3.50E-06	3.53E-06	3.36E-06	3.26E-06
Nd	2.66E-04	2.66E-04	2.66E-04	2.65E-04	2.66E-04	2.66E-04	2.66E-04	2.65E-04	2.66E-04	2.66E-04	2.67E-04	2.66E-04
Ni	1.36E-05	1.34E-05	1.36E-05	1.36E-05	1.36E-05	1.34E-05	1.27E-05	1.33E-05	1.38E-05	1.39E-05	1.34E-05	1.31E-05
Pb	----	----	----	2.72E-06	2.24E-06	3.09E-06	----	----	----	----	----	----
Ru	8.22E-05	7.88E-05	8.24E-05	8.19E-05	8.25E-05	7.84E-05	6.81E-05	7.69E-05	8.62E-05	8.83E-05	7.76E-05	7.28E-05
Se	8.71E-03	8.72E-03	8.70E-03	8.57E-03	8.58E-03	8.58E-03	8.61E-03	8.68E-03	8.68E-03	8.66E-03	8.74E-03	8.67E-03
Si	----	----	----	9.61E-05	8.40E-05	4.92E-04	----	----	----	----	----	----
Sr	1.88E-04	1.88E-04	1.88E-04	1.87E-04	1.87E-04	1.87E-04	1.88E-04	1.87E-04	1.88E-04	1.88E-04	1.88E-04	1.87E-04
Zn	1.17E-03	1.14E-03	1.18E-03	1.17E-03	1.18E-03	1.13E-03	1.01E-03	1.11E-03	1.22E-03	1.24E-03	1.12E-03	1.07E-03
Zr	1.49E-05	1.38E-05	1.49E-05	1.48E-05	1.50E-05	1.37E-05	1.06E-05	1.32E-05	1.62E-05	1.68E-05	1.34E-05	1.20E-05
Insol.Sol.mg/L	600	600	600	600	600	600	600	600	600	600	600	600

Table 6: ARP Adjusted to 6.44 M [Na⁺] with DWPF Recycle (continued)

Radionuclide Composition (Ci/gal)												
	Tank1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
C-14	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09	3.38E-09
Ni-59	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06	1.94E-06
Ni-63	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09	3.02E-09
Co-60	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04	3.09E-04
Se-79	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06	1.15E-06
Tc-99	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05	1.95E-05
Ru-106	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06
Rh-106	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06	7.19E-06
Sb-125	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04	1.84E-04
Sn-126	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06	1.53E-06
I-129	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10	1.79E-10
Cs-134	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06	8.06E-06
Cs-135	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08	1.37E-08
Cs-137	3.87E-01	1.47E-01	1.47E-01	8.84E-02	8.39E-02	9.17E-02	7.06E-03	7.29E-02	1.07E-01	1.02E-01	1.29E-01	5.75E-02
Ba-137m	3.66E-01	1.39E-01	1.39E-01	8.36E-02	7.94E-02	8.68E-02	6.68E-03	6.90E-02	1.01E-01	9.64E-02	1.22E-01	5.44E-02
Sr-90	7.01E-02	7.01E-02	7.01E-02	6.99E-02	6.99E-02	6.99E-02	7.00E-02	7.01E-02	6.99E-02	6.99E-02	6.99E-02	6.99E-02
Y-90	7.01E-02	7.01E-02	7.01E-02	6.99E-02	6.99E-02	6.99E-02	7.00E-02	7.01E-02	6.99E-02	6.99E-02	6.99E-02	6.99E-02
H-3	----	----	----	----	----	----	----	----	----	----	----	----
Ce-144	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06
Pr-144	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06	3.71E-06
Pm-147	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03	3.88E-03
Eu-154	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04	7.57E-04
Th-232	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09	2.17E-09
U-232	4.87E-10	4.84E-10	4.83E-10	5.37E-10	5.36E-10	5.36E-10	1.39E-09	1.38E-09	5.36E-10	5.36E-10	5.36E-10	5.37E-10
U-233	1.83E-07	1.82E-07	1.83E-07	1.82E-07	1.82E-07	1.82E-07	1.80E-07	1.82E-07	1.82E-07	1.82E-07	1.83E-07	1.81E-07
U-234	6.27E-08	6.27E-08	6.27E-08	6.26E-08	6.26E-08	6.26E-08	6.19E-08	6.25E-08	6.27E-08	6.26E-08	6.28E-08	6.23E-08
U-235	1.79E-09	1.77E-09	1.78E-09	1.91E-09	1.91E-09	1.91E-09	2.84E-09	2.61E-09	1.91E-09	1.91E-09	1.91E-09	1.91E-09
U-236	9.79E-09	9.79E-09	9.79E-09	9.76E-09	9.77E-09	9.77E-09	9.66E-09	9.75E-09	9.79E-09	9.78E-09	9.80E-09	9.72E-09
U-238	3.72E-08	3.67E-08	3.70E-08	5.04E-08	5.03E-08	5.03E-08	1.36E-07	9.66E-08	5.03E-08	5.03E-08	5.02E-08	5.05E-08
Np-237	7.56E-08	7.65E-08	7.80E-08	7.46E-08	7.46E-08	7.46E-08	1.56E-07	1.21E-07	7.47E-08	7.46E-08	7.47E-08	7.44E-08
Pu-238	1.60E-03	1.60E-03	1.60E-03	1.71E-03	1.71E-03	1.71E-03	1.60E-03	1.60E-03	1.71E-03	1.71E-03	1.71E-03	1.71E-03
Pu-239	2.48E-05	2.48E-05	2.48E-05	4.10E-05	4.09E-05	4.10E-05	3.66E-05	3.43E-05	4.09E-05	4.09E-05	4.08E-05	4.12E-05
Pu-240	1.15E-05	1.15E-05	1.15E-05	1.51E-05	1.51E-05	1.51E-05	1.41E-05	1.36E-05	1.51E-05	1.51E-05	1.51E-05	1.51E-05
Pu-241	7.82E-04	7.81E-04	7.82E-04	8.79E-04	8.79E-04	8.79E-04	8.51E-04	8.37E-04	8.79E-04	8.79E-04	8.78E-04	8.81E-04
Pu-242	2.23E-08	2.23E-08	2.23E-08	2.31E-08	2.31E-08	2.31E-08	2.29E-08	2.28E-08	2.31E-08	2.31E-08	2.31E-08	2.31E-08
Am-241	1.74E-04	1.74E-04	1.74E-04	1.71E-04	1.71E-04	1.71E-04	2.96E-04	2.96E-04	1.71E-04	1.71E-04	1.71E-04	1.71E-04
Am-242m	1.67E-07	1.67E-07	1.66E-07	1.64E-07	1.64E-07	1.64E-07	3.34E-07	3.33E-07	1.64E-07	1.64E-07	1.64E-07	1.63E-07
Cm-242	----	----	----	----	----	----	----	----	----	----	----	----
Cm-244	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04	1.66E-04
Cm-245	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08	1.24E-08
Total Alpha	1.98E-03	1.98E-03	1.98E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03

Table 7: LCS Dissolved and Adjusted to 6.0 M [Na⁺] with Inhibited Water

Concentration (M)								
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Na	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00
Al(OH) ₄	3.88E-01	3.92E-01	3.72E-01	3.73E-01	3.57E-01	3.66E-01	3.73E-01	3.64E-01
CO ₃	1.22E-01	1.23E-01	1.23E-01	1.20E-01	1.21E-01	1.21E-01	1.26E-01	1.25E-01
C ₂ O ₄	1.29E-02	1.30E-02	1.31E-02	1.28E-02	1.28E-02	1.30E-02	1.33E-02	1.29E-02
NO ₂	7.35E-01	6.89E-01	7.06E-01	7.19E-01	7.14E-01	7.09E-01	7.03E-01	6.97E-01
NO ₃	2.44E+00	2.49E+00	2.46E+00	2.43E+00	2.42E+00	2.43E+00	2.48E+00	2.47E+00
OH	1.73E+00	1.69E+00	1.73E+00	1.75E+00	1.84E+00	1.78E+00	1.74E+00	1.74E+00
PO ₄	1.51E-02	1.52E-02	1.45E-02	1.45E-02	1.46E-02	1.43E-02	1.47E-02	1.47E-02
SO ₄	1.67E-01	1.68E-01	1.70E-01	1.66E-01	1.65E-01	1.66E-01	1.71E-01	1.68E-01
Ag	5.15E-08	3.47E-08	3.68E-08	3.11E-08	3.11E-08	3.11E-08	4.07E-08	3.14E-08
As	3.94E-05	1.90E-05	4.79E-06	4.89E-05	8.50E-05	6.12E-05	3.31E-06	4.06E-05
Ba	----	----	1.93E-07	----	----	----	6.95E-09	----
Ca	2.84E-05	2.98E-05	2.97E-05	2.80E-05	2.80E-05	2.80E-05	3.01E-05	2.84E-05
Cd	9.46E-07	1.55E-07	1.26E-07	1.32E-06	2.71E-06	1.79E-06	6.79E-08	9.90E-07
Cl	3.54E-02	3.57E-02	3.56E-02	3.48E-02	3.50E-02	3.49E-02	3.59E-02	3.52E-02
Co	2.40E-07	1.56E-07	1.91E-07	2.79E-07	4.28E-07	3.30E-07	1.85E-07	2.45E-07
Cr	5.56E-05	3.74E-05	1.48E-04	1.96E-04	1.66E-04	1.86E-04	1.87E-04	2.04E-04
Cu	5.62E-05	9.32E-06	2.78E-05	7.82E-05	1.61E-04	1.06E-04	2.39E-05	5.87E-05
Fe	3.32E-09	3.35E-09	7.78E-07	3.56E-06	7.20E-06	4.79E-06	1.81E-06	2.70E-06
F	3.27E-02	3.30E-02	3.34E-02	3.27E-02	3.27E-02	3.27E-02	3.38E-02	3.29E-02
Hg	1.20E-05	2.61E-05	1.88E-06	1.13E-05	1.20E-05	1.15E-05	9.52E-07	1.12E-05
K	7.73E-03	7.80E-03	4.88E-03	5.41E-03	7.14E-03	5.61E-03	4.40E-03	4.73E-03
Mg	7.93E-08	1.45E-07	1.22E-07	4.81E-08	----	9.53E-09	1.29E-07	7.63E-08
Mn	1.50E-07	7.87E-08	1.03E-07	1.84E-07	3.11E-07	2.27E-07	5.56E-08	1.55E-07
Nd	1.66E-06	5.44E-06	4.04E-06	----	----	----	4.42E-06	1.48E-06
Ni	5.32E-07	3.09E-07	4.01E-07	6.37E-07	1.04E-06	7.72E-07	3.84E-07	5.46E-07
Pb	----	----	4.65E-06	----	----	----	2.76E-06	----
Ru	6.61E-06	2.05E-06	3.87E-06	8.76E-06	1.68E-05	1.15E-05	3.49E-06	6.87E-06
Se	1.62E-04	1.88E-04	5.62E-05	1.50E-04	1.09E-04	1.36E-04	5.44E-05	1.62E-04
Si	----	----	1.68E-05	----	----	----	1.33E-04	----
Sr	8.83E-07	3.81E-06	2.72E-06	----	----	----	3.01E-06	7.40E-07
Zn	7.92E-05	2.85E-05	4.87E-05	1.03E-04	1.93E-04	1.33E-04	4.46E-05	8.20E-05
Zr	1.87E-06	4.08E-07	9.84E-07	2.55E-06	5.12E-06	3.42E-06	8.63E-07	1.95E-06
Insol.Sol.mg/L	300	300	300	300	300	300	300	300

Table 7: (continued)

Radionuclide Composition (Ci/gal)								
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
C-14	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09
Ni-59	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07
Ni-63	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09
Co-60	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04
Se-79	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07
Tc-99	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06
Ru-106	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06
Rh-106	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06
Sb-125	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05
Sn-126	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07
I-129	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11
Cs-134	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06
Cs-135	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09
Cs-137	1.36E-01	2.56E-02	7.93E-02	2.11E-01	3.87E-01	2.82E-01	7.20E-03	4.90E-02
Ba-137m	1.28E-01	2.42E-02	7.50E-02	2.00E-01	3.67E-01	2.67E-01	6.81E-03	4.63E-02
Sr-90	3.39E-02	3.39E-02	3.39E-02	3.39E-02	3.39E-02	3.39E-02	3.38E-02	3.38E-02
Y-90	3.39E-02	3.39E-02	3.39E-02	3.39E-02	3.39E-02	3.39E-02	3.38E-02	3.38E-02
H-3	----	----	----	----	----	----	----	----
Ce-144	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06
Pr-144	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06
Pm-147	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03
Eu-154	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04
Th-232	1.10E-09	1.10E-09	1.10E-09	1.10E-09	1.10E-09	1.10E-09	1.09E-09	1.09E-09
U-232	2.37E-10	2.37E-10	2.37E-10	2.37E-10	2.37E-10	2.37E-10	2.34E-10	2.34E-10
U-233	3.88E-08	3.88E-08	3.89E-08	3.88E-08	3.88E-08	3.88E-08	3.68E-08	3.68E-08
U-234	1.21E-08	1.21E-08	1.21E-08	1.21E-08	1.21E-08	1.21E-08	1.66E-08	1.65E-08
U-235	5.89E-10	5.89E-10	5.89E-10	5.89E-10	5.89E-10	5.89E-10	6.30E-10	6.29E-10
U-236	1.70E-09	1.70E-09	1.70E-09	1.70E-09	1.70E-09	1.70E-09	2.41E-09	2.39E-09
U-238	1.79E-08	1.79E-08	1.79E-08	1.79E-08	1.79E-08	1.79E-08	1.78E-08	1.78E-08
Np-237	2.62E-08	2.62E-08	2.62E-08	2.62E-08	2.62E-08	2.62E-08	2.97E-08	2.96E-08
Pu-238	7.19E-04	7.19E-04	7.19E-04	7.19E-04	7.19E-04	7.19E-04	8.50E-04	8.47E-04
Pu-239	1.24E-05	1.24E-05	1.24E-05	1.24E-05	1.24E-05	1.24E-05	1.27E-05	1.27E-05
Pu-240	5.75E-06	5.75E-06	5.75E-06	5.75E-06	5.75E-06	5.75E-06	5.99E-06	5.99E-06
Pu-241	3.91E-04	3.91E-04	3.91E-04	3.91E-04	3.91E-04	3.91E-04	4.13E-04	4.13E-04
Pu-242	1.12E-08	1.12E-08	1.12E-08	1.12E-08	1.12E-08	1.12E-08	1.63E-08	1.61E-08
Am-241	8.17E-05	8.17E-05	8.17E-05	8.17E-05	8.17E-05	8.17E-05	8.16E-05	8.16E-05
Am-242m	7.70E-08	7.70E-08	7.70E-08	7.70E-08	7.70E-08	7.70E-08	7.69E-08	7.69E-08
Cm-242	----	----	----	----	----	----	----	----
Cm-244	8.31E-05	8.31E-05	8.31E-05	8.31E-05	8.31E-05	8.31E-05	8.31E-05	8.31E-05
Cm-245	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09
Total Alpha	9.02E-04	9.02E-04	9.02E-04	9.02E-04	9.02E-04	9.02E-04	1.03E-03	1.03E-03

Table 8: LCS Dissolved to 7.4 M [Na⁺] with Inhibited Water then Adjusted to 6.0 M [Na⁺] with DWPF Recycle

Concentration (M)								
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Na	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00	6.00E+00
Al(OH) ₄	3.81E-01	3.84E-01	3.64E-01	3.65E-01	3.50E-01	3.59E-01	3.65E-01	3.57E-01
CO ₃	1.27E-01	1.28E-01	1.28E-01	1.26E-01	1.26E-01	1.26E-01	1.31E-01	1.31E-01
C ₂ O ₄	1.27E-02	1.28E-02	1.29E-02	1.26E-02	1.26E-02	1.28E-02	1.30E-02	1.27E-02
NO ₂	7.54E-01	7.09E-01	7.25E-01	7.38E-01	7.33E-01	7.28E-01	7.22E-01	7.16E-01
NO ₃	2.39E+00	2.44E+00	2.42E+00	2.39E+00	2.37E+00	2.38E+00	2.43E+00	2.42E+00
OH	1.78E+00	1.74E+00	1.78E+00	1.80E+00	1.89E+00	1.83E+00	1.79E+00	1.79E+00
PO ₄	1.48E-02	1.49E-02	1.43E-02	1.42E-02	1.44E-02	1.41E-02	1.44E-02	1.44E-02
SO ₄	1.62E-01	1.64E-01	1.65E-01	1.62E-01	1.61E-01	1.62E-01	1.67E-01	1.64E-01
Ag	4.06E-07	3.90E-07	3.92E-07	3.86E-07	3.86E-07	3.86E-07	3.96E-07	3.87E-07
As	2.24E-04	2.04E-04	1.90E-04	2.33E-04	2.69E-04	2.45E-04	1.89E-04	2.25E-04
Ba	----	----	1.88E-07	----	----	----	6.77E-09	----
Ca	4.57E-05	4.71E-05	4.70E-05	4.53E-05	4.53E-05	4.53E-05	4.74E-05	4.58E-05
Cd	1.55E-06	7.79E-07	7.50E-07	1.91E-06	3.27E-06	2.37E-06	6.94E-07	1.59E-06
Cl	3.46E-02	3.49E-02	3.48E-02	3.41E-02	3.42E-02	3.41E-02	3.52E-02	3.44E-02
Co	1.87E-06	1.79E-06	1.83E-06	1.91E-06	2.06E-06	1.96E-06	1.82E-06	1.88E-06
Cr	2.60E-03	2.58E-03	2.69E-03	2.73E-03	2.71E-03	2.72E-03	2.73E-03	2.74E-03
Cu	9.34E-05	4.78E-05	6.58E-05	1.15E-04	1.95E-04	1.42E-04	6.19E-05	9.59E-05
Fe	2.95E-06	2.95E-06	3.71E-06	6.42E-06	9.97E-06	7.62E-06	4.72E-06	5.58E-06
F	3.20E-02	3.23E-02	3.27E-02	3.20E-02	3.20E-02	3.20E-02	3.30E-02	3.22E-02
Hg	1.33E-04	1.47E-04	1.23E-04	1.33E-04	1.33E-04	1.33E-04	1.23E-04	1.33E-04
K	8.08E-03	8.15E-03	5.30E-03	5.82E-03	7.51E-03	6.02E-03	4.84E-03	5.16E-03
Mg	1.81E-06	1.88E-06	1.85E-06	1.78E-06	1.73E-06	1.74E-06	1.86E-06	1.81E-06
Mn	9.33E-07	8.63E-07	8.87E-07	9.66E-07	1.09E-06	1.01E-06	8.40E-07	9.37E-07
Nd	6.84E-05	7.21E-05	7.07E-05	6.68E-05	6.68E-05	6.68E-05	7.11E-05	6.82E-05
Ni	3.68E-06	3.46E-06	3.55E-06	3.78E-06	4.17E-06	3.92E-06	3.54E-06	3.69E-06
Pb	----	----	4.53E-06	----	----	----	2.69E-06	----
Ru	2.31E-05	1.87E-05	2.04E-05	2.52E-05	3.31E-05	2.79E-05	2.01E-05	2.34E-05
Se	2.31E-03	2.33E-03	2.21E-03	2.30E-03	2.26E-03	2.28E-03	2.20E-03	2.31E-03
Si	----	----	1.64E-05	----	----	----	1.29E-04	----
Sr	4.79E-05	5.08E-05	4.97E-05	4.71E-05	4.71E-05	4.71E-05	5.00E-05	4.78E-05
Zn	3.26E-04	2.77E-04	2.96E-04	3.49E-04	4.37E-04	3.79E-04	2.92E-04	3.29E-04
Zr	4.35E-06	2.93E-06	3.50E-06	5.02E-06	7.53E-06	5.87E-06	3.38E-06	4.43E-06
Insol.Sol.mg/L	300	300	300	300	300	300	300	300

Table 8: (continued)

Radionuclide Composition (Ci/gal)								
	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
C-14	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09	1.69E-09
Ni-59	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07	9.72E-07
Ni-63	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09	1.51E-09
Co-60	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04	1.55E-04
Se-79	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07	5.73E-07
Tc-99	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06	9.74E-06
Ru-106	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06
Rh-106	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06	3.60E-06
Sb-125	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05	9.21E-05
Sn-126	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07	7.66E-07
I-129	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11	8.96E-11
Cs-134	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06	4.03E-06
Cs-135	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09	6.85E-09
Cs-137	1.32E-01	2.52E-02	7.76E-02	2.06E-01	3.78E-01	2.75E-01	7.32E-03	4.80E-02
Ba-137m	1.25E-01	2.38E-02	7.34E-02	1.95E-01	3.58E-01	2.60E-01	6.93E-03	4.54E-02
Sr-90	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.44E-02	3.44E-02
Y-90	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.44E-02	3.44E-02
H-3	----	----	----	----	----	----	----	----
Ce-144	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06
Pr-144	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06	1.85E-06
Pm-147	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03	1.94E-03
Eu-154	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04	3.79E-04
Th-232	1.10E-09	1.10E-09	1.10E-09	1.10E-09	1.10E-09	1.10E-09	1.09E-09	1.09E-09
U-232	2.37E-10	2.37E-10	2.37E-10	2.37E-10	2.37E-10	2.37E-10	2.34E-10	2.34E-10
U-233	6.61E-08	6.61E-08	6.61E-08	6.61E-08	6.61E-08	6.61E-08	6.41E-08	6.41E-08
U-234	2.19E-08	2.19E-08	2.19E-08	2.19E-08	2.19E-08	2.19E-08	2.63E-08	2.62E-08
U-235	7.39E-10	7.39E-10	7.39E-10	7.39E-10	7.39E-10	7.39E-10	7.79E-10	7.78E-10
U-236	3.32E-09	3.32E-09	3.32E-09	3.31E-09	3.31E-09	3.31E-09	4.01E-09	3.99E-09
U-238	1.81E-08	1.81E-08	1.81E-08	1.81E-08	1.81E-08	1.81E-08	1.81E-08	1.81E-08
Np-237	3.21E-08	3.21E-08	3.21E-08	3.21E-08	3.21E-08	3.21E-08	3.55E-08	3.54E-08
Pu-238	7.61E-04	7.61E-04	7.61E-04	7.61E-04	7.61E-04	7.61E-04	8.89E-04	8.85E-04
Pu-239	1.24E-05	1.24E-05	1.24E-05	1.24E-05	1.24E-05	1.24E-05	1.27E-05	1.27E-05
Pu-240	5.75E-06	5.75E-06	5.75E-06	5.75E-06	5.75E-06	5.75E-06	5.99E-06	5.98E-06
Pu-241	3.91E-04	3.91E-04	3.91E-04	3.91E-04	3.91E-04	3.91E-04	4.13E-04	4.12E-04
Pu-242	1.12E-08	1.12E-08	1.12E-08	1.12E-08	1.12E-08	1.12E-08	1.62E-08	1.60E-08
Am-241	8.41E-05	8.41E-05	8.41E-05	8.41E-05	8.41E-05	8.41E-05	8.40E-05	8.39E-05
Am-242m	7.99E-08	7.99E-08	7.99E-08	7.99E-08	7.99E-08	7.99E-08	7.98E-08	7.98E-08
Cm-242	----	----	----	----	----	----	----	----
Cm-244	8.32E-05	8.32E-05	8.32E-05	8.32E-05	8.32E-05	8.32E-05	8.32E-05	8.32E-05
Cm-245	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09	6.19E-09
Total Alpha	9.47E-04	9.47E-04	9.47E-04	9.47E-04	9.47E-04	9.47E-04	1.07E-03	1.07E-03

Table 9: Volumes for ARP Adjustment Using Inhibited Water

	Tank 1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
Saltcake (gal)	4.80E+05	5.36E+05	5.36E+05	1.11E+06	4.63E+05	1.03E+06	2.27E+05	2.12E+05	9.89E+05	1.13E+06	3.19E+05	8.68E+05
Inst. Supernate (gal)	3.17E+04	3.54E+04	3.54E+04	7.31E+04	3.06E+04	6.81E+04	1.50E+04	1.40E+04	6.53E+04	7.46E+04	2.10E+04	5.73E+04
Inhibited Water (gal)	1.23E+06	1.38E+06	1.38E+06	2.82E+06	1.18E+06	2.63E+06	5.50E+05	5.36E+05	2.54E+06	2.89E+06	8.24E+05	2.17E+06
Final Salt Solution (gal)	1.49E+06	1.66E+06	1.66E+06	3.41E+06	1.43E+06	3.18E+06	6.79E+05	6.51E+05	3.07E+06	3.50E+06	9.93E+05	2.64E+06

Table 10: Volumes for ARP Adjustment Using DWPF Recycle

	Tank 1	Tank 2	Tank 3	Tank 25	Tank 27	Tank 28	Tank 33	Tank 34	Tank 44	Tank 45	Tank 46	Tank 47
Saltcake (gal)	4.80E+05	5.36E+05	5.36E+05	1.11E+06	4.63E+05	1.03E+06	2.27E+05	2.12E+05	9.89E+05	1.13E+06	3.19E+05	8.68E+05
Inst. Supernate (gal)	3.17E+04	3.54E+04	3.54E+04	7.31E+04	3.06E+04	6.81E+04	1.50E+04	1.40E+04	6.53E+04	7.46E+04	2.10E+04	5.73E+04
DWPF Recycle (gal)	1.39E+06	1.55E+06	1.55E+06	3.16E+06	1.33E+06	2.95E+06	6.17E+05	6.01E+05	2.85E+06	3.24E+06	9.24E+05	2.43E+06
Final Salt Solution (gal)	1.65E+06	1.84E+06	1.84E+06	3.77E+06	1.58E+06	3.51E+06	7.48E+05	7.18E+05	3.39E+06	3.86E+06	1.10E+06	2.92E+06

Table 11: Volumes for LCS Dissolved and Adjusted with Inhibited Water

	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Saltcake (gal)	5.38E+05	2.13E+05	1.00E+06	1.01E+06	1.09E+06	9.73E+05	8.86E+05	1.23E+06
Inst. Supernate (gal)	3.55E+04	1.41E+04	6.60E+04	6.69E+04	7.22E+04	6.42E+04	5.85E+04	8.12E+04
Inhibited Water (gal)	1.67E+06	6.51E+05	3.01E+06	3.16E+06	3.41E+06	3.04E+06	2.63E+06	3.79E+06
Final Salt Solution (gal)	1.92E+06	7.52E+05	3.49E+06	3.63E+06	3.92E+06	3.48E+06	3.06E+06	4.37E+06

Table 12: Volumes for LCS Dissolved with Inhibited Water and Adjusted with DWPF Recycle

	Tank 9	Tank 10	Tank 29	Tank 31	Tank 36	Tank 37	Tank 38	Tank 41
Salt Volume (gal)	5.38E+05	2.13E+05	1.00E+06	1.01E+06	1.09E+06	9.73E+05	8.86E+05	1.23E+06
Inst. Supernate (gal)	3.55E+04	1.41E+04	6.60E+04	6.69E+04	7.22E+04	6.42E+04	5.85E+04	8.12E+04
Inhibited Water (gal)	1.30E+06	5.07E+05	2.34E+06	2.47E+06	2.66E+06	2.37E+06	2.04E+06	2.96E+06
Dissolved Salt Solution (gal)	1.55E+06	6.10E+05	2.83E+06	2.94E+06	3.18E+06	2.82E+06	2.48E+06	3.54E+06
DWPF Recycle (gal)	4.15E+05	1.63E+05	7.57E+05	7.86E+05	8.48E+05	7.54E+05	6.63E+05	9.46E+05
Final Salt Solution (gal)	1.97E+06	7.72E+05	3.59E+06	3.73E+06	4.02E+06	3.57E+06	3.14E+06	4.48E+06

4 Real Waste Salt Cake Samples

Since 1994, several salt cake samples were extracted from Tanks 37, 38, and 41.^{6,7,8} These samples were obtained using a sampling cup that is driven into the surface of the salt cake. The material is held in the cup primarily by friction, but is aided by a retaining ring in some cases. These samples are nominally about 50 ml each. Though not necessarily representative of the entire tank contents, these samples offer significant insight to the composition of the salt cake. The results from these samples are presented as if the material is dissolved and diluted with water to 6.44 M total sodium concentration. The composition predicted by WCS is presented in the adjacent column for comparison.

The WCS predicted composition assumes 70% drainage of interstitial liquid. Additional projections are provided if better drainage can be achieved. However, the samples from all three tanks were not drained to a specified supernate level. The sample technique compresses the salt cake, which forces out interstitial liquid. As the sample is removed from the tank, the remaining interstitial liquid is allowed to drain from the sample before packaging and shipping to the laboratory. If possible, the void fraction is estimated for each sample along with an estimate of retained supernate.

The weight fraction of supernate can be calculated as follows:

$$w_{\text{supr}} = M_{\text{supr}}/M_{\text{bulk}} = M_{\text{H}_2\text{O}}/(w_{\text{H}_2\text{O-sup}} * M_{\text{bulk}})$$

$$= w_{\text{H}_2\text{O-bulk}}/w_{\text{H}_2\text{O-sup}} \quad (10)$$

where

M_{supr} = mass of supernate in sample
 M_{bulk} = mass of sample
 $M_{\text{H}_2\text{O}}$ = mass of water in sample
 v_{supr} = the volume fraction of the supernate in the sample
 $w_{\text{H}_2\text{O-bulk}}$ = the weight fraction of the water in the sample
 $w_{\text{H}_2\text{O-sup}}$ = the weight fraction of the water in the supernate, and
 w_{supr} = the weight fraction of supernate in the sample.

The volume fraction of supernate in the sample can be calculated as follows:

$$v_{\text{supr}} = V_{\text{supr}}/V_{\text{bulk}} = (M_{\text{supr}}/\rho_{\text{supr}})/(M_{\text{bulk}}/\rho_{\text{bulk}})$$

$$= (M_{\text{supr}}/M_{\text{bulk}}) * (\rho_{\text{bulk}}/\rho_{\text{supr}})$$

$$= w_{\text{supr}} * (\rho_{\text{bulk}}/\rho_{\text{supr}}) \quad (11)$$

where

ρ_{supr} and ρ_{bulk} = the densities of the supernate and bulk sample respectively.

Equation 10 is combined with equation 11 to yield

$$v_{\text{supr}} = (w_{\text{H}_2\text{O-bulk}}/w_{\text{H}_2\text{O-sup}}) * (\rho_{\text{bulk}}/\rho_{\text{supr}}) \quad (12)$$

By analogy to equation 12,

$$v_{\text{salt}} = w_{\text{salt}} * (\rho_{\text{bulk}}/\rho_{\text{salt}}) \quad (13)$$

where

v_{salt} = the volume fraction of the salt in the sample, and

ρ_{salt} = the density of the salt.

Since $w_{\text{supr}} + w_{\text{salt}} = 1$, neglecting the contribution of air, then

$$v_{\text{salt}} = (1 - w_{\text{supr}}) * (\rho_{\text{bulk}} / \rho_{\text{salt}}) \quad (14)$$

Combining equation 10 with equation 14 results in

$$v_{\text{salt}} = (1 - w_{\text{H2O-bulk}} / w_{\text{H2O-sup}}) * (\rho_{\text{bulk}} / \rho_{\text{salt}}) \quad (15)$$

The volume fraction of air in the bulk sample was assumed to be the balance of the sample volume. The void fraction is the fraction of sample volume not occupied by salt or $v_{\text{supr}} + v_{\text{air}}$. Using the sample density and weight fraction water data in Table 13 and assuming the crystalline solids density is 2.2,³ the calculated sample void fractions are 0.59, 0.41, and 0.42 for the Tank 37, 38, and 41 samples respectively.

Samples from all three tanks show much higher total insoluble solids than is predicted. These high insoluble solids content may be due to solids settling from the free supernate over a long period. Waste is not routinely transferred from or to these tanks. After long periods of stagnation, fine particles may settle as well as dust and corrosion debris. Aluminum precipitation as gibbsite and sodium aluminosilicates is known to occur slowly. All these mechanisms can contribute to the unusually high insoluble content of these samples.

Table 13: Comparison of Real Salt Cake Sample Results with Predicted Compositions

			Tank 38 (avg. Sp.G. = 1.725)				Tank 41 - 4 Samples (Avg. Sp.G. = 1.53)				Tank 37 (Avg. Sp.G. = 1.524)			
			Ave. Sample Weight %	Sample Conc (M)	Average Sample Conc @6.44 M Na (M)	WCS Projected Feed @6.44 M Na (M)	Average Sample Weight Frac.	Sample Conc (M)	Average Sample Conc @6.44 M Na (M)	WCS Projected Feed @6.44 M Na (M)	Average Sample Weight %	Sample Conc (M)	Average Sample Conc @6.44 M Na (M)	WCS Projected Feed @6.44 M Na (M)
Na	22.98977		2.98E+01	2.24E+01	6.44E+00	6.44E+00	2.75E-01	1.83E+01	6.44E+00	6.44E+00	2.87E+01	1.91E+01	6.44E+00	6.44E+00
Al(OH)4	26.98154	<	2.01E-01	1.29E-01	3.70E-02	4.01E-01	9.60E-03	1.55E-01	5.45E-02	3.91E-01	7.40E-01	4.18E-01	1.41E-01	3.93E-01
CO3	60.0092		---	---	---	1.35E-01	7.03E-02	1.79E+00	6.31E-01	1.35E-01	---	---	---	1.30E-01
C2O4	88.0196		---	---	---	1.43E-02	1.00E-03	1.74E-02	6.13E-03	1.39E-02	---	---	---	1.40E-02
NO2	46.0055		---	---	---	7.45E-01	7.33E-03	2.44E-01	8.59E-02	7.39E-01	---	---	---	7.52E-01
NO3	62.0049		---	---	---	2.67E+00	4.41E-01	1.09E+01	3.83E+00	2.65E+00	---	---	---	2.61E+00
OH	17.0073		---	---	---	1.87E+00	1.45E-02	1.30E+00	4.60E-01	1.87E+00	---	---	---	1.91E+00
PO4	94.9714		---	---	---	1.58E-02	7.43E-03	1.20E-01	4.22E-02	1.58E-02	---	---	---	1.54E-02
SO4	96.0576		---	---	---	1.84E-01	5.57E-03	8.87E-02	3.13E-02	1.80E-01	---	---	---	1.78E-01
Ag	107.868		2.08E-03	3.33E-04	9.58E-05	4.38E-08	2.34E-06	3.32E-05	1.17E-05	3.37E-08	8.93E-03	1.26E-03	4.27E-04	3.34E-08
As	74.91		---	---	---	3.56E-06	1.95E-05	3.98E-04	1.40E-04	4.36E-05	---	---	---	6.58E-05
Ba	137.33	f	9.41E-04	1.18E-04	3.40E-05	7.47E-09	1.58E-06	1.76E-05	6.21E-06	---	< 3.03E-03	3.37E-04	1.14E-04	---
Ca	40.08		6.08E-02	2.62E-02	7.54E-03	3.24E-05	4.21E-05	1.61E-03	5.67E-04	3.03E-01	< 2.47E-02	9.40E-03	3.18E-03	3.01E-05
Cd	112.41	f	1.42E-03	2.18E-04	6.28E-05	7.30E-08	4.29E-07	5.84E-06	2.06E-06	1.06E-06	< 3.12E-03	4.23E-04	1.43E-04	1.93E-06
Cl	35.453		---	---	---	3.86E-02	2.10E-02	9.06E-01	3.19E-01	3.78E-02	---	---	---	3.75E-02
Co	58.9332	<	5.67E-03	1.66E-03	4.78E-04	1.99E-07	9.56E-07	2.48E-05	8.75E-06	2.63E-07	< 1.40E-02	3.62E-03	1.22E-03	3.54E-07
Cr	51.996	f	7.06E-03	2.34E-03	6.75E-04	2.01E-04	7.18E-04	2.11E-02	7.44E-03	2.20E-04	< 1.70E-02	4.99E-03	1.69E-03	2.00E-04
Cu	63.546	<	1.89E-03	5.13E-04	1.48E-04	2.56E-05	1.97E-06	4.74E-05	1.67E-05	6.31E-05	< 6.64E-03	1.59E-03	5.38E-04	1.14E-04
Fe	55.847		3.17E-01	9.79E-02	2.82E-02	1.95E-06	2.51E-04	6.88E-03	2.42E-03	2.90E-06	5.00E-02	1.36E-02	4.61E-03	5.15E-06
F	18.9984		---	---	---	3.63E-02	---	---	---	3.53E-02	---	---	---	3.52E-02
Hg	200.59		---	---	---	1.02E-06	6.18E-07	4.71E-06	1.66E-06	1.20E-05	---	---	---	1.24E-05
K	39.0983		---	---	---	4.73E-03	2.64E-04	1.03E-02	3.64E-03	5.08E-03	---	---	---	6.03E-03
Mg	24.305		1.60E-02	1.14E-02	3.27E-03	1.38E-07	1.04E-05	6.52E-04	2.30E-04	8.20E-08	3.21E-03	2.01E-03	6.80E-04	1.02E-08
Mn	54.93805		2.82E-02	8.85E-03	2.55E-03	5.98E-08	3.21E-06	8.94E-05	3.15E-05	1.66E-07	< 2.15E-03	5.95E-04	2.01E-04	2.44E-07
Nd	144.27		---	---	---	4.75E-06	---	---	---	1.59E-06	---	---	---	---
Ni	58.69	f	9.27E-03	2.72E-03	7.85E-04	4.13E-07	2.04E-06	5.32E-05	1.87E-05	5.87E-07	< 2.03E-02	5.28E-03	1.79E-03	8.30E-07
Pb	207.2	<	6.65E-02	5.54E-03	1.59E-03	2.97E-06	1.25E-05	9.23E-05	3.25E-05	---	< 1.56E-01	1.15E-02	3.88E-03	---
Ru	101.1		---	---	---	3.76E-06	---	---	---	7.38E-06	---	---	---	1.23E-05
Se	78.96		---	---	---	5.85E-05	1.19E-05	2.31E-04	8.13E-05	1.74E-04	---	---	---	1.46E-04
Si	28.0855		8.85E-02	5.44E-02	1.57E-02	1.42E-04	7.40E-05	4.03E-03	1.42E-03	---	5.21E-01	2.83E-01	9.55E-02	---
Sr	87.62	<	7.07E-04	1.39E-04	4.01E-05	3.23E-06	2.48E-07	4.33E-06	1.53E-06	7.95E-07	< 1.72E-03	3.00E-04	1.01E-04	---
Zn	65.39	<	2.88E-03	7.60E-04	2.19E-04	4.80E-05	8.80E-04	2.06E-02	7.26E-03	8.82E-05	< 4.65E-03	1.08E-03	3.66E-04	1.43E-04
Zr	91.224		2.05E-03	3.88E-04	1.12E-04	9.28E-07	1.86E-06	3.12E-05	1.10E-05	2.09E-06	9.57E-03	1.60E-03	5.40E-04	3.68E-06
Water	---		2.21E-01				1.18E-01				2.11E-01			
Insoluble Solids	---		0.795	13,700 mg/l	3,900 mg/l	600 mg/l	0.850	13,000 mg/l	4,580 mg/l	600 mg/l	0.678	25,794 mg/l	8,719 mg/l	600 mg/l

Tank 41 insoluble solids calculation based on five sample average of 0.85 wt% insoluble solids at Sp. Gr. of 1.53 and 18.3M Na corrected to 6.44M Na.

Table 13: Comparison of Real Salt Cake Sample Results with Predicted Compositions (Continued)

	Specific Activity (Ci/g)	Tank 38 (avg. Sp.G. = 1.725)							Tank 41 (Avg. Sp. Gr. = 1.53)				
		ICP-MS Analysis		Gamma Scan Analysis			Highest Result		ICP-MS Analysis			WCS Projected Feed @6.44 M Na (Ci/gal)	
		wt%	Ci/gal	dpm/g	Ci/g	Ci/gal	Ci/gal @6.44M Na	WCS Projected Feed @6.44 M Na (Ci/gal)	mg/g	mCi/g	Ci/gal	Ci/gal @6.44M Na	WCS Projected Feed @6.44 M Na (Ci/gal)
C-14	---	---	---	---	---	---	---	3.37E-09	---	---	---	---	3.37E-09
Ni-59	---	---	---	---	---	---	---	1.94E-06	---	---	---	---	1.94E-06
Ni-63	---	---	---	---	---	---	---	3.01E-09	---	---	---	---	3.01E-09
Co-60	---	---	---	1.76E+04	7.93E-09	5.18E-05	1.49E-05	3.09E-04	---	---	---	---	3.09E-04
Se-79	---	---	---	---	---	---	---	1.14E-06	---	---	---	---	1.14E-06
Tc-99	---	---	---	---	---	---	---	1.94E-05	---	3.00E-02	1.737E-04	6.125E-05	1.94E-05
Ru-106	---	---	---	---	---	---	---	7.18E-06	---	5.700E-02	3.301E-04	1.164E-04	7.18E-06
Rh-106	---	---	---	---	---	---	---	7.18E-06	---	---	---	---	7.18E-06
Sb-125	---	---	---	1.02E+06	4.59E-07	3.00E-03	8.64E-04	1.84E-04	---	4.000E-02	2.317E-04	8.167E-05	1.84E-04
Sn-126	---	---	---	---	---	---	---	1.53E-06	---	1.800E-01	1.042E-03	3.675E-04	1.53E-06
I-129	---	---	---	---	---	---	---	1.79E-10	---	---	---	---	1.79E-10
Cs-134	---	---	---	5.17E+04	2.33E-08	1.52E-04	4.38E-05	8.05E-06	---	1.600E-02	9.267E-05	3.267E-05	8.05E-06
Cs-135	---	---	---	---	---	---	---	1.37E-08	---	---	---	---	1.37E-08
Cs-137	---	---	---	7.64E+07	3.44E-05	2.25E-01	6.47E-02	9.60E-03	---	1.010E+02	5.618E-01	1.980E-01	5.43E-02
Ba-137m	---	---	---	---	---	---	---	9.08E-03	---	---	---	---	5.14E-02
Sr-90	---	---	---	5.45E+07	2.45E-05	1.60E-01	4.62E-02	6.74E-02	---	1.200E-02	6.950E-05	2.450E-05	6.74E-02
Y-90	---	---	---	---	---	---	---	6.74E-02	---	---	---	---	6.74E-02
H-3	---	---	---	---	---	---	---	---	---	---	---	---	---
Ce-144	---	---	---	---	---	---	---	3.70E-06	---	---	---	---	3.70E-06
Pr-144	---	---	---	---	---	---	---	3.70E-06	---	---	---	---	3.70E-06
Pm-147	---	---	---	---	---	---	---	3.88E-03	---	---	---	---	3.88E-03
Eu-154	---	---	---	1.71E+05	7.70E-08	5.03E-04	1.45E-04	7.56E-04	---	2.200E-01	1.274E-03	4.492E-04	7.56E-04
Th-232	1.10E-07	1.29E-03	9.26E-09	---	---	---	2.67E-09	2.17E-09	---	---	---	---	2.17E-09
U-232	2.14E+01	1.29E-03	1.80E+00	---	---	---	5.19E-01	4.68E-10	---	---	---	---	4.68E-10
U-233	9.65E-03	5.61E-07	3.53E-07	---	---	---	1.02E-07	7.35E-08	1.920E-02	---	1.073E-06	3.782E-07	7.35E-08
U-234	6.26E-03	8.54E-04	3.49E-04	---	---	---	1.01E-04	2.87E-08	2.020E-01	---	7.324E-06	2.582E-06	2.86E-08
U-235	2.16E-06	1.57E-03	2.21E-07	---	---	---	6.38E-08	1.21E-09	5.730E-01	---	7.168E-09	2.527E-09	1.21E-09
U-236	6.47E-05	5.04E-04	2.13E-06	---	---	---	6.13E-07	4.13E-09	2.150E-01	---	8.053E-08	2.839E-08	4.11E-09
U-238	3.36E-07	1.09E-01	2.39E-06	---	---	---	6.88E-07	3.56E-08	3.800E+00	---	7.395E-09	2.607E-09	3.56E-08
Np-237	7.05E-04	7.75E-04	3.57E-05	---	---	---	1.03E-05	5.53E-08	1.070E-01	---	4.367E-07	1.539E-07	5.52E-08
Pu-238	1.71E+01	9.25E-05	1.03E-01	3.15E+07	1.42E-05	9.27E-02	2.98E-02	1.57E-03	2.850E-02	---	2.826E-03	9.962E-04	1.57E-03
Pu-239 **	6.13E-02	3.18E-04	1.27E-03	5.85E+05	2.64E-07	1.72E-03	4.96E-04	2.50E-05	1.030E-02	---	3.658E-06	1.290E-06	2.50E-05
Pu-240	2.26E-01	9.12E-05	1.34E-03	---	---	---	3.87E-04	1.17E-05	1.730E-03	---	2.260E-06	7.968E-07	1.17E-05
Pu-241	1.03E+02	9.51E-06	6.41E-02	2.05E+07	9.23E-06	6.03E-02	1.85E-02	8.05E-04	3.930E-04	---	2.351E-04	8.289E-05	8.04E-04
Pu-242	3.93E-03	2.52E-04	6.46E-05	---	---	---	1.86E-05	2.78E-08	1.750E-04	---	3.978E-09	1.402E-09	2.77E-08
Am-241	3.42E+00	-8.95E-06	-2.00E-03	4.56E+05	2.05E-07	1.34E-03	3.86E-04	1.62E-04	---	---	---	---	1.62E-04
Am-242m	---	---	---	---	---	---	---	1.53E-07	---	---	---	---	1.53E-07
Cm-242	---	---	---	---	---	---	---	---	---	---	---	---	---
Cm-244	8.09E+01	5.61E-07	2.96E-03	---	---	---	8.53E-04	1.66E-04	1.003E-04	---	4.698E-05	1.656E-05	1.66E-04
Cm-245	1.72E-01	5.61E-07	6.29E-06	---	---	---	1.81E-06	1.24E-08	---	---	---	---	1.24E-08

Table 13: Comparison of Real Salt Cake Sample Results with Predicted Compositions (continued)

	Specific Activity (Ci/g)	Tank 37 (Avg. Sp. Gr. = 1.524)						
		Based on wt%		Gamma Scan Analysis			Highest Result	
		wt%	Ci/gal	dpm/g	Ci/g	Ci/gal	Ci/gal @6.44M Na	WCS Projected Feed @ 6.44 M Na (Ci/gal)
C-14	---	---	---	---	---	---	---	3.37E-09
Ni-59	---	---	---	---	---	---	---	1.94E-06
Ni-63	---	---	---	---	---	---	---	3.01E-09
Co-60	---	---	---	---	---	---	---	3.09E-04
Se-79	---	---	---	---	---	---	---	1.14E-06
Tc-99	---	---	---	---	---	---	---	1.94E-05
Ru-106	---	---	---	---	---	---	---	7.18E-06
Rh-106	---	---	---	---	---	---	---	7.18E-06
Sb-125	---	---	---	---	---	---	---	1.84E-04
Sn-126	---	---	---	---	---	---	---	1.53E-06
I-129	---	---	---	---	---	---	---	1.79E-10
Cs-134	---	---	---	---	---	---	---	8.05E-06
Cs-135	---	---	---	---	---	---	---	1.37E-08
Cs-137	---	1.06E-03	5.32E+00	2.04E+09	9.19E-04	5.30E+00	1.80E+00	3.04E-01
Ba-137m	---	---	---	---	---	---	---	2.87E-01
Sr-90	---	---	---	---	---	---	---	6.75E-02
Y-90	---	---	---	---	---	---	---	6.75E-02
H-3	---	---	---	---	---	---	---	---
Ce-144	---	---	---	---	---	---	---	3.70E-06
Pr-144	---	---	---	---	---	---	---	3.70E-06
Pm-147	---	---	---	---	---	---	---	3.88E-03
Eu-154	---	---	---	---	---	---	---	7.56E-04
Th-232	1.10E-07	2.52E-05	1.60E-10	---	---	---	5.40E-11	2.18E-09
U-232	2.14E+01	---	---	---	---	---	---	4.71E-10
U-233	9.65E-03	bdl	---	---	---	---	---	7.57E-08
U-234	6.26E-03	3.35E-06	1.21E-06	---	---	---	4.09E-07	2.38E-08
U-235	2.16E-06	3.89E-05	5.86E-09	---	---	---	1.98E-09	1.17E-09
U-236	6.47E-05	1.50E-05	5.60E-08	---	---	---	1.89E-08	3.37E-09
U-238	3.36E-07	1.56E-03	3.02E-08	---	---	---	1.02E-08	3.57E-08
Np-237	7.05E-04	1.86E-06	7.56E-08	---	---	---	2.56E-08	5.16E-08
Pu-238	1.71E+01	4.33E-06	4.28E-03	1.64E+06	7.39E-07	4.26E-03	1.45E-03	1.43E-03
Pu-239 **	6.13E-02	1.47E-05	5.20E-05	3.17E+04	1.43E-08	8.24E-05	2.78E-05	2.47E-05
Pu-240	2.26E-01	4.52E-06	5.88E-05	---	---	---	1.99E-05	1.15E-05
Pu-241	1.03E+02	bdl	---	1.06E+06	4.77E-07	2.75E-03	9.31E-04	7.81E-04
Pu-242	3.93E-03	bdl	---	---	---	---	---	2.23E-08
Am-241	3.42E+00	bdl	---	---	---	---	---	1.62E-04
Am-242m	---	---	---	---	---	---	---	1.53E-07
Cm-242	---	---	---	---	---	---	---	---
Cm-244	8.09E+01	---	---	---	---	---	---	1.66E-04
Cm-245	1.72E-01	---	---	---	---	---	---	1.24E-08


5 References

- 1 B. J. Wiersma, "An Investigation of Density Driven Salt Dissolution Techniques", WSRC-TR-96-0160, August 1996.
- 2 J. N. Brooke, J. F. Peters, and K. Staheli, "Hydrological Methods can Separate Cesium from Nuclear Waste Salt Cake", WSRC-TR-99-00358, October 1999.
- 3 J. R. Hester, "High Level Waste Characterization System (WCS)", WSRC-TR-96-0264, Rev. 0, December 1996.
- 4 D. D. Walker, "Preparation of Simulated Waste Solutions", WSRC-TR-99-00116, Rev. 0, April 1999.
- 5 F. A. Washburn, "SRS Soluble HLW Characterization", HLW-SDT-2001-00310, Rev. 0, November, 2001.
- 6 L. N. Oji and R. F. Swingle, "Characterization of Tank 37H Salt Core Samples", WSRC-TR-2001-00517, Rev. 0, November 12, 2001.
- 7 D. T. Hobbs and C. J. Coleman, "Final Report: Analysis of Tank 41H Saltcake Sample #2 and Comparison to Sample #1 (U)", WSRC-TR-94-057, January 26, 1994.
- 8 R. F. Swingle, "Characterization of Tank 38H Variable Depth & Core Samples", WSRC-RP-2001-00574, Rev. 0, May 2001.

APPENDIX A


Tank 1

Sample Date	Samples Database GROSS GAMMA (d/m/ml)	Samples Database GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
10/07/97	1.10E+10	1.88E+01			18.8
08/07/96	1.02E+10	1.74E+01			
09/09/95	1.19E+10	2.03E+01			Average (3)
07/07/94	1.04E+10	1.77E+01			1.88E+01
07/22/93	1.08E+10	1.84E+01	1.08E+10	1.84E+01	
07/31/92	9.81E+09	1.67E+01	9.81E+09	1.67E+01	
07/31/91	1.14E+10	1.94E+01			
05/15/89	9.35E+09	1.59E+01			Data Range
04/30/87	6.03E+09	1.03E+01	9.15E+08	1.56E+00	of Average
10/24/85					9/09/98 - 10/07/97
09/05/85					
07/13/76					
03/12/75			1.50E+10	2.56E+01	
08/05/74			1.00E+10	1.71E+01	
02/21/73			1.40E+10	2.39E+01	
07/18/58					
11/07/57					
04/01/57					
04/01/56					
05/01/55					



Tank 2

Sample Date	Samples Database GROSS GAMMA (d/m/ml)	Samples Database GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
12/10/96	4.08E+09	6.96E+00			6.96
11/21/95	4.01E+09	6.84E+00			
11/15/94	4.72E+09	8.05E+00			Average (3)
11/24/93	3.34E+09	5.70E+00	3.34E+09	5.70E+00	7.28E+00
10/22/92	5.09E+09	8.68E+00	5.09E+09	8.68E+00	
10/08/91					
05/15/89	3.89E+09	6.63E+00			
04/30/87	1.62E+09	2.76E+00	2.28E+06	3.89E-03	Data Range of Average
10/25/85					11/15/94 - 12/10/96
09/10/85					
07/13/76					
08/24/74			1.30E+10	2.22E+01	
02/20/73			8.00E+09	1.36E+01	
07/18/58					
11/07/57					
04/01/57					
04/01/57					



Tank 3


Sample Date	Samples Database GROSS GAMMA (d/m/ml)	Samples Database GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal 6.96
No Data Available					

Tank 9

Sample Date	Samples Database GROSS GAMMA (d/m/ml)	Samples Database GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
08/09/83					6.82
01/11/73			4.00E+09	6.82E+00	
01/21/65					
02/19/60					
04/08/58					
11/04/57					
08/22/57					
02/01/57					
09/01/56					


Tank 10

Sample Date	Samples Database GROSS GAMMA (d/m/ml)	Samples Database GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal 1.19
06/12/87					
06/04/87	4.00E+08	6.82E-01	4.28E+07	7.30E-02	
05/04/87	2.40E+08	4.09E-01	3.83E+07	6.53E-02	Average (4)
04/09/87	5.47E+07	9.33E-02	6.90E+06	1.18E-02	7.31E-01
04/07/87	1.02E+09	1.74E+00	3.08E+07	5.25E-02	
04/25/86	4.89E+07	8.34E-02	6.74E+06	1.15E-02	
02/24/86	5.98E+08	1.02E+00	7.94E+07	1.35E-01	
12/20/85	5.98E+08	1.02E+00			Data Range of Average
11/26/85					04/07/87 - 06/12/87
07/09/85	9.34E+08	1.59E+00			
05/07/85	9.08E+08	1.55E+00	1.11E+08	1.89E-01	
02/28/85	9.08E+08	1.55E+00			
01/08/85					
09/14/84					
09/14/84	1.36E+08	2.32E-01			
09/05/84					
05/21/83					
03/26/83					
03/26/83					
03/01/83					
12/14/82					
10/07/82					
09/30/82					
09/23/81					
09/22/81					
01/13/81					
12/19/80					
06/10/80					
05/19/80					
04/28/80					
04/28/80					
04/04/80					
03/24/80					
03/04/80					
02/28/80					
01/19/80					
01/18/80					
08/29/79			4.50E+08	7.67E-01	
06/22/79			5.40E+09	9.21E+00	
06/18/76			4.50E+09	7.67E+00	
08/27/74			8.00E+09	1.36E+01	
01/05/73					
01/21/64					
07/01/59					
04/08/58					
08/14/57					
04/01/57					
03/01/57					




Tank 25

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
02/12/98	2.38E+09	4.06E+00			4.98
04/10/97			2.57E+09	4.38E+00	Average (3) 4.37
02/13/97	2.58E+09	4.40E+00	2.57E+09	4.38E+00	
01/13/97	2.73E+09	4.65E+00			
12/01/95	2.68E+09	4.57E+00			
11/30/95					
08/31/95	2.74E+09	4.67E+00			Date Range of Average 1/13/97-2/12/98
08/18/94	3.11E+09	5.30E+00			
08/05/93	2.76E+09	4.71E+00	2.76E+09	4.71E+00	
07/30/92	3.39E+09	5.78E+00	2.50E+09	4.26E+00	
07/30/92	3.39E+09	5.78E+00	3.39E+09	5.78E+00	
07/30/92			2.50E+09	4.26E+00	
07/26/91	2.96E+09	5.05E+00			
05/15/89	2.24E+09	3.82E+00			
11/04/88	1.78E+09	3.04E+00			
04/21/88	3.74E+09	6.38E+00	5.52E+08	9.41E-01	
10/07/87	2.48E+09	4.23E+00	4.23E+08	7.21E-01	
04/04/86					
08/19/85			5.10E+08	8.70E-01	
04/09/85			4.35E+08	7.42E-01	
03/19/85					
02/09/84					
03/18/83					
06/30/82					
11/10/81					
11/06/81					
10/16/81					
04/08/81					
09/22/80					




Tank 27

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
06/24/99	2.26E+09	3.85E+00			4.96
07/08/97	1.37E+09	2.34E+00			
07/09/96	2.55E+09	4.35E+00			Average (3)
08/21/95	2.25E+09	3.84E+00			3.51
08/18/94	3.56E+09	6.07E+00			
08/05/93	2.75E+09	4.69E+00	2.75E+09	4.69E+00	
07/21/92	3.16E+09	5.39E+00	3.16E+09	5.39E+00	Date Range
07/21/92	3.16E+09	5.39E+00	3.16E+09	5.39E+00	of Average
07/21/92			2.20E+09	3.75E+00	7/9/96-6/24/99
08/02/91	2.96E+09	5.05E+00			
05/24/90	5.01E+09	8.54E+00			
05/15/89	3.52E+09	6.00E+00			
11/04/88	2.00E+09	3.41E+00			
05/18/88	4.67E+07	7.96E-02	1.84E+06	3.14E-03	
04/21/88	4.67E+07	7.96E-02			
10/07/87	2.29E+09	3.90E+00	3.80E+08	6.48E-01	
04/03/87	2.60E+09	4.43E+00	4.48E+08	7.64E-01	
11/25/86	3.11E+09	5.30E+00	4.11E+08	7.01E-01	
10/20/84					
02/09/84					
08/23/83					
03/18/83					
03/25/82					
10/16/81					
08/19/80					
03/06/80					
02/01/80					
01/25/80					
01/24/80					




Tank 28

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
06/29/99	2.48E+09	4.23E+00			4.12
08/26/97	2.92E+09	4.98E+00			
08/26/96	2.87E+09	4.89E+00			Average (3)
08/31/95	3.30E+09	5.63E+00			4.70
07/08/94	2.78E+09	4.74E+00			
07/23/93	2.29E+09	3.90E+00	2.29E+09	3.90E+00	
07/21/92	3.57E+09	6.09E+00	3.57E+09	6.09E+00	Date Range
07/21/92	3.57E+09	6.09E+00	3.57E+09	6.09E+00	of Average
07/21/92			2.60E+09	4.43E+00	8/26/96-6/29/99
07/26/91	7.21E+08	1.23E+00			
05/24/90	4.98E+09	8.49E+00			
05/15/89	1.38E+09	2.35E+00			
11/04/88	3.13E+09	5.34E+00			
04/21/88	3.46E+09	5.90E+00	4.52E+08	7.71E-01	
10/07/87	2.54E+09	4.33E+00	4.12E+08	7.02E-01	
11/26/86	1.85E+09	3.15E+00	2.39E+08	4.08E-01	
04/04/86	4.76E+09	8.12E+00			
08/19/85	3.40E+09	5.80E+00	4.61E+08	7.86E-01	
04/09/85			6.20E+08	1.06E+00	
03/19/85					
12/01/83					
03/18/83					
04/22/82					
02/03/81			2.38E+09	4.06E+00	
10/16/81					
04/08/81					
11/10/80					
09/08/80					
03/13/80					
02/01/80					




Tank 29

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	WCS Ci/gal
09/18/01	1.29E+09	2.20E+00	12.10
06/19/01	2.27E+09	3.87E+00	
05/02/01	4.49E+09	7.66E+00	Average (3)
02/15/01	1.21E+09	2.06E+00	4.58
12/02/00	3.95E+09	6.74E+00	
09/10/00	3.21E+09	5.47E+00	
03/18/00	5.29E+09	9.02E+00	Date Range
09/24/99	5.27E+09	8.99E+00	of Average
03/29/99	4.32E+09	7.37E+00	5/2/01-9/18/01
12/02/98	5.51E+09	9.40E+00	
01/22/98	4.95E+09	8.44E+00	
12/18/96	7.15E+09	1.22E+01	
11/16/95	7.43E+09	1.27E+01	
11/22/94	7.24E+09	1.23E+01	
11/21/93	6.69E+09	1.14E+01	
11/28/92			
12/26/91	7.36E+09	1.25E+01	
06/23/91	6.51E+09	1.11E+01	
01/03/90	1.10E+10	1.88E+01	
12/15/89	1.10E+10	1.88E+01	
05/22/89	1.57E+10	2.68E+01	
08/22/88	7.70E+09	1.31E+01	
07/17/87			
07/17/87			
02/26/85			
01/11/85			
10/12/84			
09/17/84			
08/16/83			
09/10/82			
02/15/82			
09/09/81			
11/10/80			
06/20/80			
06/17/80			
06/10/80			
05/28/80			
05/19/80			
02/20/80			
01/18/80			
07/14/76			
08/01/71			




Tank 31

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
03/12/99	6.30E+09	1.07E+01			13.70
09/17/97	7.09E+09	1.21E+01			Average (3) 43.82
09/19/96	6.37E+10	1.09E+02			
07/23/96	3.69E+08	6.29E-01			
05/04/95	7.62E+09	1.30E+01			Date Range of Average 9/19/96-3/12/99
04/27/94	8.22E+09	1.40E+01			
04/07/93	7.71E+09	1.31E+01	7.62E+09	1.30E+01	
03/18/92	8.29E+09	1.41E+01	8.11E+09	1.38E+01	
09/04/91	7.92E+09	1.35E+01	7.89E+09	1.35E+01	
02/25/91	7.32E+09	1.25E+01			
09/18/90	1.04E+10	1.77E+01			
08/28/90					
03/09/90	1.30E+10	2.22E+01			
01/16/90					
01/03/90	9.77E+09	1.67E+01			
09/27/89	2.38E+10	4.06E+01			
12/11/88	8.83E+09	1.51E+01			
08/30/88	1.03E+10	1.76E+01			
02/09/87					
06/11/86	1.26E+10	2.15E+01	1.55E+09	2.64E+00	
09/17/84					
08/08/83					
09/13/82					
09/03/81					
04/22/81					
02/25/81			7.20E+08	1.23E+00	
11/10/80					
07/08/80					
06/10/80					
04/28/80					
04/11/80					
02/27/80					
02/27/80					
02/13/80					
02/07/80					
02/07/80					
01/31/80					
01/30/80					
01/19/80					
06/11/76			9.30E+09	1.59E+01	
04/01/72					




Tank 33

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	WCS Ci/gal
07/12/01	3.04E+07	5.18E-02	2.10
01/27/01	5.51E+07	9.40E-02	
06/26/00	4.96E+07	8.46E-02	Average (3)
03/14/00			0.08
03/14/00			
12/29/99	7.16E+07	1.22E-01	
07/07/99	1.00E+08	1.71E-01	Date Range
12/02/98	7.90E+07	1.35E-01	of Average
02/26/98	1.21E+08	2.06E-01	6/26/00-7/12/01
08/01/97	1.58E+08	2.70E-01	
04/17/97	1.85E+08	3.15E-01	
11/05/96	1.22E+08	2.08E-01	
04/09/96	1.44E+08	2.46E-01	
09/09/95	2.98E+08	5.08E-01	
02/27/95	1.39E+09	2.37E+00	
08/18/94	1.22E+09	2.08E+00	
02/01/94	1.30E+09	2.22E+00	
08/12/93	1.17E+09	1.99E+00	
02/24/93	1.31E+09	2.23E+00	
08/28/92	1.18E+09	2.01E+00	
04/29/92			
02/26/92	1.69E+09	2.88E+00	
06/26/91	1.51E+09	2.57E+00	
01/09/91	1.59E+09	2.71E+00	
08/01/90	2.21E+09	3.77E+00	
01/24/90	2.02E+09	3.44E+00	
08/15/89			
02/23/89	2.18E+09	3.72E+00	
02/13/89	2.18E+09	3.72E+00	
08/23/88	2.16E+09	3.68E+00	
01/20/87			
01/08/87			
08/18/86	5.09E+09	8.68E+00	
04/26/85			
08/06/84			
07/03/84			
02/10/84			
07/12/83			
12/27/82			
12/14/82			
11/16/81			
03/06/80			
11/29/79			
08/08/75			
05/01/74			




Tank 34

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	WCS Ci/gal
09/14/01	2.30E+09	3.92E+00	2.48
07/14/99	1.93E+09	3.29E+00	
08/27/97	1.96E+09	3.34E+00	Average (3)
04/10/97			3.52
02/13/97	1.93E+09	3.29E+00	
06/18/96	1.84E+09	3.14E+00	
07/18/95	2.08E+09	3.55E+00	Date Range
01/20/95	2.36E+09	4.02E+00	of Average
07/09/94	1.50E+09	2.56E+00	8/27/97-9/14/01
01/29/94	1.27E+09	2.17E+00	
07/23/93	1.38E+09	2.35E+00	
01/18/93	1.45E+09	2.47E+00	
07/30/92	1.58E+11	2.69E+02	
04/30/92			
01/15/92	1.76E+09	3.00E+00	
07/31/91	1.00E+09	1.71E+00	
01/09/91	1.92E+07	3.27E-02	
08/01/90	3.02E+09	5.15E+00	
01/24/90	2.74E+09	4.67E+00	
08/15/89			
02/23/89	2.14E+09	3.65E+00	
02/13/89	2.14E+09	3.65E+00	
02/13/89			
11/04/88	2.12E+09	3.61E+00	
05/18/88	1.59E+09	2.71E+00	
04/21/88	1.59E+09	2.71E+00	
10/07/87	1.51E+09	2.57E+00	
02/09/87			
04/04/86	2.62E+09	4.47E+00	
12/20/85	2.01E+09	3.43E+00	
11/26/85			
09/05/85	2.01E+09	3.43E+00	
08/19/85	2.23E+09	3.80E+00	
04/09/85	3.18E+09	5.42E+00	
03/19/85			
07/03/84			
01/04/83			
07/22/82			
01/08/82			
08/25/81			
08/25/81			
04/07/81			
09/10/80			
09/10/80			
04/30/80			
01/25/80			
11/29/79			
01/12/76			
05/01/73			




Tank 36

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
12/09/98	1.16E+10	1.98E+01			4.38
09/17/97	1.27E+10	2.17E+01			Average (3) 20.75
09/01/97	1.22E+10	2.08E+01			
08/22/96	1.23E+10	2.10E+01			
05/04/95	1.38E+10	2.35E+01			Date Range of Average 9/1/97-12/9/98
04/04/94	1.37E+10	2.34E+01	1.37E+10	2.34E+01	
03/28/93	2.43E+09	4.14E+00	2.43E+09	4.14E+00	
03/28/93	9.06E+08	1.54E+00	8.89E+08	1.52E+00	
03/02/92	1.92E+10	3.27E+01			
03/09/90	2.56E+10	4.37E+01			
01/03/90	2.35E+10	4.01E+01			
09/29/89	4.28E+10	7.30E+01			
03/20/89	1.58E+10	2.69E+01			
03/21/88	9.64E+09	1.64E+01	1.41E+09	2.40E+00	
09/28/87	1.08E+10	1.84E+01	1.64E+09	2.80E+00	
04/02/87	1.52E+10	2.59E+01	2.02E+09	3.44E+00	
03/23/87					
04/21/86	4.90E+10	8.35E+01	1.47E+09	2.51E+00	
08/05/83					
07/17/82					
07/17/82					
09/03/81					
09/03/81					
02/14/81					
02/03/81					
11/19/80					
02/25/80					
05/17/79					



Tank 37

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
09/14/01	7.37E+09	1.26E+01			1.91
03/12/99	8.42E+09	1.44E+01			
06/29/97	8.53E+09	1.45E+01			Average (3)
04/24/96	6.96E+09	1.19E+01			13.82
03/27/95	7.87E+09	1.34E+01			
03/24/94	5.55E+09	9.46E+00	5.55E+09	9.46E+00	
03/29/93	1.06E+09	1.81E+00	1.06E+09	1.81E+00	Date Range
03/29/93	1.63E+09	2.78E+00	1.62E+09	2.76E+00	of Average
03/18/92	4.50E+09	7.67E+00	4.32E+09	7.37E+00	6/29/97-9/14/01
09/04/91			3.35E+09	5.71E+00	
02/25/91	1.63E+10	2.78E+01			
01/23/91	1.38E+10	2.35E+01			
08/28/90	1.97E+10	3.36E+01			
03/09/90	2.64E+10	4.50E+01			
01/04/90	2.14E+10	3.65E+01			
09/29/89	4.31E+10	7.35E+01			
03/20/89	1.49E+10	2.54E+01			
03/21/88	1.45E+10	2.47E+01	1.88E+09	3.21E+00	
09/28/87	1.02E+10	1.74E+01	1.49E+09	2.54E+00	
04/01/87	1.37E+10	2.34E+01	1.92E+09	3.27E+00	
03/23/87					
06/11/86	2.01E+10	3.43E+01	2.51E+09	4.28E+00	
08/16/83					
07/17/82					
09/09/81					
02/27/81					
02/14/81					
02/03/81					
12/05/80					
11/19/80					
06/10/80					
02/25/80					
08/20/79					
05/18/79					




Tank 38

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)
09/27/01	2.62E+07	4.47E-02
07/08/01	1.50E+08	2.56E-01
05/16/01	1.98E+08	3.38E-01
02/26/00	1.21E+08	2.06E-01
12/15/00	1.57E+08	2.68E-01
11/30/00	4.72E+08	8.05E-01
08/27/00	1.15E+08	1.96E-01
06/10/00	2.42E+08	4.13E-01
03/21/00	1.74E+08	2.97E-01
12/18/99	1.77E+08	3.02E-01
11/29/99	1.77E+08	3.02E-01
08/25/99	4.68E+08	7.98E-01
08/19/99		
03/07/99	6.79E+08	1.16E+00
11/30/98	4.20E+08	7.16E-01
08/30/98	5.68E+08	9.68E-01
05/26/98	3.92E+08	6.68E-01
02/25/98	7.07E+08	1.21E+00
11/01/97	6.10E+08	1.04E+00
08/09/97	5.26E+08	8.97E-01
05/09/97	1.12E+09	1.91E+00
02/25/97	9.36E+08	1.60E+00
10/03/96	8.67E+08	1.48E+00
10/03/96	1.17E+08	1.99E-01
07/23/96	6.45E+08	1.10E+00
06/20/96	7.04E+08	1.20E+00
02/01/96	1.02E+09	1.74E+00
10/15/95	3.90E+08	6.65E-01
09/07/95	6.20E+08	1.06E+00
07/18/95	1.29E+09	2.20E+00
05/03/95	1.33E+09	2.27E+00
01/26/95	1.15E+09	1.96E+00
09/28/94	1.70E+09	2.90E+00
09/28/94		
07/14/94	1.79E+08	3.05E-01
10/04/93	1.00E+09	1.71E+00
07/13/93	1.61E+09	2.75E+00
03/03/93	1.20E+09	2.05E+00
11/24/92		
11/24/92	2.07E+09	3.53E+00
09/14/92	1.88E+09	3.21E+00
06/25/92	1.47E+09	2.51E+00
06/20/92		
03/16/92	2.40E+09	4.09E+00
03/15/92		
12/26/91	2.12E+09	3.61E+00
12/20/91		
11/26/91	1.99E+09	3.39E+00
10/25/91		
10/01/91	1.89E+09	3.22E+00
09/30/91		
08/28/91	9.05E+08	1.54E+00
07/26/91	1.66E+09	2.83E+00
05/29/91	2.35E+09	4.01E+00
02/25/91	1.84E+08	3.14E-01
01/23/91	1.58E+09	2.69E+00
03/09/90	2.63E+09	4.48E+00
11/30/89	8.74E+09	1.49E+01
09/19/89	7.83E+08	1.34E+00

WCS
Ci/gal
1.80


Average (3)
0.21

Date Range
of Average
5/16/01-9/27/01




Tank 41

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
11/25/01	1.22E+09	2.08E+00			3.01
06/19/01	1.40E+09	2.39E+00			
01/09/00	1.18E+09	2.01E+00			Average (3)
08/13/00	1.25E+09	2.13E+00			2.16
02/17/00	1.33E+09	2.27E+00			
08/18/99	1.18E+09	2.01E+00			
02/18/99	1.41E+09	2.40E+00			Date Range
07/19/98	1.18E+09	2.01E+00			of Average
01/19/98	1.37E+09	2.34E+00			1/9/00-11/25/01
07/15/97	1.23E+09	2.10E+00			
01/01/97	1.06E+09	1.81E+00			
07/26/96					
01/04/96	2.01E+09	3.43E+00			
07/06/95	1.78E+09	3.04E+00			
02/26/95	1.98E+09	3.38E+00			
08/19/94	2.13E+09	3.63E+00			
05/27/93					
10/27/92	1.67E+09	2.85E+00	1.67E+09	2.85E+00	
02/17/92			1.86E+09	3.17E+00	
08/24/91			5.38E+08	9.17E-01	
01/26/91	2.30E+09	3.92E+00			
03/01/90	3.04E+09	5.18E+00			
02/21/90	3.04E+09	5.18E+00			
08/23/89	2.65E+09	4.52E+00			
03/08/89	1.65E+09	2.81E+00			
04/01/87	2.08E+09	3.55E+00	2.78E+08	4.74E-01	
03/23/87					
03/20/87					
09/09/86	1.94E+09	3.31E+00	2.33E+08	3.97E-01	
04/21/86	4.55E+08	7.76E-01			
07/09/85					
08/13/84					
02/26/84					
08/09/83					
05/17/83					
05/17/83					
04/22/83					
04/22/83					
04/22/83					
03/09/82					




Tank 44

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
02/03/99	2.94E+09	5.01E+00			0.598
05/01/97	3.58E+09	6.10E+00			
04/23/96	3.21E+09	5.47E+00			Average (3)
04/27/95	3.22E+08	5.49E-01			5.53
04/18/94	2.59E+09	4.42E+00	2.59E+09	4.42E+00	
04/12/93	3.32E+08	5.66E-01	3.32E+08	5.66E-01	
04/06/92	4.34E+09	7.40E+00	4.34E+09	7.40E+00	Date Range
10/30/91	3.12E+09	5.32E+00	3.12E+09	5.32E+00	of Average
04/12/91	4.21E+09	7.18E+00			4/23/96-2/3/99
10/04/90	6.54E+09	1.12E+01			
08/08/90	6.70E+09	1.14E+01			
03/21/90	2.66E+09	4.54E+00			
08/15/89	4.70E+09	8.01E+00			
05/15/89	3.30E+09	5.63E+00			
11/04/88	2.33E+09	3.97E+00			
05/18/88	4.50E+09	7.67E+00	5.69E+08	9.70E-01	
04/21/88	4.50E+09	7.67E+00			
08/06/87					
04/03/87	1.14E+09	1.94E+00	1.69E+08	2.88E-01	
11/25/86	2.20E+09	3.75E+00	3.02E+08	5.15E-01	
04/26/85					
01/22/85	3.19E+09	5.44E+00	4.23E+08	7.21E-01	
02/09/84					
08/23/83					
03/18/83					
03/25/82					




Tank 45

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
02/03/99	2.94E+09	5.01E+00			0.598
05/01/97	3.58E+09	6.10E+00			
04/23/96	3.21E+09	5.47E+00			Average (3)
04/27/95	3.22E+08	5.49E-01			5.53
04/18/94	2.59E+09	4.42E+00	2.59E+09	4.42E+00	
04/12/93	3.32E+08	5.66E-01	3.32E+08	5.66E-01	
04/06/92	4.34E+09	7.40E+00	4.34E+09	7.40E+00	Date Range
10/30/91	3.12E+09	5.32E+00	3.12E+09	5.32E+00	of Average
04/12/91	4.21E+09	7.18E+00			4/23/96-2/3/99
10/04/90	6.54E+09	1.12E+01			
08/08/90	6.70E+09	1.14E+01			
03/21/90	2.66E+09	4.54E+00			
08/15/89	4.70E+09	8.01E+00			
05/15/89	3.30E+09	5.63E+00			
11/04/88	2.33E+09	3.97E+00			
05/18/88	4.50E+09	7.67E+00	5.69E+08	9.70E-01	
04/21/88	4.50E+09	7.67E+00			
08/06/87					
04/03/87	1.14E+09	1.94E+00	1.69E+08	2.88E-01	
11/25/86	2.20E+09	3.75E+00	3.02E+08	5.15E-01	
04/26/85					
01/22/85	3.19E+09	5.44E+00	4.23E+08	7.21E-01	
02/09/84					
08/23/83					
03/18/83					
03/25/82					



Tank 46

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
11/01/01	3.95E+09	6.74E+00			--
08/15/01	7.93E+08	1.35E+00			
05/23/01	5.37E+09	9.16E+00			Average (3)
02/23/01	4.77E+09	8.13E+00			5.75
12/05/00	5.55E+09	9.46E+00			
09/07/00	5.94E+09	1.01E+01			
06/30/00	5.91E+09	1.01E+01			Date Range
03/29/00	4.53E+09	7.72E+00			of Average
12/08/99	5.00E+08	8.53E-01			5/23/01-11/01/01
05/20/99	3.55E+09	6.05E+00			
12/07/98	4.55E+09	7.76E+00	7.77 Ci/gal	7.77	
09/30/98	3.51E+09	5.98E+00			
04/21/98	3.54E+09	6.04E+00			
02/18/98	2.89E+09	4.93E+00			
11/14/97	3.86E+09	6.58E+00			
07/30/97	3.23E+09	5.51E+00			
04/17/97	3.26E+09	5.56E+00			
01/13/97	2.65E+09	4.52E+00			
08/01/96	2.55E+09	4.35E+00			
04/25/96	2.62E+09	4.47E+00			
11/21/95	2.20E+09	3.75E+00			
08/18/95	2.31E+09	3.94E+00			
05/11/95	1.96E+09	3.34E+00			
03/06/95	2.19E+09	3.73E+00			
11/23/94	2.05E+09	3.50E+00			
08/20/94	2.42E+09	4.13E+00			
05/13/94	2.36E+09	4.02E+00	2.36E+09	4.02	
01/18/93					



Tank 47

Sample Date	Samples DataBase GROSS GAMMA	Samples DataBase GROSS GAMMA (Ci/gal)	Samples Database Cs-137 (d/m/ml)	Samples Database Cs-137 (Ci/gal)	WCS Ci/gal
01/13/98	1.48E+09	2.52E+00			4.16
01/13/97	1.50E+09	2.56E+00			
05/22/96	1.72E+09	2.93E+00			Average (3)
10/19/95	1.38E+09	2.35E+00			2.67
07/18/95	1.39E+09	2.37E+00			
04/27/95	1.66E+08	2.83E-01			
01/20/95	1.74E+09	2.97E+00			Date Range
10/06/94	1.76E+09	3.00E+00			of Average
11/13/91	2.31E+09	3.94E+00	2.31E+09	3.94E+00	5/22/96-1/13/98
05/24/91	3.70E+09	6.31E+00			
12/06/90	5.42E+09	9.24E+00			
05/24/90	5.95E+09	1.01E+01			
01/24/90	4.81E+09	8.20E+00			
05/15/89	5.12E+09	8.73E+00			
11/04/88					
04/21/88	3.67E+09	6.26E+00	4.13E+08	7.04E-01	
11/25/86	4.59E+00	7.83E-09	6.40E+08	1.09E+00	
04/04/86	3.31E+09	5.64E+00	4.58E+08	7.81E-01	
08/19/85	2.57E+09	4.38E+00			
04/09/85	8.82E+08	1.50E+00	1.08E+08	1.84E-01	
03/19/85					
10/20/84					
07/12/83					
01/14/83					
07/22/82					
05/09/82					
01/08/82					
10/16/81					
07/02/81					
07/02/81					
07/02/81					

