



U.S. DEPARTMENT OF
ENERGY

Department of Energy – Office of Science
Pacific Northwest National Laboratory

Marine Sciences Laboratory Radionuclide Air Emissions Report for Calendar Year 2013

SF Snyder
JM Barnett
MY Ballinger

May 2014



Pacific Northwest
NATIONAL LABORATORY

*Proudly Operated by **Battelle** Since 1965*

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by

BATTELLE

for the

UNITED STATES DEPARTMENT OF ENERGY

under Contract DE-AC05-76RL01830

Printed in the United States of America

Available to DOE and DOE contractors from the

Office of Scientific and Technical Information,

P.O. Box 62, Oak Ridge, TN 37831-0062;

ph: (865) 576-8401

fax: (865) 576-5728

email: reports@adonis.osti.gov

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161

ph: (800) 553-6847

fax: (703) 605-6900

email: orders@ntis.fedworld.gov

online ordering: <http://www.ntis.gov/ordering.htm>



This document was printed on recycled paper.

(9/2003)

Department of Energy – Office of Science
Pacific Northwest National Laboratory

Marine Sciences Laboratory Radionuclide Air Emissions Report for Calendar Year 2013

SF Snyder
JM Barnett
MY Ballinger

May 2014

Prepared for
the U.S. Department of Energy
under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory
Richland, Washington 99352

Summary

The U.S. Department of Energy Office of Science (DOE-SC) Pacific Northwest Site Office (PNSO) has oversight and stewardship duties associated with the Pacific Northwest National Laboratory (PNNL) Marine Sciences Laboratory (MSL) located on Battelle Land – Sequim. The facility has two buildings with the potential to emit low levels of radioactive materials. This is the second Radioactive Air Emissions Report for MSL since DOE-SC contracted for exclusive use of its radiological operations effective October 1, 2012. The operations remain unchanged from the previous year.

This report is prepared to document compliance with the Code of Federal Regulations (CFR), Title 40, Protection of the Environment, Part 61, National Emission Standards for Hazardous Air Pollutants (NESHAP), Subpart H, “National Emission Standards for Emissions of Radionuclides Other than Radon from Department of Energy Facilities” and Washington Administrative Code (WAC) Chapter 246-247, “Radiation Protection–Air Emissions.” Compliance is indicated by comparing the estimated effective dose equivalent (EDE) to the maximally exposed individual (MEI) with the 10 millirem per year (mrem/yr) U.S. Environmental Protection Agency (EPA) standard. The MSL contains only sources classified as fugitive emissions. Despite the fact that the regulations are intended for application to point source emissions, fugitive emissions are included with regard to complying with the EPA standard.

The EDE to the MSL MEI due to routine operations in 2013 was $5\text{E-}05$ mrem ($5\text{E-}07$ mSv). No non-routine emissions occurred in 2013. The MSL is in compliance with the federal and state 10 mrem/yr standard.

For further information concerning this report, you may contact Thomas M. McDermott, U.S. Department of Energy, Pacific Northwest Site Office, by telephone at (509) 372 4675 or by e-mail at tom.mcdermott@pns0.science.doe.gov.


CERTIFICATION OF PNNL-22342-2

DOE-SC Pacific Northwest National Laboratory Marine Sciences Laboratory Radionuclide Air Emissions Report Calendar Year 2013

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See, 18 U.S.C. 1001. [verbatim from 40 CFR 61, Subpart H, 61.94(b)(9)]



Roger E. Snyder, Manager
U.S. Department of Energy
Pacific Northwest Site Office



Date

Acronyms and Abbreviations

BL-S	Battelle Land - Sequim
CFR	Code of Federal Regulations
Ci	curie
CY	calendar year
DOE	U.S. Department of Energy
DOE-SC	U.S. Department of Energy, Office of Science
EDE	effective dose equivalent
EPA	U.S. Environmental Protection Agency
HEPA	high efficiency particulate air (filter)
km	kilometer
Major	a radioactive point source having a radiological dose potential of greater than 0.1 mrem/yr EDE, based on emissions that would result if all pollution-control equipment did not exist but facility operations were otherwise normal
MEI	maximally exposed individual
mi	mile(s)
Minor	a radioactive point source having a radiological dose potential of less than or equal to 0.1 mrem/yr EDE, based on emissions that would result if all pollution-control equipment did not exist but facility operations were otherwise normal
mrem	millirem [i.e., 1×10^{-3} rem]
MSL	Pacific Northwest National Laboratory Marine Sciences Laboratory
mSv	millisievert
NA	not applicable
NESHAP	National Emission Standards for Hazardous Air Pollutants
NOC	Notice of Construction
PCM	periodic confirmatory measurement
PNNL	Pacific Northwest National Laboratory
PNSO	Pacific Northwest Site Office
PTE	potential-to-emit
QA	quality assurance
RAEL	Radioactive Air Emissions License
rem	roentgen equivalent man
SD	standard deviation
Sv	sievert
UDF	unit-release dose factor
WAC	Washington Administrative Code
WDOH	Washington State Department of Health
yr	year

Contents

Summary	iii
CERTIFICATION OF PNNL-22342-2	v
Acronyms and Abbreviations	vii
1.0 Introduction	1
1.1 Battelle Land – Sequim and MSL Description	1
2.0 Radionuclide Air Emissions	2
2.1 Major, Minor, and Fugitive Emissions Points.....	2
3.0 Dose Assessment	4
3.1 Dose Model and Potential Receptors	4
3.2 Compliance Assessment.....	5
4.0 Supplemental Information	6
4.1 Population Dose Estimate	6
4.2 Compliance Status with Subparts Q and T of 40 CFR 61	6
4.3 Other Supplemental Information.....	6
5.0 References	7
Appendix A COMPLY Unit Dose Factors	A
Appendix B List of Radioactive Materials Handled or Potentially Handled, or Authorized for Use at MSL in 2013.....	B

Figures

Figure 1.1. MSL in Northwestern Washington State	1
Figure 1.2. Battelle Land-Sequim and Marine Sciences Laboratory	2

Tables

Table 2.1. 2013 MSL Inventory and Emissions Estimates	3
Table 3.1. COMPLY Input Parameters	4
Table 3.2. Potential MSL MEI Locations	5
Table 3.3. MSL 2013 Radionuclide Emissions and MEI Dose.....	5
Table 4.1. Major U.S. Cities within 50 mi of MSL.....	6
Table A.1. MSL Unit Dose Factors.....	A.1
Table B.1. List of Radioactive Materials Handled or Potentially Handled, or Authorized for Use at MSL in 2013	B.1

1.0 Introduction

The Pacific Northwest National Laboratory (PNNL) Marine Sciences Laboratory (MSL) is located on Battelle Land-Sequim (PNSO 2013). Operations at Battelle Land-Sequim are managed by Battelle Memorial Institute. The U.S. Department of Energy, Office of Science, Pacific Northwest Site Office (DOE-SC PNSO) has an exclusive use contract for MSL activities. MSL is a location designated for PNNL operations, and is on the coast of Washington State's Olympic Peninsula (**Figure 1.1**).

This radiological air emissions report meets the Washington Department of Health (WDOH) requirements for radiological National Emission Standards for Hazardous Air Pollutants (NESHAP) compliance reporting for the activities at MSL for calendar year (CY) 2013.




Figure 1.1. MSL in Northwestern Washington State

1.1 Battelle Land – Sequim and MSL Description

Battelle Land-Sequim (**Figure 1.2**) encompasses 150 acres of uplands and tidelands about 7.5 acres of which has been developed for research operations. The research operations occur at several laboratories and other facilities in an area referred to as MSL, which includes analytical and general purpose laboratories and wet or support laboratories supplied with heated and cooled freshwater and seawater. There are two emission units at MSL with the potential to emit low levels of radioactive material. In addition, MSL has a state-of-the-art waste seawater treatment system and a dock facility for a 28-foot research vessel and a specialized scientific diving boat.

Battelle Land-Sequim on Washington State's Olympic Peninsula is the site of DOE's only marine research laboratory. It lies on the shores of the Strait of Juan de Fuca and is in the rain shadow of the Olympic Mountains in Clallam County at approximate coordinates 48°04'40" N, 123°02'55" W. Despite its coastal location, it receives less than 15 inches of rainfall on average annually. Average monthly temperatures range from 31°F to 70°F. Nearby cities are Sequim (population 6,600), Port Angeles (population 19,000), and Port Townsend (population 9,100) (DOC 2011). Seattle is approximately 50 miles (mi) from MSL. The nearest sea border with Canada is about 17 mi from MSL in the Salish Sea; the nearest Canadian land border is about 25 mi northwest from MSL.



Figure 1.2. Battelle Land-Sequim and Marine Sciences Laboratory

2.0 Radionuclide Air Emissions

The two registered MSL emission units are described and emissions estimates for operations during CY 2013 presented.

2.1 Major, Minor, and Fugitive Emissions Points

Two nonpoint source minor emission units associated with buildings MSL-1 and MSL-5 are registered with the state of Washington under the Radioactive Air Emissions License (RAEL) -014. Radioactive air emissions continue to be well below the criteria for classification as a minor emission unit (i.e., potential-to-emit [PTE] contribution is < 0.1 millirem per year (mrem/yr) effective dose equivalent [EDE] to the MEI). Information regarding the radionuclides-of-concern, emission rates, and emission unit physical characteristics are described below.

The emission units include EP-MSL-1 and EP-MSL-5 (**Figure 1.2**). EP-MSL-1 is located on the tidelands, and EP-MSL-5 is located on the upland. The emission unit characteristics are the same for both MSL-1 and MSL-5. These buildings have several locations where radioactive air emissions may originate and exit the building. While they are not fugitive by definition, emissions are fugitive in nature; however, because emissions can come from several points within each building, the emission unit is characterized as a nonpoint source (WAC 2011). Emissions from each emission unit are identified as < 0.1 mrem/yr EDE and the associated registration PTEs indicate each emission unit characteristic will primarily be particulates with building PTEs < 5E-04 mrem/yr EDE.

Radiological operations at MSL emit very low levels of radioactive materials. [Appendix B](#) contains the full list of radionuclides that may be handled at MSL. The 2013 radioactive material emissions to the air are indicated in **Table 2.1**. The 40 CFR 61, Appendix D method of determining unabated emissions was used. No credit was taken for abatement controls (e.g., HEPA filtration) at MSL-1 or MSL-5.

Table 2.1. 2013 MSL Inventory and Emissions Estimates

Nuclide	Emission Type	Site Inventory (Ci)	MSL-1 2013 Release ^(a) (Ci)	MSL-5 2013 Release ^(a) (Ci)
H-3	beta/gamma	1.37E-06	-	1.37E-09
C-14	beta/gamma	6.41E-07	-	6.41E-10
K-40	beta/gamma	4.78E-09	-	4.78E-12
Fe-55	beta/gamma	3.45E-11	-	3.45E-14
Co-57	beta/gamma	9.46E-12	-	9.46E-15
Co-60	beta/gamma	1.75E-11	-	1.75E-14
Sr-90	beta/gamma	8.32E-10	-	8.32E-13
Tc-99	beta/gamma	1.70E-07	-	1.70E-10
Ru-106	beta/gamma	4.05E-10	-	4.05E-13
Sb-125	beta/gamma	5.32E-10	-	5.32E-13
I-129	beta/gamma	1.15E-14	-	1.15E-17
Cs-134	beta/gamma	3.14E-09	-	3.14E-12
Cs-137	beta/gamma	3.72E-08	-	3.72E-11
Eu-152	beta/gamma	6.18E-11	-	6.18E-14
Eu-154	beta/gamma	1.68E-11	-	1.68E-14
Eu-155	beta/gamma	1.77E-11	-	1.77E-14
Pb-210	alpha	1.28E-10	-	1.28E-13
Po-208	alpha	6.96E-07	-	6.96E-10
Ra-226	alpha	2.98E-10	-	2.98E-13
Ra-228	alpha	4.96E-11	-	4.96E-14
Th-228	alpha	2.60E-10	-	2.60E-13
Th-230	alpha	1.53E-10	-	1.53E-13
Th-232	alpha	1.35E-08	-	1.35E-11
U-234	alpha	3.80E-04	1.9E-10	2.23E-10
U-235	alpha	3.72E-05	1.86E-11	2.01E-11
U-238	alpha	2.92E-03	1.46E-09	1.5E-09
Pu-238	alpha	8.16E-11	-	8.16E-14
Pu-239	alpha	3.75E-10	-	3.75E-13
Pu-240	alpha	3.75E-10	-	3.75E-13
Am-241	alpha	4.34E-10	-	4.34E-13
TOTAL beta/gamma			0.00E+00	2.23E-09
TOTAL alpha			1.67E-09	2.45E-09

(a) Emissions based on 40 CFR 61, Appendix D methods.

3.0 Dose Assessment

The potential impact of MSL radiological air emissions is described in this section. Radiological operations at MSL have not changed from the prior year. A review of radiological assessment needs was published in the Data Quality Objects report (Barnett et al. 2012).

3.1 Dose Model and Potential Receptors

The COMPLY Code version 1.6 (Level 4) was used for estimating dose for comparison to the EPA standard of 10 mrem/yr EDE to any member of the public (40 CFR 61, Subpart H and WAC 246-247). This code is approved for use for compliance determination (40 CFR 61, Appendix E). Input parameters, originally reported in Barnett et al. (2012), were not changed (**Table 3.1**).

Table 3.1. COMPLY Input Parameters

Parameter	MSL Value (Level 4)
Nuclide names	<varies by year>
Concentrations (Ci/m ³)	NA
Annual possession amount (Ci)	NA
Release rates (Ci/yr or Ci/s)	<varies by year>
Release height (m)	8 m
Building height (m)	8 m
Stack or vent diameter (m)	NA
Volumetric flow rate (m ³ /s)	NA
Distance from source-to-receptor (m)	190 m ^(a)
Building width (m)	30 m
Wind speed (m/s)	2 m/s
Distances to sources of food production (m)	190 m ^(a)
Stack temperature (°F)	NA
Ambient air temperature (°F)	NA
Wind rose	NA(nwr) ^(b)
Building length	NA(nwr) ^(b)
NA = not applicable	
(a) Smallest receptor distance either MSL-1 or MSL-5 applied to both emission units.	
(b) NA(nwr) = not applicable because no wind rose data is used.	

Potential receptor locations for 16 compass directions are provided in **Table 3.2**, as reported in Barnett et al. (2012), which concluded that continuation of the 190-m source-to-receptor distance used in prior evaluations would result in an over-estimate of any expected receptor impacts but would continue to be used. The nearest location where a member of the public would actually reside or abide (e.g., dwelling, business, school, office) relative to the MSL-1 or MSL-5 emissions locations was determined to be 270 m W or WNW. Given that winds blow predominantly toward the east (see Table 4.3 of Barnett et al. 2012), away from either of these 270 m receptors, an additional level of conservatism is included.

Table 3.2. Potential MSL MEI Locations

Direction from MSL-1 or MSL-5	Smallest distance to BL-S boundary	Smallest distance to a receptor outside of BL-S boundary
N	-	1,790 m res ^(a)
NNE	-	39,700 m res ^(a)
NE	-	9,630 m res ^(a)
ENE	-	2,000 m res ^(a)
E	-	1,900 m res ^(a)
ESE	-	2,620 m res
SE	-	3,930 m res
SSE	-	4,470 m res
S	570 m	640 m res/farm
SSW	630 m	820 m res; 290 m farm
SW	360 m ^(a)	420 m res ^(a)
WSW	230 m	290 m res
W	220 m	270 m res
WNW	230 m	270 m res
NW	280 m	520 m res
NNW	-	1,000 m res/farm
BL-S = Battelle Land-Sequim		
A dash (-) = a shoreline location where no potential receptor could reside or abide.		
res = residence site		
(a) Distance from MSL-1 applied; all others from MSL-5.		

3.2 Compliance Assessment

The dose standard in 40 CFR 61, Subpart H, applies to radionuclide air emissions, other than radon, from DOE facilities. Dose is estimated as the product of the emission rate (Ci/yr) and unit dose factor (mrem/yr EDE at MEI location per Ci/yr released). Unit dose factors for a number of nuclides are indicated in [Appendix A](#). The ²⁴¹Am unit dose factor was applied to all alpha-emitters and the ¹³⁷Cs unit dose factor was applied to all beta/gamma emitters, as a conservative measure, except for ¹²⁹I which used the nuclide-specific dose factor. For CY2013, the MSL MEI location was assumed to be 190 m (0.12 mi) from the emission point. The EDE to the 2013 MEI from routine and non-routine point source emissions was 5E-05 mrem (5E-07 mSv). **Table 3.3** shows the relative contributions of each nuclide and facility to the MEI dose. The 2012 MEI estimate was 9E-6 mrem/yr (9E-08 mSv/yr) EDE.

Table 3.3. MSL 2013 Radionuclide Emissions and MEI Dose

	MSL-1	MSL-5	Total
RELEASES (Ci)			
Beta/gamma	0	2.23E-09	2.23E-09
Alpha	1.67E-09	2.45E-09	4.12E-09
MEI EDE (mrem)			
Beta/gamma ^(a)	0	1.0E-06	1.0E-06
Alpha ^(b)	<u>2.0E-05</u>	<u>2.9E-05</u>	4.8E-05
Total (mrem)	2.0E-05	3.0E-05	4.9E-05
DOSE CONTRIBUTION (%)			
Beta/gamma	0%	4%	2%
Alpha	100%	90%	98%
(a) Unit dose factor for ¹³⁷ Cs applied to estimate dose for all nuclide emissions except ¹²⁹ I.			
(b) Unit dose factor for ²⁴¹ Am applied to estimate dose.			

4.0 Supplemental Information

This section provides supplemental information related to MSL radionuclide air emissions in 2013. Supplemental information was requested as part of a Memorandum of Understanding between DOE and EPA (DOE 1995).

4.1 Population Dose Estimate

An estimated 132,000 people (on the U.S. side of the border) live within 30 mi of MSL; another estimated 1.45 million (U.S.) reside 30–50 mi from MSL. The major cities at various distances are indicated in **Table 4.1**. Victoria, British Columbia is the only major Canadian city within 50 mi of MSL. The Victoria metropolitan area (20–30 mi distant) has an estimated population of 358,000, almost three times the entire U.S. population within 30 mi of MSL.

Table 4.1. Major U.S. Cities within 50 mi of MSL

Distance (mi)	Major Cities
0–10	City of Sequim
10–20	Port Angeles (portion), Port Townsend
20–30	Port Angeles (portion), Oak Harbor
30–40	Anacortes, Bremerton (portion), Edmonds, Mukilteo, Poulsbo, Silverdale, Stanwood
40–50	Arlington, Bainbridge Island, Bothell, Bremerton (portion), Burlington, Edmonds, Everett, Kenmore, Kirkland, Lake Stevens, Lynnwood, Marysville, Mount Vernon, Mountlake Terrace, Port Orchard, Seattle (large portion), Snohomish

The population dose is simply estimated in a manner that greatly overestimates the actual population dose. The MEI dose multiplied by the 30-mi U.S. population results in a population dose of $6.5\text{E-}3$ person-rem. Applying this same method to the Victoria metropolitan area, Canada, all of which is 20-30 mi distant, would result in an additional $1.8\text{E-}2$ person-rem. The Canadian population dose is even more greatly overestimated than the US population dose estimate.

4.2 Compliance Status with Subparts Q and T of 40 CFR 61

- No storage or disposal of radium bearing materials occurs at MSL; therefore, 40 CFR 61, Subpart Q does not apply to MSL operations.
- No uranium mill tailings or ore disposal activities have been conducted at MSL; therefore, 40 CFR 61, Subpart T does not apply to MSL operations.

4.3 Other Supplemental Information

- Periodic confirmatory measurement information is not required by the Notices of Construction (NOCs).
- The PNNL Radioactive Material Tracking system is used to manage potential emissions below permit thresholds resulting in overall confirmation of inventory limits and emissions estimates to respective NOCs.
- Quality assurance (QA) program status of compliance with 40 CFR 61, Appendix B, Method 114. No air sampling is conducted at MSL; therefore, the QA program compliance status with 40 CFR 61, Appendix B, Method 114 does not apply.

5.0 References

- 40 CFR 61, as amended. *National Emission Standards for Hazardous Air Pollutants* (NESHAP), Subpart H, “National Emission Standards for Emissions of Radionuclides Other than Radon from Department of Energy Facilities.”
- 40 CFR 61, as amended. *National Emission Standards for Hazardous Air Pollutants* (NESHAP), Subpart H, Appendix B to Part 61, “Test Methods.”
- 40 CFR 61, as amended. *National Emission Standards for Hazardous Air Pollutants* (NESHAP), Subpart H, Appendix D to Part 61, “Methods for Estimating Radionuclide Emissions.”
- 40 CFR 61, as amended. *National Emission Standards for Hazardous Air Pollutants* (NESHAP), Subpart H, Appendix E to Part 61, “Compliance Procedures Methods for Determining Compliance with Subpart I.”
- 40 CFR 61, as amended. *National Emission Standards for Hazardous Air Pollutants* (NESHAP), Subpart Q, “National Emission Standards for Radon Emissions from Department of Energy Facilities.”
- 40 CFR 61, as amended. *National Emission Standards for Hazardous Air Pollutants* (NESHAP), Subpart T, “National Emission Standards for Radon Emissions from the Disposal of Uranium Mill Tailings.”
- Barnett JM, KM Meier, SF Snyder, EJ Antonio, BG Fritz, and TM Poston. 2012. *Data Quality Objectives Supporting Radiological Air Emissions Monitoring for the Marine Sciences Laboratory, Sequim Site*. PNNL-22111, Pacific Northwest National Laboratory, Richland, WA.
- DOC—U.S. Department of Commerce. 2011. 2010 Census Summary File 1- Washington, 2010 Census of Population and Housing [wa_2010_sf1_asr_city.xlsx], U.S. Census Bureau, Department of Commerce, Washington, D.C. Last accessed 3/18/2014 at <http://www.ofm.wa.gov/pop/census2010/data.asp>.
- DOE—U.S. Department of Energy. 1995. “Memorandum of Understanding Between the U.S. Environmental Protection Agency and the U.S. Department of Energy Concerning the Clean Air Act Emission Standards for Radionuclides 40 CFR Part 61 Including Subparts H, I, Q & T” (letter to E. Ramona, U.S. Environmental Protection Agency) from Raymond Berube, U.S. Department of Energy, Washington, D.C., May 16.
- DOE—U.S. Department of Energy. 2009. *Guide of Good Practices for Occupational Radiological Protection in Uranium Facilities*. DOE-STD-1136-2009. DOE, Washington, D.C.
- DOE—U.S. Department of Energy. 2010. *Calculating Potential-to-Emit Radiological Releases and Doses*. DOE/RL-2006-29, Rev 1. Richland Operations Office, Richland, WA.
- DOE—U.S. Department of Energy. 2011. *Radiation Protection of the Public and the Environment*. DOE Order 458.1, admin chg 3. Office of Health, Safety and Security, Washington, D.C.
- EPA—U.S. Environmental Protection Agency. 1989. *User’s Guide for the COMPLY Code*. EPA 520/1-89-003, U.S. Environmental Protection Agency, Office of Radiation and Indoor Air, Washington, D.C.

PNSO—Pacific Northwest Site Office. 2013. *PNNL Terminology Reference Document*. PNSO-REFR-05, U.S. Department of Energy, PNSO, Richland, WA.

WAC—Washington Administrative Code. 2011. *Radiation Protection – Air Emissions*. WAC-246-247, Statutory Law Committee, Olympia, WA.

Appendix A

COMPLY Unit Dose Factors

Appendix A COMPLY Unit Dose Factors

As originally reported in Barnett et al. (2012), COMPLY v1.6 was used to determine unit-release dose factors (UDFs), which represent impacts to a hypothetical receptor 190 m from the emission unit with an assumed 2 m/s wind speed and wind blowing toward the receptor 25 percent of the time. These assumptions are based on calculations of COMPLY v1.6 at Level 4 with no wind rose used. The appropriate solubility class to apply was based on those indicated in DOE 2010, and for ^{14}C the COMPLY default classification was applied as the only option (EPA 1989). UDFs for radionuclides either in current inventory or previously used at MSL are presented.

Table A.1. MSL Unit Dose Factors

Nuclide	COMPLY Solubility Class	Unit Dose Factor (mrem EDE per Ci/yr released)
$^{241}\text{Am}^{(a)}$	W	11700
$^{133}\text{Ba}^{(b)}$	D	135
$^{14}\text{C}^{(c)}$	“1”	1.5
^{109}Cd	W	5.5
^{57}Co	W	4.8
^{60}Co	W	426
$^{137}\text{Cs}^{(a)}$	D	469
^{154}Eu	W	345
^{155}Eu	W	13.3
$^3\text{H}^{(b)}$	V	0.004
^{125}I	D	84.5
^{129}I	D	1250
^{54}Mn	W	27.2
$^{22}\text{Na}^{(b)}$	D	234
^{63}Ni	W	0.3
$^{210}\text{Pb}^{(b)}$	D	1100
^{238}Pu	W	10300
^{239}Pu	W	11200
^{106}Ru	W	13.9
$^{90}\text{Sr}^{(d)}$	Y	211
^{99}Tc	W	32.7
^{234}U	Y	3450
^{235}U	Y	3470
^{238}U	Y	3110
Natural $\text{U}^{(e)}$	Y	3290

Bold font = Alpha-emitting nuclides. All others are beta/gamma emitters.

(a) ^{241}Am is the surrogate alpha emitter for those not specifically listed; ^{137}Cs is the surrogate beta-emitter for those not specifically listed.

(b) The solubility class listed is the only option available in COMPLY v1.6.

(c) Default class of COMPLY v1.6 used.

(d) Solubility class W is preferred, but not an option. Class Y was used as an over-estimating assumption.

(e) Determined from natural uranium mass fractions: 0.000055 ^{234}U ; 0.0072 ^{235}U ; 0.9928 ^{238}U (DOE 2009).

Appendix B

List of Radioactive Materials Handled or Potentially Handled, or Authorized for Use at MSL in 2013

Appendix B List of Radioactive Materials Handled or Potentially Handled, or Authorized for Use at MSL in 2013

Table B.2. List of Radioactive Materials Handled or Potentially Handled, or Authorized for Use at MSL in 2013

Ac-225	Bk-249	Cs-134m	Ho-166m	Mo-93	Pm-143	Rh-103m	Ta-182m	U-234
Ac-227	Bk-250	Cs-135	I-122	Mo-99	Pm-144	Rh-104	Ta-183	U-235
Ac-228	Br-82	Cs-136	I-123	Mo-103	Pm-145	Rh-105	Tb-157	U-235m
Ag-108	Br-82m	Cs-137	I-125	Mo-104	Pm-146	Rh-105m	Tb-158	U-236
Ag-108m	Br-83	Cs-138	I-126	Mo-105	Pm-147	Rh-106	Tb-160	U-237
Ag-109m	Br-84	Cs-139	I-128	N-13	Pm-148	Rn-219	Tb-161	U-238
Ag-110	Br-84m	Cs-140	I-129	Na-22	Pm-148m	Rn-220	Tc-95	U-239
Ag-110m	Br-85	Cs-141	I-130	Na-24	Pm-149	Rn-222	Tc-95m	U-240
Ag-111	C-11	Cu-64	I-130m	Na-24m	Pm-151	Rn-224	Tc-97	V-48
Al-26	C-14	Cu-66	I-131	Nb-91	Po-208	Ru-97	Tc-97m	V-49
Al-28	C-15	Cu-67	I-132	Nb-91m	Po-209	Ru-103	Tc-98	W-181
Am-240	Ca-41	Dy-159	I-132m	Nb-92	Po-210	Ru-105	Tc-99	W-185
Am-241	Ca-45	Dy-165	I-133	Nb-93m	Po-211	Ru-106	Tc-99m	W-187
Am-242	Ca-47	Dy-169	I-133m	Nb-94	Po-212	S-35	Tc-101	W-188
Am-242m	Cd-107	Er-169	I-134	Nb-95	Po-213	Sb-122	Tc-103	Xe-122
Am-243	Cd-109	Er-171	I-134m	Nb-95m	Po-214	Sb-124	Tc-106	Xe-123
Am-245	Cd-111m	Es-254	I-135	Nb-97	Po-215	Sb-125	Te-121	Xe-125
Am-246	Cd-113	Eu-150	In-106	Nb-97m	Po-216	Sb-126	Te-121m	Xe-127
Ar-37	Cd-113m	Eu-152	In-111	Nb-98	Po-218	Sb-126m	Te-123	Xe-127m
Ar-39	Cd-115	Eu-152m	In-113m	Nb-100	Pr-143	Sb-127	Te-123m	Xe-129m
Ar-41	Cd-115m	Eu-154	In-114	Nb-101	Pr-144	Sb-129	Te-125m	Xe-131m
Ar-42	Cd-117	Eu-155	In-114m	Nb-103	Pr-144m	Sc-44	Te-127	Xe-133
As-74	Cd-117m	Eu-156	In-115	Nd-144	Pu-234	Sc-46	Te-127m	Xe-133m
As-76	Ce-139	Eu-157	In-115m	Nd-147	Pu-236	Sc-47	Te-129	Xe-135
As-77	Ce-141	F-18	In-116	Ni-56	Pu-237	Se-75	Te-129m	Xe-135m
At-217	Ce-142	Fe-55	In-116m	Ni-57	Pu-238	Se-79	Te-131	Xe-137
Au-193	Ce-143	Fe-59	In-117	Ni-59	Pu-239	Se-79m	Te-131m	Xe-138
Au-194	Ce-144	Fr-221	In-117m	Ni-63	Pu-240	Si-31	Te-132	Xe-139
Au-195	Cf-249	Fr-223	Ir-192	Ni-65	Pu-241	Si-32	Te-133	Y-88
Au-196	Cf-250	Ga-67	K-40	Np-235	Pu-242	Sm-145	Te-133m	Y-90
Au-198	Cf-251	Ga-68	K-42	Np-236	Pu-243	Sm-146	Te-134	Y-90m
Au-198m	Cf-252	Ga-70	Kr-81	Np-237	Pu-244	Sm-147	Th-227	Y-91
Au-199	Cl-36	Ga-72	Kr-81m	Np-238	Pu-246	Sm-148	Th-228	Y-91m
Ba-131	Cm-241	Gd-148	Kr-83m	Np-239	Ra-223	Sm-151	Th-229	Y-92
Ba-133	Cm-242	Gd-149	Kr-85	Np-240	Ra-224	Sm-153	Th-230	Y-93
Ba-133m	Cm-243	Gd-151	Kr-85m	Np-240m	Ra-225	Sm-157	Th-231	Yb-164
Ba-137m	Cm-244	Gd-152	Kr-87	O-15	Ra-226	Sn-113	Th-232	Yb-169
Ba-139	Cm-245	Gd-153	Kr-88	O-19	Ra-228	Sn-117m	Th-233	Yb-175
Ba-140	Cm-246	Ge-68	Kr-89	Os-191	Rb-81	Sn-119m	Th-234	Yb-177
Ba-141	Cm-247	Ge-71	Kr-90	P-32	Rb-83	Sn-121	Ti-44	Zn-65
Ba-142	Cm-248	Ge-71m	La-137	P-33	Rb-84	Sn-121m	Ti-45	Zn-69
Ba-143	Cm-250	Ge-75	La-138	Pa-231	Rb-86	Sn-123	Ti-51	Zn-69m
Be-7	Co-56	Ge-77	La-140	Pa-233	Rb-87	Sn-125	Tl-201	Zr-88
Be-10	Co-57	Ge-77m	La-141	Pa-234	Rb-88	Sn-126	Tl-204	Zr-89
Bi-207	Co-58	H-3	La-142	Pa-234m	Rb-89	Sr-85	Tl-206	Zr-93
Bi-208	Co-60	Hf-175	La-144	Pb-209	Rb-90	Sr-87m	Tl-207	Zr-95
Bi-210	Co-60m	Hf-178m	Lu-177	Pb-210	Rb-90m	Sr-89	Tl-208	Zr-97
Bi-210m	Cr-49	Hf-179m	Lu-177m	Pb-211	Re-186	Sr-90	Tl-209	Zr-98
Bi-211	Cr-51	Hf-181	Mg-27	Pb-212	Re-187	Sr-91	Tm-168	Zr-99
Bi-212	Cr-55	Hf-182	Mg-28	Pb-214	Re-188	Sr-92	Tm-170	Zr-100
Bi-213	Cs-131	Hg-203	Mn-52	Pd-103	Rh-101	Ta-179	Tm-171	
Bi-214	Cs-132	Ho-163	Mn-54	Pd-107	Rh-102	Ta-180	U-232	
Bk-247	Cs-134	Ho-166	Mn-56	Pd-109	Rh-102m	Ta-182	U-233	

Distribution

No. of Copies

- 1 City of Sequim
City Manager
152 W Cedar St
Sequim, WA 98382

S Burkett
- 1 Clallam County
Department of Community Development
223 East 4th Street, Suite 5
Port Angeles, WA 98362

S Gray, Planning Manager
- 3 Clallam County Commissioners
223 East 4th Street, Suite 4
Port Angeles, WA 98362-3000

M Chapman, Commissioner
J McEntire, Commissioner
M Doherty, Commissioner
- 1 Clallam County Health & Human Services
223 East 4th Street, Suite 14
Port Angeles, WA 98362

A Brastad, Director
- 1 Confederated Tribes of the Umatilla Indian
Reservation
Richland Office -
Department of Science and Engineering
750 Swift Boulevard, Suite 12
Richland, WA 99352

S Harris, Director
- 1 Hoh Indian Tribe of the Hoh Indian
Reservation
P.O. Box 2179
Forks, WA 98331

M Lopez, Chairwoman
- 1 Jamestown S'Kallam Tribe of Washington
1033 Old Blyn Highway
Sequim, WA 98382

WR Allen, Chairman

No. of Copies

- 1 Lower Elwha Tribal Community of the
Lower Elwha Reservation
2851 Lower Elwha Road
Port Angeles, WA 98363

FG Charles, Chairwoman
- 1 Makah Indian Tribe of the Makah Indian
Reservation
P.O. Box 115
Neah Bay, WA 98357

TJ Greene, Sr., Chairman
- 1 Nez Perce Tribe
Environmental Restoration and Waste
Management
PO Box 365
Lapwai, ID 83540

G Bohnnee
- 1 Olympic Region Clean Air Agency
(ORCAA)
2940 B Limited Lane NW
Olympia, WA 98502

F McNair, Director
- 1 Quileute Tribe of the Quileute Reservation
P.O. Box 279
La Push, WA 98350

C Woodruff, Chairman
- 1 Port Gamble Indian Community of the Port
Gamble Reservation
31912 Little Boston Road, NE
Kingston, WA 98346

JC Sullivan, Chairman

No. of Copies		No. of Copies ONSITE	
7	U.S. Department of Energy-Headquarters 1000 Independence Ave Washington, D.C. 20585 AC Lawrence HS-20 JM Blaikie SC-31.1 A Wallo III (3) HS-20 GA Vazquez HS-22 R Natoli HS-24	2	Mission Support Alliance, LLC RA Kaldor H7-28 DJ Rokkan H7-28
2	U.S. Environmental Protection Agency Region 10 Federal & Delegated Air Programs 1200 Sixth Avenue Seattle, WA 98101 D Zhen (2) AWT-107	30	Pacific Northwest National Laboratory CM Andersen K1-38 BG Anderson J2-25 EJ Antonio K3-54 MY Ballinger BSRC JM Barnett (3) J2-25 CP Beus K9-20 LE Bisping K7-68 SD Cooke K1-59 JP Duncan K7-70 DL Edwards K3-54 TJ Fortman SEQUI BG Fritz K7-68 EE Hickey K3-66 MD Hughes SEQUI KM McDonald J2-25 CJ Nichols J4-50 BE Opitz K7-68 GW Patton K6-75 JM Rishel J2-25 MR Sackschewsky J2-25 RD Sharp J2-33 SF Snyder (2) K3-54 JA Stegen J2-25 MJ Stephenson J2-25 HT Tilden II K3-75 PNNL Reference Library (2) P8-55 Rad Air File Plan A1.1.1.4 J2-25
1	U.S. Environmental Protection Agency U.S. EPA 1310 L Street, NW Room 553C Washington, D.C. 20005 R Rosnick	1	U.S. Department of Energy Office of River Protection DW Bowser H6-60
1	Washington State Department of Ecology Hanford Project Office 3100 Port of Benton Blvd Richland, WA 99354 R Skinnarland B5-18		
5	Washington State Department of Health WDOH - Radioactive Air Emissions Section 309 Bradley Blvd., Suite 201 Richland, WA 99352 SD Berven B1-42 PJ Martell, Manager (2) B1-42 JW Schmidt B1-42 R Utley B1-42		
1	Yakama Nation Environmental Restoration Waste Management Program P.O. Box 151 Toppenish, WA 98948 R Jim P Rigdon		

**No. of
Copies**
7 U.S. Department of Energy
Pacific Northwest Site Office

AS Arend	K9-42
JL Carlson	K9-42
JW Christ	K9-42
TM McDermott (2)	K9-42
TP Pietrok	K9-42
CJ Swafford-Bennett	K9-42

**No. of
Copies**
8 U.S. Department of Energy
Richland Operations Office

DOE-RL Public Reading Room	H2-53
TW Ferns	A5-15
DE Jackson	A4-52
DL Kreske	A5-15
KD Leary	A2-15
MK Marvin	A4-52
BM Pangborn	A5-17
MD Silberstein	A4-52



*Proudly Operated by **Battelle** Since 1965*

902 Battelle Boulevard
P.O. Box 999
Richland, WA 99352
1-888-375-PNNL (7665)
www.pnnl.gov



U.S. DEPARTMENT OF
ENERGY