

LA-UR-14-20695

Approved for public release; distribution is unlimited.

Title: Split Imaging Spectrometer Ray Trace Summary

Author(s): Hager, Jonathan D.

Intended for: Instrument overview for external collaborator.

Issued: 2014-02-05



Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.



Split Imaging Spectrometer Ray Trace Summary

J.D. Hager


02/03/14

UNCLASSIFIED





SIS has not performed as predicted by ray tracing on experiments at OMEGA and TRIDENT.




Ray Trace

$$-2.3 \text{ mm} > y_{im} > -17.3 \text{ mm}$$

$$5318 \text{ eV} > E > 4423 \text{ eV}$$

Trident Data (Ti-V Foil)



Crystal 1

$$-1.1 \text{ mm} > y_{im} > -8.6 \text{ mm}$$

$$5300 \text{ eV} > E > 4650 \text{ eV}$$

Crystal 5

$$0 \text{ mm} > y_{im} > -9 \text{ mm}$$

$$5400 \text{ eV} > E > 4650 \text{ eV}$$

UNCLASSIFIED