



**Field Demonstration of a Membrane Process  
to Recover Heavy Hydrocarbons and to  
Remove Water from Natural Gas**

2006 Annual Report

Contract Number DE-FC26-99FT40723  
Report Period: September 30, 2005 through September 29, 2006

by

Membrane Technology and Research, Inc.  
1360 Willow Road  
Menlo Park, CA 94025

March 9, 2007

prepared for

the U.S. Department of Energy  
National Energy Technology Laboratory (NETL)  
Morgantown Energy Technology Center  
Morgantown, WV

Contributors to this Report:

R. Baker  
T. Hofmann  
K.A. Lokhandwala  
Membrane Group  
Module Group  
Systems Group

## ANNUAL PROGRESS REPORT

**Report Title:** Field Demonstration of a Membrane Process to Recover Heavy Hydrocarbons and to Remove Water from Natural Gas

**Type of Report:** Annual progress report

**Reporting Period:** September 30, 2005 through September 29, 2006

**Contact:** Dr. Kaaeid Lokhandwala  
Tel: (650) 328-2228 ext. 140 or (650) 543-3360  
e-mail: kaaeid@mtrinc.com

**Date of Report:** March 9, 2007

**DOE Award Number:** DE-FC26-99FT40723

**Submitting Organization:** Membrane Technology and Research, Inc.  
1360 Willow Road, Suite 103  
Menlo Park, CA 94025  
  
Tel: (650) 328-2228  
Fax: (650) 328-6580  
www.mtrinc.com

**Subcontractors:** None

**Other Partners:** Gas Research Institute/Chevron Texaco/BP Amoco

**Project Team:** Project Officer: Traci D. Rodosta  
Contract Specialist: Mary Beth Pearse

## Disclaimer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

## Abstract

The objective of this project is to design, construct and field demonstrate a membrane system to recover natural gas liquids (NGL) and remove water from raw natural gas. An extended field test to demonstrate system performance under real-world high-pressure conditions is being conducted to convince industry users of the efficiency and reliability of the process. The system was designed and fabricated by Membrane Technology and Research, Inc. (MTR) and installed and operated at BP Amoco's Pascagoula, MS plant. The Gas Research Institute is partially supporting the field demonstration and BP-Amoco helped install the unit and provides onsite operators and utilities. The gas processed by the membrane system meets pipeline specifications for dew point and BTU value and can be delivered without further treatment to the pipeline. Based on data from prior membrane module tests, the process is likely to be significantly less expensive than glycol dehydration followed by propane refrigeration, the principal competitive technology. During the course of this project, MTR has sold 13 commercial units related to the field test technology, and by the end of this demonstration project the process will be ready for broader commercialization. A route to commercialization has been developed during this project and involves collaboration with other companies already servicing the natural gas processing industry.

## Table of Contents

1. INTRODUCTION .....	3
2. PROGRESS FROM SEPTEMBER 30, 2005 – SEPTEMBER 29, 2006.....	3
3. CONCLUSIONS.....	8
4. REFERENCES .....	8
APPENDIX A. 2006 LAURANCE REID PRESENTATION .....	A-1
CONFIDENTIAL APPENDIX: COMMERCIALIZATION PLAN AND DISCUSSION.....	(Submitted Separately)

## **1. INTRODUCTION**

The objective of this project is to design, construct and field demonstrate a membrane system to recover natural gas liquids (NGL) and remove water from raw natural gas. An extended field test to demonstrate system performance under real-world high-pressure conditions is being conducted to convince industry users of the efficiency and reliability of the process. The system was designed and fabricated by Membrane Technology and Research, Inc. (MTR) and installed and operated at BP Amoco's Pascagoula, MS plant. The Gas Research Institute is partially supporting the field demonstration and BP-Amoco helped install the unit and provides onsite operators and utilities. The gas processed by the membrane system meets pipeline specifications for dew point and BTU value and can be delivered without further treatment to the pipeline. Based on data from prior membrane module tests, the process is likely to be significantly less expensive than glycol dehydration followed by propane refrigeration, the principal competitive technology.

During the course of this project, MTR has sold 13 commercial units related to the field test technology, and by the end of this demonstration project the process will be ready for broader commercialization. A route to commercialization has been developed during this project that involves collaboration with other companies already servicing the natural gas processing industry.

## **2. PROGRESS FROM SEPTEMBER 30, 2005 - SEPTEMBER 29, 2006**

The MTR membrane system was installed at the BP Amoco Pascagoula gas processing plant during 2004. The plant was undergoing a very significant expansion in capacity and the installation of the membrane unit did not begin until late in the third quarter of 2004. The system startup and initial testing began in February 2005. Plant upgrades by BP Amoco at Pascagoula, membrane replacement by MTR, and some minor delays due to the Gulf Coast hurricane season delayed continuous operation of the unit until December 2005. The unit operated continuously and smoothly, with essentially no change in performance levels from December 2005-September 2006. We expect to run the unit for a few additional months into 2007. A photo of the MTR membrane unit at Pascagoula is provided in Figure 1.

Summarizing our commercialization efforts during this report period, significant progress was made toward introducing MTR's NGL membrane and systems into the natural gas market. We sold two additional fuel gas conditioning units (FGCUs) in 2006, both to North American customers. Figure 2 provides a photo of the unit purchased by a major U.S. pipeline company. Sales of hydrocarbon-selective membrane systems in natural gas FGCUs now number thirteen, and orders are open for several additional units worldwide.



Figure 1. MTR's field demonstration membrane-based gas treating unit at BP Amoco's gas processing plant in Pascagoula, MS. The unit operated virtually continuously from December 2005-September 2006 with essentially constant conditioning performance.



Figure 2. The FGCU unit ordered by a major U.S. pipeline company in the third quarter 2006. Another order from this company is expected in the first quarter of 2007.

The work accomplished during the period September 30, 2005-September 29, 2006 is summarized by task below.

**Task 4.0 Develop Field Test Plan**

The field test plan and execution status is summarized in Table 1.

Table 1. Test Plan for NGL Field Demonstration

Month	Testing Protocol	MTR Personnel Involvement	Status
1	Startup/solving teething issues in the unit. Initial testing at available plant conditions	Yes (1 week). Daily data collection and analysis of all key streams	Complete
2	Parametric testing of variation in pressure and flow rate	Yes (1 week). Pressure variation: 500 – 1000 psia Flowrate variation: 1-3 MMSCFD	Complete
3	Continuous operation at available plant conditions	No	Complete
4	Continuous operation at available plant conditions	Yes (1 week). Daily data collection and analysis of all key streams	Complete
5	Continuous operation at available plant conditions	No	Complete
6	Parametric testing of variation in pressure and flow rate	Yes (1 week). Pressure variation: 500 – 1000 psia Flow rate variation: 1-3 MMSCFD	Complete

We began continuous field tests in fourth quarter 2005, and ran continuously through September 2006 with excellent unit performance and operating results. The field test may be extended well into 2007 if the BP Amoco plant continues to provide support of day-to-day operating expenses; we expect BP’s decision on the extension in early 2007.

### **Task 5.1 Prepare Membranes and Modules**

This task was completed in 2003.

### **Task 5.2 Design and Construct Field Demonstration System**

This task was completed in 2003, with some field modifications in 2004.

### **Task 5.3 Install Systems at Site/Initial Evaluation**

This task was completed in 2004.

### **Task 5.4 Operate System Continuously**

The system was commissioned in February 2005, but was performing below expectations within a few days. A decision was made to replace the membrane modules, so new modules were prepared while plant upgrades were being performed at Pascagoula. A restart in September 2005 was successful in its first week, and after some small changes in filters and level controllers were made, the system was restarted again for longer-term, continuous high-pressure testing, and the unit operated essentially continuously from December 2005-September 2006 with constant conditioning performance. The field test may be extended well into 2007 if the BP Amoco plant continues to provide support of day-to-day operating expenses; we expect BP's decision on the extension in early 2007.

### **Task 5.5 Survey Industry Users/Analyze Economics**

As mentioned in our previous reports, we have identified the following three applications relevant to this project as focus areas in terms of commercialization of the technology:

- Fuel gas conditioning (gas engines and turbines)
- NGL recovery from rich associated gas streams (up to 15 MMSCFD)
- Gas processing for dewpoint control (up to 20 MMSCFD).

We have continued to pursue the development of these applications and have acquired significant insights in both the technical and marketing areas. Based on this knowledge, MTR and ABB Lummus Global (our commercialization partner in the gas processing product area) have developed various strategies and tactics to address what we have learned are key requirements of the customers.

In particular, we have

- Developed a standardized layout and membrane skid to lower repetitive engineering costs and to develop essentially reusable systems.
- Developed a detailed package of system specifications to allow rapid transfer of information to potential clients.

- Built a network of fabrication shops and contacts to minimize building costs and accelerate delivery schedules.

Completing all of these tasks has allowed the MTR-ABB alliance to respond quickly and efficiently to inquiries from potential customers, as well as to offer units that are well-priced in terms of payback time for the user.

### **Task 5.6      Develop Commercialization Plan**

Most of our seven-point commercialization plan was developed during the previous reporting periods. We have already built and installed several commercial FGCU units for use in remote gas processing locations, and continue to receive inquiries and orders from companies worldwide in this product area. We presented summaries of our FGCU progress at the Spring 2006 Laurance Reid Gas Processors' Conference and the Gas Processors' Association (GPA); slides from the Laurance Reid presentation are attached as Appendix A. We also participated for the first time in the biannual International Expo in Calgary, Alberta, in June 2006. Our booth and handout materials included several FGCU case studies.

Continuous operation of the demonstration unit provided us with some excellent opportunities to showcase the unit with project participants and prospective clients. We took several guests from GTI and from other operating companies for a site visit following the Spring 2006 GPA meeting. During the visit, an operator from the site offered the unsolicited comment that the unit had been operating very smoothly since the December 2005 start-up, confirming our impressions from our operating interactions with BP Amoco.

In pursuing commercialization of the technology, we determined that several key issues had to be tackled. A separate Confidential Appendix (a Confidential Business Information document) summarizes the major challenges we are addressing in our commercialization plan, including pertinent examples from this year's commercialization efforts.

MTR's marketing efforts have focused on utilization of our website, [www.mtrinc.com](http://www.mtrinc.com). The website approach has produced consistent results in generating high quality leads and inquiries for sales of fuel gas conditioning units. All systems sales related to this project have been developed starting from our website marketing efforts. We continue to generate inquiries every week from our website, in addition to leads from other established marketing channels.

### **Task 6.0      Final Report/Conference Presentation**

In 2004 and 2006, ABB/MTR made two conference presentations, at the prestigious Laurance Reid Gas Conditioning Conference the Annual GPA Conference. We will present at these same conferences in 2007. Slides from the 2006 Laurance Reid Conference are attached as Appendix A.

During the past year, DOE agreed to an extension of this project through the first quarter of 2007. The final report for this project will be prepared within three months of project completion, as required by DOE.

### 3. CONCLUSIONS

There have been two distinct parts to this demonstration project. The first part involved building, installing, and testing a demonstration plant for NGL separation and recovery and the second part involved commercialization activities. The first part of the project experienced many unavoidable delays due to the various requirements and delays at the host site. The first tests started in 2005. The unit operated from December 2005-September 2006 with essentially constant conditioning/separation performance. The field test may be extended well into 2007 if the BP Amoco plant continues to provide support of day-to-day operating expenses; we expect BP's decision on the extension in early 2007.

The second portion of the project, the commercialization of the technology, has progressed very well. We have sold and installed several commercial units using the membrane technology developed in this project and these installations have been operating satisfactorily for their clients. We attribute part of this success to our efforts at firming up our processes and procedures for commercialization of the technology and implementing them. In particular, our website marketing strategy is yielding very good results in leads generation.

### 4. REFERENCES

1. Pat Hale, Randall Gas Technologies-ABB Lummus Global Inc, and Kaaeid Lokhandwala, Membrane Technology and Research, Inc., "Advances in Membrane Materials Provide New Solutions in the Gas Business," presentation at Laurance Reid Gas Conditioning Conference (LRGCC), University of Oklahoma, Norman, OK, February 27-March 3, 2004.
2. Pat Hale, Randall Gas Technologies-ABB Lummus Global Inc, & Kaaeid Lokhandwala, Membrane Technology and Research, Inc., "Advances in Membrane Materials Provide New Solutions in the Gas Business," presentation at 83<sup>rd</sup> GPA Annual Meeting, New Orleans, LA, March 13-16, 2004.
3. Kaaeid Lokhandwala, Ankur Jariwala, and Richard W. Baker, R.W., "Only raw sour gas available for engine fuel? Proven membrane process cleans gas for engines," presentation at *The 56<sup>th</sup> Laurance Reid Gas Conditioning Conference*, Norman, OK, February 27 - March 1, 2006.
4. Kaaeid Lokhandwala, Ankur Jariwala, and Richard W. Baker, R.W., "Only raw sour gas available for engine fuel? Proven membrane process cleans gas for engines," presentation at *Gas Processors' Association (GPA) Annual Meeting*, Grapevine (near Dallas), TX, March 5-8, 2006.

# Appendix A. 2006 LAURENCE REID PRESENTATION

**Only Raw Sour Gas Available for Engine Fuel?  
Proven Membrane Process Cleans Gas for Engines**


By

Kaaeid A. Lokhandwala, Ankur Jariwala and Richard Baker  
**Membrane Technology and Research, Inc.**  
1360 Willow Road, Menlo Park, CA 94025  
Website: [www.mtrinc.com](http://www.mtrinc.com)

Presented at  
The 56<sup>th</sup> Laurence Reid Gas Conditioning Conference  
February 27 – March 1, 2006  
Norman, OK



### Membrane Separation Mechanism



Permeability = Diffusivity \* Solubility  
(P) (D) (S)

Membrane Selectivity

$$\frac{P_1}{P_2} = \frac{D_1 \cdot S_1}{D_2 \cdot S_2}$$

Rubbery Membranes Reject Lighter Gases such as N<sub>2</sub>, CH<sub>4</sub> and H<sub>2</sub> and Permeate Heavier Hydrocarbon Components



### Glassy v/s Rubbery Membranes

**Glassy Membranes**

Fast Gas	Slow Gas
Hydrogen	Nitrogen
H <sub>2</sub> O	CO <sub>2</sub>
	Methane
	Propane
	Ethane
	Hexane

**Rubbery Membranes**

Fast Gas	Slow Gas
Hexane	Ethane
H <sub>2</sub> O	Propane
	CO <sub>2</sub>
	Methane
	Nitrogen
	Hydrogen



### Membrane System Installations Increasing References and Application Envelopes

**Gas/Gas Separation Systems**


H <sub>2</sub> /N <sub>2</sub> , CH <sub>4</sub>	~ 250 Units	<b>Glassy Membranes</b>
O <sub>2</sub> /N <sub>2</sub>	~ 5,000 Units	
CO <sub>2</sub> /CH <sub>4</sub>	~ 250 Units	

**Vapor/Gas Separation Systems**

Hydrocarbon/N <sub>2</sub> , CH <sub>4</sub>	~ 125 Units	<b>Rubbery Membranes</b>
--	-------------	------------------------------



### Membrane Structure and Packaging



\*Not to scale




### Fuel Gas Conditioning Remote Site Considerations

- Increasingly Natural Gas Production is Coming for Remote Locations
- Raw Gas in Gathering Systems Requires Compression
- Fuel Choices are Limited – Diesel or Raw Gas
- Diesel represents cost, transportation logistics, storage and other issues
- Poor Quality Raw Gas Results in Deration of Available Power to Compressors and Gensets
- Derated Compressors or Gensets = Loss in Production Volumes and Equipment Shutdowns
- A Simple Process Technology Which Operates Without Attention and Consumables Is Required

Reverse-Selective Membranes Have Been Now Proven to Meet These Requirements



## How Does The Process Work ?



MTR

## Selected Field Experience Data Membrane FGCU's

- Kakap-H Remote Platform  
Star Energy, Indonesia
- Sour Gas Processing - H<sub>2</sub>S Reduction in Fuel Gas  
Dominion Exploration, British Columbia, Canada
- 3 Engine Gen-set on Petrojarl - I (FPSO)  
Statoil (PGS) – North Sea
- Gas Conditioning for 500 MW Power Plant Turbines  
El Paso Gas/UEG, Curitiba, Brazil
- Superior and Waukesha Engines Fuel Gas Conditioning  
Sid Richardson, New Mexico (2 Units)

MTR

## Kakap-H Remote Platform Star Energy, Indonesia

Components	Gas Compositions	
	Feed Gas (mol%)	Conditioned Fuel Gas (mol %)
Propane	4.60	1.48
i-Butane	1.97	0.52
n-Butane	1.53	0.30
Pentanes	1.74	0.28
Hexane	1.05	0.126
C <sub>6+</sub>	0.91	0.078
Balance Methane and Ethane		
<b>Total C<sub>3+</sub> Hydrocarbons</b>	<b>11.76</b>	<b>2.78</b>
<b>METHANE NUMBER</b>	<b>16</b>	<b>71</b>

Acknowledgement: Data Provided by Mr. Zikri Syah, Star Energy

MTR

## Kakap-H Remote Platform Star Energy, Indonesia



MTR

## Sour Gas Processing - H<sub>2</sub>S Reduction in Fuel Gas British Columbia, Canada

Gas Stream Component	Feed Gas (mol %)	Conditioned Gas (mol %)
Hydrogen Sulfide	0.34	0.004
Propane	2.72	0.624
i-Butane	0.37	0.049
n-Butane	0.67	0.088
i-Pentane	0.18	0.018
n-Pentane	0.19	0.019
Hexane	0.16	0.010
C <sub>6+</sub>	0.14	0.008
<b>Total C<sub>3+</sub> Hydrocarbons</b>	<b>4.43</b>	<b>0.82</b>
<b>H<sub>2</sub>S Content</b>	<b>3400 ppm</b>	<b>40 ppm</b>

Acknowledgement: Data Provided by Mr. Brett Kimpton, Dominion Exploration

MTR

## Sour Gas Processing - H<sub>2</sub>S Reduction in Fuel Gas British Columbia, Canada



MTR

3 Engine GenSet on Petrojarl - I (FPSO)  
Statoil (PGS/Wartsila) – North Sea

Stream Name	Inlet Feed (Mol-%)	Conditioned Fuel Gas (Mol-%)
Methane	72.94	86.95
Ethane	9.73	5.68
Propane	8.51	3.18
Butanes	5.05	1.10
Pentanes	1.63	0.30
Carbon Dioxide	0.40	0.25
Nitrogen	1.22	2.49
N-Hexane	0.52	0.06
Methane Number	32	65
Pressure (bar)	13.8	10.3
Volume (MMSCFD)	5.5	1.8

MTR

3 Engine Gen-set on Petrojarl - I (FPSO)  
Statoil (PGS/Wartsila) – North Sea



MTR

Gas Conditioning for 500 MW Power Plant Turbines  
El Paso Gas/UEG, Curitiba, Brazil

Component	Gas Compositions	
	Feed Gas (mol %)	Conditioned Fuel Gas (mol %)
Propane	2.000	1.489
C <sub>4+</sub>	0.785	0.449
Pressure (psig)	700-900	
Flow Rate (MMSCFD)	120 MMSCFD	

MTR

Gas Conditioning for 500 MW Power Plant Turbines  
El Paso Gas/UEG, Curitiba, Brazil



MTR

Superior and Waukesha Engines Fuel Gas Conditioning  
Sid Richardson, New Mexico (2 Units)

Stream Name	Inlet Feed (mol-%)	Guaranteed Conditioned Fuel Gas (mol-%)	Actual Inlet Feed (mol-%)	Actual Conditioned Fuel Gas (mol-%)
Methane	73.3	81.99	69.58	81.19
Ethane	10.89	6.93	11.23	6.89
Propane	6.00	2.63	6.53	2.35
Butanes	2.55	0.56	2.53	0.66
Pentanes	1.07	0.2	0.77	0.16
Carbon Dioxide	1.63	0.85	4.67	3.07
Nitrogen	3.71	6.69	4.05	5.41
N-Hexane	0.83	0.126	0.37	0.07
Methane Number	39	67	44.4	68

Acknowledgement: Data Provided by Gary McCoy, Sid Richardson, Dallas, TX

MTR

Superior and Waukesha Engines Fuel Gas Conditioning  
Sid Richardson, New Mexico (2 Units)



MTR

### Where Can These Membrane Skids be Used Right Now?

- Remote Compressor Stations Currently Derated Due to Raw Fuel – Elimination of Engine Derate will Immediately Increase Gas Production/Transportation Volumes
- Sour Gas Production Sites without access to clean gas - Elimination of Diesel or Expensive solvent systems. Especially Suitable to Colder Climates
- Derated GenSet Due to Fuel Quality – Elimination of Derate will allow additional power generation for production activities
- Offshore Platforms – Reduced Power Generation or Compressor Utilization due to poor fuel gas would be eliminated resulting in higher volume gas and oil production

MTR

### Other Opportunities for Reverse Selective Membranes

- Fuel Gas Conditioning to Increase BTU Value by Reducing N<sub>2</sub> and CO<sub>2</sub>
- Direct Wellhead Nitrogen Removal from Natural Gas
- Direct Wellhead CO<sub>2</sub> Removal From Natural Gas

MTR

### Summary

- Reverse Selective Membranes Have Been Successfully Proven in Well head Natural Gas Conditioning Applications
- More than 100 combined Installations of these membranes Worldwide in Petrochemicals and Oil/Gas Industries.
- Standardized Fuel Gas Conditioning Units Designed for Unattended Operation Reduce Deployment Time and Cost
- Immediate Production Boost and Additional Revenue Generation in Gas Gathering is Possible in Many Locations Currently Operating Under Derated Conditions.

MTR