

## Erratum

J Pharmacol Sci 98, 66 – 76 (2005)

“Detailed Pharmacological Characterization of 5-HT<sub>1A</sub>-Receptor-Mediated [<sup>35</sup>S]GTPγS Binding in Rat Hippocampal Membranes”

Yuji Odagaki and Ryoichi Toyoshima

The authors would like to make the following correction:

**In Table 2, page 73, the  $K_b$  values were incorrectly given.**

**Table 2 should read:**

**Table 2.** Antagonist properties of 5-HT-stimulated [<sup>35</sup>S]GTPγS binding in rat hippocampal membranes

Compound	n	pK <sub>b</sub>	K <sub>b</sub> (nM)
WAY100635	4	9.32 ± 0.03	0.48
(WAY100635)	4	(9.29 ± 0.04)	(0.51)
Methiothepin	3	8.48 ± 0.07	3.3
S(-)-Cyanopindolol	3	8.36 ± 0.05	4.4
S(-)-Pindolol	3	7.44 ± 0.08	37
S(-)-Propranolol	3	6.87 ± 0.05	130
GR127935	3	6.44 ± 0.07	360
Ritanserin	3	6.38 ± 0.07	420
SB224289	3	— <sup>a</sup>	— <sup>a</sup>
GR55562	3	— <sup>a</sup>	— <sup>a</sup>
BRL15572	3	— <sup>a</sup>	— <sup>a</sup>
Ketanserin	3	— <sup>a</sup>	— <sup>a</sup>
LY278584	3	— <sup>a</sup>	— <sup>a</sup>

Values in parentheses were determined under Condition II (100 μM GDP, 5 mM MgCl<sub>2</sub>, and 150 mM NaCl). All other values were determined under Condition I (20 μM GDP, 5 mM MgCl<sub>2</sub>, and 100 mM NaCl). <sup>a</sup> Inactive as an antagonist.