OPEN ACCESS Freely available online

PLOS | PATHOGENS

Correction

Correction: Both α2,3- and α2,6-Linked Sialic Acids on O-Linked Glycoproteins Act as Functional Receptors for Porcine Sapovirus

The *PLOS Pathogens* Staff

The Funding statement in the published article contains errors in the first sentence. Please see the correct Funding statement below.

This study was supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Science, ICT and Future Planning (2014R1A2A2A01004292), and by a KBSI grant (C33730). IG is supported by funding from the Wellcome Trust (Ref:WT097997MA). IG is a Wellcome Senior Fellow. The funders had no role in study design, data collection and analysis, decision to publish, or presentation of the manuscript.

Reference

1. Kim D-S, Hosmillo M, Alfajaro MM, Kim J-Y, Park J-G, et al. (2014) Both α2,3- and α2,6-Linked Sialic Acids on O-Linked Glycoproteins Act as Functional Receptors for Porcine Sapovirus. PLoS Pathog 10(6): e1004172. doi:10.1371/journal.ppat.1004172

Citation: The *PLOS Pathogens* Staff (2014) Correction: Both α2,3- and α2,6-Linked Sialic Acids on O-Linked Glycoproteins Act as Functional Receptors for Porcine Sapovirus. PLoS Pathog 10(6): e1004267. doi:10.1371/journal.ppat.1004267

Published June 24, 2014

Copyright: © 2014 The *PLOS Pathogens* Staff. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.