

# Indexes to Volume 75

## SUBJECT INDEX

### Mathematical Physics

Travelling wave solutions for  $(N + 1)$ -dimensional nonlinear evolution equations *Jonu Lee and Rathinasamy Sakthivel* 565–578

### Quantum Mechanics

Quarkonium and hydrogen spectra with spin-dependent relativistic wave equation *V H Zaveri* 579–598

Eigenvalue spectra of a  $\mathcal{PT}$ -symmetric coupled quartic potential in two dimensions *Fakir Chand, Savita and S C Mishra* 599–605

### Statistical Physics

Chemical potential and internal energy of the noninteracting Fermi gas in fractional-dimensional space *S Panda and B K Panda* 393–402

Statistical dynamics of parametrically perturbed sine-square map *M Santhiah and P Philominathan* 403–414

An irrational trial equation method and its applications *Xing-hua Du* 415–422

Solitary wave solutions of selective nonlinear diffusion-reaction equations using homogeneous balance method *Ranjit Kumar, R S Kaushal and Awadhesh Prasad* 607–616

### Particle Physics

Slope and curvature of Isgur–Wise function using variationally improved perturbation theory in a quantum chromodynamics inspired potential model *Bhaskar Jyoti Hazarika and D K Choudhury* 423–438

Measurement of  $Z \rightarrow \tau\tau \rightarrow e\mu$  inclusive process at Large Hadron Collider *S Bansal, K Mazumdar and J B Singh* 439–448

A primer for electroweak induced low-energy nuclear reactions *Y N Srivastava, A Widom and L Larsen* 617–637

Search for  $B_s \rightarrow \phi\mu\mu$  decay at the Large Hadron Collider *Supreet Pal Singh, K Mazumdar and J B Singh* 639–648

Gamow–Teller  $1^+$  states in  $^{112-124}\text{Sb}$  isotopes *Necla Çakmak, Serdar Ünlü and Cevad Selam* 649–663

$\omega(\rightarrow \pi^+\pi^-\pi^0)$  meson photoproduction on proton *Swapan Das* 665–674

Nucleation efficiency of R134a as a sensitive liquid for superheated drop emulsion detector *Mala Das, R Sarkar, P K Mondal, S Saha, B K Chatterjee and S C Roy* 675–682

**Nuclear Physics**

- Gamma and electron spectroscopy of transfermium isotopes at Dubna:  
Results and plans *A Yeremin, O Malyshev,*  
*A Popeko, A Lopez-Martens, K Hauschild, O Dorvaux,*  
*S Saro, D Pantelica and S Mullin* 3–12
- Nuclei in the vicinity of ‘island of inversion’ through the fusion reaction  
*S S Ghugre* 13–24
- Structure of  $A \sim 130$  nuclei in La–Ce region *Tumpa Bhattacharjee* 25–38
- Ab-initio* Hamiltonian approach to light nuclei and to quantum field  
theory *J P Vary, H Honkanen, Jun Li, P Maris,*  
*A M Shirokov, S J Brodsky, A Harindranath,*  
*G F De Teramond, E G Ng, C Yang and M Sosonkina* 39–49
- Magnetic rotation – past, present and future  
*A K Jain and Deepika Choudhury* 51–62
- Pygmy dipole resonance in stable nuclei *P Von Neumann-Cosel* 63–71
- Excitation of pygmy dipole resonance in neutron-rich nuclei via Coulomb  
and nuclear fields *A Vitturi, E G Lanza,*  
*M V Andrés, F Catara and D Gambacurta* 73–80
- Efimov effect in 2-neutron halo nuclei *Indranil Mazumdar* 81–86
- Heavy ion transfer reactions: Status and perspectives *L Corradi* 87–97
- Influence of projectile breakup on complete fusion  
*A Mukherjee and M K Pradhan* 99–107
- Fusion using radioactive ion beams *A M Vinodkumar* 109–113
- Unusual features of proton and  $\alpha$ -spectra from low-energy heavy-ion  
reactions *D R Chakrabarty* 115–125
- Progress in all-order breakup reaction theories *R Chatterjee* 127–136
- Low-energy nuclear reactions with double-solenoid-based radioactive nu-  
clear beam *Valdir Guimarães* 137–147
- Testing fundamental symmetries using radioactive ion beams at  
TRIUMF-ISAC *S Triambak* 149–162
- $\beta$ -Decay and the electric dipole moment: Searches for time-reversal vi-  
olation in radioactive nuclei and atoms *H W Wilschut,*  
*U Dammalapati, D J Van Der Hoek, K Jungmann,*  
*W Kruithof, C J G Onderwater, B Santra,*  
*P D Shidling and L Willmann* 163–170
- The canonical and grand canonical models for nuclear multifragmenta-  
tion *G Chaudhuri and S Das Gupta* 171–183
- Dilepton production in nucleon–nucleon collisions around 1 GeV/  
nucleon: A theoretical update *R Shyam and U Mosel* 185–194

Vector mesons in strongly interacting matter	<i>Volker Metag</i>	195–206
Hypernuclear and strangeness physics program at J-PARC	<i>T Nagae</i>	207–214
Multi-reaction-channel fitting calculations in a coupled-channel model: Photoinduced strangeness production	<i>O Scholten and A Usov</i>	215–224
Hadrons and broken symmetries with WASA-at-COSY	<i>S Schadmand</i>	225–234
High energy nuclear collisions: Theory overview	<i>R J Fries</i>	235–245
Transport properties of the fluid produced at Relativistic Heavy-Ion Collider	<i>Rajeev S Bhalerao</i>	247–257
Nuclear symmetry energy: An experimental overview	<i>D V Shetty and S J Yennello</i>	259–269
Present and future strategies for neutrinoless double beta decay searches	<i>C Brofferio</i>	271–280
Structure of nuclear transition matrix elements for neutrinoless double- $\beta$ decay	<i>P K Rath</i>	281–291
Signals from dark Universe: DAMA/LIBRA at LNGS	<i>R Bernabei, P Belli, F Montecchia, F Nozzoli, F Cappella, A d'Angelo, A Incicchitti, D Prosperi, R Cerulli, C J Dai, H L He, X H Ma, X D Sheng, R G Wang and Z P Ye</i>	293–303
Nuclear physics with superconducting cyclotron at Kolkata: Scopes and possibilities	<i>Sailajananda Bhattacharya</i>	305–316
Hybrid recoil mass analyzer at IUAC – First results using gas-filled mode and future plans	<i>N Madhavan, S Nath, T Varughese, J Gehlot, A Jhingan, P Sugathan, A K Sinha, R Singh, K M Varier, M C Radhakrishna, E Prasad, S Kalkal, G Mohanto, J J Das, Rakesh Kumar, R P Singh, S Muralithar, R K Bhowmik, A Roy, Rajesh Kumar, S K Suman, A Mandal, T S Datta, J Chacko, A Choudhury, U G Naik, A J Malyadri, M Archunan, J Zacharias, S Rao, Mukesh Kumar, P Barua, E T Subramanian, K Rani, B P Ajith Kumar and K S Golda</i>	317–331
Overview of the JYFLTRAP mass measurements and high-precision $Q$ -values for weak interaction studies	<i>T Eronen</i>	333–341
The DESIR Facility at SPIRAL2	<i>Bertram Blank</i>	343–353
NUSTAR and the status of the R3B project at FAIR	<i>O Tengblad</i>	355–361
A vision for the next decade: Plans for rare isotope beams 2010–2015	<i>Nigel S Lockyer</i>	363–368
RIKEN radioactive isotope beam factory project – Present status and perspectives	<i>H Sakurai</i>	369–375

- Isovector coupling channel and central properties of the charge density distribution in heavy spherical nuclei *S Haddad* 449–457
- Atomic and Molecular Physics**
- X-ray attenuation around *K*-edge of Zr, Nb, Mo and Pd: A comparative study using proton-induced X-ray emission and  $^{241}\text{Am}$  gamma rays  
*K K Abdullah, K Karunakaran Nair, N Ramachandran, K M Varier, B R S Babu, Antony Joseph, Rajive Thomas, P Magudapathy and K G M Nair* 459–469
- Electron Rydberg wave packets in one-dimensional atoms  
*Supriya Chatterjee, Amitava Choudhuri, Aparna Saha and B Talukdar* 471–483
- Crystal growth and comparison of vibrational and thermal properties of semi-organic nonlinear optical materials *S Gunasekaran, G Anand, R Arun Balaji, J Dhanalakshmi and S Kumaresan* 683–690
- Lasers and Optics**
- Design of medium energy beam transport line between the RFQ and the Linac in the radioactive ion beam facility at VECC, Kolkata  
*S Dechoudhury, Vaishali Naik, Manas Mondal, Hemendra Kumar Pandey, Avik Chatterjee, Dirtha Sanyal, Debasis Bhowmick and Alok Chakrabarti* 485–499
- Nonlinear pulse propagation in a single- and a few-cycle regimes with Raman response *Vimlesh Mishra and Ajit Kumar* 501–512
- Electron irradiation effects on 4-amino-5-mercapto-3-[1-(4-isobutylphenyl)ethyl]-1,2,4-triazole single crystal  
*Vijayalakshmi Rao and K Naseema* 513–522
- Ignition studies in support of the European High Power Laser Energy Research Facility project *J Pasley* 759–767
- High average power supercontinuum sources *J C Travers* 769–785
- Femtosecond pulse generation and amplification in Yb-doped fibre oscillator–amplifier system *P K Mukhopadhyay* 787–805
- Physics and technology of tunable pulsed single longitudinal mode dye laser  
*G Sridhar, V S Rawat, Nitin Kawade, Sunita Singh and L M Gantayet* 807–816
- Fabrication of periodically poled lithium niobate chips for optical parametric oscillators  
*Ashok Kaul and Ajay Mishra* 817–826
- Narrow linewidth pulsed optical parametric oscillator *S Das* 827–835
- Absorption and dispersion in metamaterials: Feasibility of device applications  
*Subimal Deb and S Dutta Gupta* 837–854

- Super-resolution by pupil plane phase filtering  
*L N Hazra and N Reza* 855–867
- Generation of synchronized signal and pump pulses for an optical parametric chirped pulse amplification based multi-terawatt Nd:glass laser system  
*M Raghuramaiah, R K Patidar, R A Joshi, P A Naik and P D Gupta* 869–874
- A 10-Hz terawatt class Ti:sapphire laser system: Development and applications  
*A K Sharma, J Smedley, T Tsang and T Rao* 875–881
- Development of Raman-shifted probe laser beam for plasma diagnosis using polaro-interferometer  
*M P Kamath, A P Kulkarni, S Jain, P K Tripathi, A S Joshi, P A Naik and P D Gupta* 883–888
- On the repetitive operation of a self-switched transversely excited atmosphere CO<sub>2</sub> laser  
*Pallavi Raote, Gautam Patil, J Padma Nilaya and D J Biswas* 889–894
- Generation of 13.9  $\mu\text{m}$  radiation from CO<sub>2</sub> by cascade lasing or externally applied CO<sub>2</sub> laser  
*Utpal Nundy* 895–899
- On the operation of switch-less transversely excited atmosphere CO<sub>2</sub> lasers in the oscillator and amplifier configurations  
*Gautam C Patil, Pallavi Raote, J Padma Nilaya and D J Biswas* 901–906
- Indigenous development of a 2 kW RF-excited fast axial flow CO<sub>2</sub> laser  
*A K Biswas, M S Bhagat, L B Rana, A Verma and L M Kukreja* 907–913
- Nonlinear resonance phenomena of a doped fibre laser under cavity-loss modulation: Experimental demonstrations  
*A Ghosh, B K Goswami and R Vijaya* 915–921
- A microring multimode laser using hollow polymer optical fibre  
*M Kailasnath, V P N Nampoori and P Radhakrishnan* 923–927
- Dual wavelength operation in diode-end-pumped hybrid vanadate laser  
*A J Singh, S K Sharma, P K Mukhopadhyay and S M Oak* 929–934
- 101 W of average green beam from diode-side-pumped Nd:YAG/LBO-based system in a relay imaged cavity  
*S K Sharma, A J Singh, P K Mukhopadhyay and S M Oak* 935–940
- Efficient and high-power green beam generation by frequency doubling of acousto-optic Q-switched diode-side pumped Nd:YAG rod laser in a coupled cavity  
*S K Sharma, A J Singh, P K Mukhopadhyay and S M Oak* 941–945
- Rate equation simulation of temporal characteristics of a pulsed dye laser oscillator  
*S Kundu, K Dasgupta, S Sasikumar, J Singh, A K Ray and S Sinha* 947–952

- Development of a 16 kHz repetition rate, 110 W average power copper HyBrID laser  
*R Biswal, P K Agrawal, G K Mishra, S V Nakhe, S K Dixit and J K Mittal* 953–959
- Enhanced performance of a wide-aperture copper vapour laser with hydrogen additive in neon buffer gas  
*Bijendra Singh, V V Subramaniam, S R Daultabad and Ashim Chakraborty* 961–965
- Development of insulated gate bipolar transistor-based power supply for elemental copper vapour laser  
*R K Mishra, S V Nakhe, G N Tiwari and J K Mittal* 967–973
- Emission studies on ZnO-inverse photonic crystals derived from self-assembly  
*Sunita Kedia, R Vijaya, Alok K Ray, Sucharita Sinha and K Dasgupta* 975–983
- Photophysical and laser characteristics of pyrromethene 567 dye: Experimental and theoretical studies  
*K K Jagtap, D K Maity, A K Ray, K Dasgupta and S K Ghosh* 985–989
- Kiton red S dye: Photophysical, photostability, photothermal and narrow-band laser performances using different solvents  
*Krishna K Jagtap, Alok K Ray, S K Pardeshi and K Dasgupta* 991–998
- Optical characterization of CdSe/Dy<sup>3+</sup>-doped silica matrices  
*P V Jyothy, P R Rejikumar, Thomas Vinoy, S Kartika and N V Unnikrishnan* 999–1004
- Local structure of Eu<sup>3+</sup> ions in fluorophosphate laser glass  
*P Babu, R Vijaya, Kyoung Hyuk Jang, Hyo Jin Seo, V Lavin and C K Jayasankar* 1005–1010
- Intraband effects on ultrafast pulse propagation in semiconductor optical amplifier  
*K Hussain, S K Varshney and P K Datta* 1011–1016
- Picosecond optical nonlinearities in symmetrical and unsymmetrical phthalocyanines studied using the Z-scan technique  
*S Venugopal Rao, P T Anusha, L Giribabu and Surya P Tewari* 1017–1023
- Switching dynamics of a two-dimensional nonlinear couplers in a photopolymer – A variational approach  
*T Uthayakumar and K Porsezian* 1025–1034
- X-ray photoelectron spectroscopy, high-resolution X-ray diffraction and refractive index analyses of Ti-doped lithium niobate (Ti:LiNbO<sub>3</sub>) nonlinear optical single crystal  
*P Kumar, S Moorthy Babu, S Perero, Rajamanicam L Sai, I Bhaumik, S Ganesamoorthy and A K Karnal* 1035–1040
- An overview of some experimental and theoretical aspects of fundamental symmetry violations in atoms  
*D Budker, B K Sahoo, D Angom and B P Das* 1041–1056

- Laser resonance ionization for ultra-trace analysis on long-lived radioactive isotopes  
*Christopher Geppert and Klaus D A Wendt* 1057–1064
- Towards using molecular ions as qubits: Femtosecond control of molecular fragmentation with multiple knobs  
*Tapas Goswami, Dipak K Das and Debabrata Goswami* 1065–1069
- Mueller matrix polarimetry for the characterization of complex random medium like biological tissues  
*Nirmalya Ghosh, Jalpa Soni, M F G Wood, M A Wallenberg and I A Vitkin* 1071–1086
- Laser-assisted cleaning: Dominant role of surface  
*J Padma Nilaya, and D J Biswas* 1087–1097
- Development of evanescent wave absorbance-based fibre-optic biosensor  
*T Kundu, V V R Sai, R Dutta, S Titas, P Kumar and S Mukherjee* 1099–1113
- Laser targets and experiments for the sake of science and energy in the 22nd century  
*N G Borisenko and Yu A Merkuliev* 1115–1127
- Compact fibre-based coherent anti-Stokes Raman scattering spectroscopy and interferometric coherent anti-Stokes Raman scattering from a single femtosecond fibre-laser oscillator  
*Vikas Kumar, Alessio Gambetta, Cristian Manzoni, Roberta Ramponi, Giulio Cerullo and Marco Marangoni* 1129–1134
- Measurement of total angular momentum values of high-lying even-parity atomic states of samarium by spectrally resolved laser-induced fluorescence technique  
*A K Pulhani, M L Shah, G P Gupta and B M Suri* 1135–1139
- Measurement of photoexcitation cross-sections of uranium by saturation method  
*M L Shah, R C Das, P K Mandal, D R Rathod, Vas Dev, K G Manohar and B M Suri* 1141–1144
- Spectroscopy of laser-produced plasmas: Setting up of high-performance laser-induced breakdown spectroscopy system  
*V K Unnikrishnan, Kamlesh Alti, Rajesh Nayak, Rodney Bernard, V B Kartha, C Santhosh, G P Gupta and B M Suri* 1145–1150
- Sub-natural linewidth resonances in coherently-driven double  $\Lambda$  system  
*Niharika Singh, Q V Lawande, R D'Souza, A Ray and B N Jagatap* 1151–1155
- Effect of ZnO doping on the structural and optical properties of BaWO<sub>4</sub> thin films prepared using pulsed laser ablation technique  
*N Venugopalan Pillai, R Vinodkumar, V Ganesan, Peter Koshy and V P Mahadevan Pillai* 1157–1161
- Effect of ambient nitrogen pressure on the formation and spatio-temporal behaviour of C<sub>2</sub> and CN  
*Archana Kushwaha and R K Thareja* 1163–1167

- Nonlinear optical studies in semiconductor-doped glasses under femtosecond pulse excitation *C P Singh, K S Bindra and S M Oak* 1169–1173
- Study of  $2\omega$  and  $3/2\omega$  harmonics in ultrashort high-intensity laser plasma interaction *V Arora, P A Naik, J A Chakera, R A Khan and P D Gupta* 1175–1179
- Impurities good and bad: Doped cluster nanoplasmas in intense laser fields and characterization of impurity level *J Jha and M Krishnamurthy* 1181–1189
- Laser interaction with low-density carbon foam *S Chaurasia, S Tripathi, D S Munda, G Mishra, C G Murali, N K Gupta, L J Dhareshwar, A K Rossall, G J Tallents, Rashmi Singh, D K Kohli and R K Khardekar* 1191–1196
- Surface roughness-aided hard X-ray emission from carbon nanotubes *Suman Bagchi, P Prem Kiran, M K Bhuyan, M Krishnamurthy, K Yang, A M Rao and G Ravindra Kumar* 1197–1202
- Optimization of laser hole drilling process on thick gold spherical hohlraums for intense X-ray generation *S R Patwa, S Jain, P K Tripathi, A S Joshi and P D Gupta* 1203–1208
- Quasi-elastic laser light scattering study of polyacrylamide hydrogel immersed in water and salt solutions *M Sivanantham and B V R Tata* 1209–1214
- A confocal laser scanning microscopic study on thermoresponsive binary microgel dispersions incorporated with CdTe quantum dots *J Brijitta, B V R Tata, K Saravanan, B K Panigrahi and T Kaliyappan* 1215–1220
- Femtosecond laser-fabricated microstructures in bulk poly(methylmethacrylate) and poly(dimethylsiloxane) at 800 nm towards lab-on-a-chip applications *K L N Deepak, S Venugopal Rao and D Narayana Rao* 1221–1232
- Cavity ring-down technique for measurement of reflectivity of high reflectivity mirrors with high accuracy *G Sridhar, Sandeep K Agarwalla, Sunita Singh and L M Gantayet* 1233–1239
- Recording multiple holographic gratings in silver-doped photopolymer using peristrophic multiplexing *V Pramitha, Rani Joseph, K Sreekumar and C Sudha Kartha* 1241–1247
- Laser yellowing *M B Sai Prasad and Salvatore Siano* 1249–1252
- Development of underwater laser cutting technique for steel and zircaloy for nuclear applications *R K Jain, D K Agrawal, S C Vishwakarma, A K Choubey, B N Upadhyaya and S M Oak* 1253–1258
- Solidification and microstructural aspects of laser-deposited Ni–Mo–Cr–Si alloy on stainless steel *Reena Awasthi, Santosh Kumar, D Srivastava and G K Dey* 1259–1266

- Laser pulse heating of nuclear fuels for simulation of reactor power transients  
*C S Viswanadham, K C Sahoo, T R G Kutty, K B Khan, V P Jathar, S Anantharaman, Arun Kumar and G K Dey* 1267–1272
- Green laser photocoagulator for the treatment of diabetic retinopathy developed at Raja Ramanna Centre for Advanced Technology  
*S M Oak* 1273–1279
- Polarized spectral features of human breast tissues through wavelet transform and principal component analysis  
*Anita Gharekhan, Ashok N Oza, M B Sureshkumar, Asima Pradhan and Prasanta K Panigrahi* 1281–1286
- Development and evaluation of an optical fibre-based helium–neon laser irradiation system for tissue regeneration: A pilot study  
*Vijendra Prabhu, B S Satish Rao, B Nageshwara Rao, B Kiran Aithal, B Satish Shenoy and K K Mahato* 1287–1292
- Fluid Dynamics**
- On complexly coupled modified KdV equations *Amitava Choudhuri* 709–718
- Plasma Physics**
- Comparative study of runaway electron diffusion in the rise phase of low  $q_a$  and normal  $q_a$  discharges in the SINP tokamak  
*Ramesh Narayanan and A N Sekar Iyengar* 691–708
- Collisional effect on the Weibel instability in the limit of high plasma temperature  
*N G Zaki* 719–726
- Scattered ionizing radiations from low-energy focus plasma and radiation dosimetry assessment  
*G M El-Aragi, M A Ayad, M A El-Kolaly and W Madcour* 727–736
- Condensed Matter Physics**
- Collision frequency of Lennard–Jones fluids at high densities by equilibrium molecular dynamics simulation  
*G A Adebayo, B C Anusionwu, A N Njah, O J Adeniran, B Mathew and R S Sunmonu* 523–536
- Mössbauer effect studies of  $\text{Tb}_{0.27}\text{Dy}_{0.73}(\text{Fe}_{1-x}\text{Co}_x)_2$  intermetallics at 295 K  
*W Bodnar, M Szklarska-Lukasik, P Stoch, P Zachariasz, J Pszczola and J Suwalski* 537–548
- Molecular dynamics of liquid alkaline-earth metals near the melting point  
*J K Baria and A R Jani* 737–748
- Effect of magnetic field on the impurity binding energy of the excited states in spherical quantum dot  
*E Sadeghi and Gh Rezaie* 749–755
- Interdisciplinary Physics**
- Locating phase transitions in computationally hard problems  
*B Ashok and T K Patra* 549–563