

SUBJECT INDEX

- telluride
Isolation and structures of some selenium and tellurium derivatives of 1, 4, 5, 8, 9, 12-hexabromododecahydrotriphenylene as co-crystals of triphenylene 1311
- .BF₃.OEt₂/acetic acid
Investigation of Keto-enol Tautomers during the Synthesis of Aryl-bis (2-hydroxy-1-naphthyl) Methanes 1629
- (1*S*, 2*R*)-(+)-norephedrine
Chiral amide from (1*S*, 2*R*)-(+)-norephedrine and furoic acid: An efficient catalyst for asymmetric Reformatsky reaction 151
- (hyper)polarizabilities
Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenz[*a*]pyrene *N*-oxide isomers: A Hartree–Fock and Coulomb-attenuating density functional theory investigation 701
- (*S*)-garner aldehyde
(*S*)-Garner aldehyde derived Baylis-Hillman adduct: A potential substrate for the synthesis of *D*-*lyxo* phytosphingosine analogue 1841
- 1-, 3-Nitro-6-azabenz[*a*]pyrene *N*-oxide
Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenz[*a*]pyrene *N*-oxide isomers: A Hartree–Fock and Coulomb-attenuating density functional theory investigation 701
- 1-chloropropane
Thermal decomposition of 1-chloropropane behind the reflected shock waves in the temperature range of 1015–1220 K: Single pulse shock tube and computational studies 897
- 1-hydroxy-phenethylamine derivatives
A concise and simple synthesis of 1-hydroxy-phenethylamine derivatives: Formal synthesis of naturally occurring norephedrine, virolin and 3-hydroxy-2-phosphonylmethoxypropyl adenine 837
- 1-oxo-1,2,3,4,5,6-hexahydrocyclooct [*b*]indole
Synthesis of quinolino[2',3':8,7]cyclooct[*b*]indole 1893
- 1-phenylethanol
Metal organic framework MIL-101(Cr) for dehydration reactions 527
- 1,2-benzenedimethanol
Role of vanadium in Keggin heteropoly molybdate supported on titania catalysts for oxidation reactions 467
- 1,2,4-triazoles
Analysis of intermolecular interactions in 3-(4-fluoro-3-phenoxyphenyl)-1-((4-methylpiperazin-1-yl)methyl)-1*H*-1,2,4-triazole-5-thiol 1337
- 1,3-diketones
Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
- 1,3-dipolar cycloaddition
Mechanism and regioselectivity of 1,3-dipolar cycloaddition reactions of sulphur-centred dipoles with furan-2,3-dione: A theoretical study using DFT 293
Synthesis and photophysical properties of 1, 4-disubstituted naphthyloxymethyl-*N*-alkyl naphthimido-1,2,3-triazole 1063
- 1,3,4-oxadiazine carboxamides
Antioxidant and DNA damage inhibition activities of 4-Aryl-*N*-(4-arylthiazol-2-yl)-5,6-dihydro-4*H*-1,3,4-oxadiazine-2-carboxamides 1913
- 1,3,4-Oxadiazoles
Synthesis and evaluation of 2-(5-(aryl)-1,3,4-oxadiazolo-2-ylthio)-*N*-(3-(trifluoromethyl)phenyl)acetamides and *N*-(4-chloro-3-fluorophenyl)-2-(5-(aryl)-1,3,4-oxadiazolo-2-ylthio)acetamides as antimicrobial agents 827
- 1,4-benzodiazepine
Synthesis of 2-(oxadiazolo, pyrimido, imidazolo, and benzimidazolo) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through a phenoxy bridge 1861
- 1,4-butanediol
Metal organic framework MIL-101(Cr) for dehydration reactions 527
- 1,4-disubstituted-1,2,3-triazoles
Click synthesis of 1,4-disubstituted-1,2,3-triazoles catalysed by CuO–CeO₂ nanocomposite in the presence of amberlite-supported azide 147
- ¹H-NMR titration
Neutral tripodal receptors towards efficient trapping of oxalate 1303
- 1*H*-pyridin-4-yl-3,5-disubstituted indazoles
Design, synthesis and characterization of 1*H*-pyridin-4-yl-3,5-disubstituted indazoles and their AKT inhibition activity 1055
- 2-Acetylthiophene
Synthesis of thiophene-linked pyrimidopyrimidines as pharmaceutical leads 821
- 2-aminoanthracene
Disposable electrochemical DNA biosensor for environmental monitoring of toxicant 2-aminoanthracene in the presence of chlorine in real samples 1031
- 2-aminothiazole
Identification of robust synthon in the molecular salts of 2-aminothiazole with substituted benzoic acids: A case study 1291
- 2-Aryl-1-arylmethyl-1*H*-benzimidazoles
Ultrasound promoted and SiO₂/CCl₃COOH mediated synthesis of 2-aryl-1-arylmethyl-1*H*-benzimidazole derivatives in aqueous media: An eco-friendly approach 1831

- 2-cyclohexene-1-ol
Aerobic oxidation of cyclohexene catalyzed by NiO/MCM-41 nanocomposites in the gas phase 989
- 2-cyclohexene-1-one
Aerobic oxidation of cyclohexene catalyzed by NiO/MCM-41 nanocomposites in the gas phase 989
- 2-D framework
An anionic two-dimensional indium carboxylate framework derived from a pseudo C_3 -symmetric semi-flexible tricarboxylic acid 1385
- 2-furoic acid
Chiral amide from (1*S*, 2*R*)-(+)-norephedrine and furoic acid: An efficient catalyst for asymmetric Reformatsky reaction 151
- 2-Hydroxybenzophenone
Molecular structure and intramolecular hydrogen bonding in 2-hydroxybenzophenones: A theoretical study 919
- 2-methylpyrazine
Effective utilization of glycerol for the synthesis of 2-methylpyrazine over ZnO-ZnCr₂O₄ catalyst 387
- 2-pyridylcarboxaldehyde isonicotinoylhydrazone
Syntheses, characterization and crystal structures of potassium and barium complexes of a Schiff base ligand with different anions 1373
- 2, 4-dichlorophenoxyacetic acid
Molecularly imprinted polymer for 2, 4-dichlorophenoxyacetic acid prepared by a sol-gel method 1005
- 2,2'-bipyridyl
Self-assembly of self-assembled molecular triangles 1493
- 2,3-Dihydrophthalazine-1,4-dione
Oxidative ring cleavage of 2,3-dihydrophthalazine-1,4-dione in aqueous and non-aqueous solutions: Electrochemical and kinetic studies 1923
- 2,4,5-tri substituted imidazoles
Nano copper and cobalt ferrites as heterogeneous catalysts for the one-pot synthesis of 2,4,5-tri substituted imidazoles 1715
- 2,5-dimethylfuran
Novel catalysts for valorization of biomass to value-added chemicals and fuels 403
- 2,5-furan dicarboxylic acid
Novel catalysts for valorization of biomass to value-added chemicals and fuels 403
- 2,6-Dichloro-3,5-dinitrotoluene
N-Phenyl heteroarylamine analogues of fluazinam using the intermediate derivatization methods approach 1107
- 4-Acryloxy acetophenone
Synthesis, characterization and applications of polymer-metal chelates derived from poly[(4-acryloxy acetophenone)-divinylbenzene] benzoyl hydrazone resins 597
- 4-amino benzamide
One-pot synthesis of novel 1, 8-dioxo-decahydroacridines containing phenol and benzamide moiety and their synthetic uses 1039
- 4-aminophenol
One-pot synthesis of novel 1, 8-dioxo-decahydroacridines containing phenol and benzamide moiety and their synthetic uses 1039
- 4,4'-bipyridine
Cationic zinc (II) dimers and one dimensional coordination polymer from ionic carboxylic acid 1409
- 4,6-bis{3-(2-pyridyl)-1*H*-pyrazol-1-yl}pyrimidine
Synthesis and structural study of platinum group metal complexes containing pyrimidine bridged pyrazolyl-pyridine ligand and η^5 and η^6 - cyclic hydrocarbons 1143
- 4*H*-chromene
One-pot synthesis of novel 1, 8-dioxo-decahydroacridines containing phenol and benzamide moiety and their synthetic uses 1039
- 4*H*-chromene
Nano-titania-supported Preyssler-type heteropolyacid: An efficient and reusable catalyst in ultrasound-promoted synthesis of 4*H*-chromenes and 4*H*-pyrano[2,3-*c*]pyrazoles 95
- 4*H*-pyrano[2,3-*c*]pyrazole
Nano-titania-supported Preyssler-type heteropolyacid: An efficient and reusable catalyst in ultrasound-promoted synthesis of 4*H*-chromenes and 4*H*-pyrano[2,3-*c*]pyrazoles 95
- 5-hydroxymethyl furfural
Novel catalysts for valorization of biomass to value-added chemicals and fuels 403
- 7,16-didecyl-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane
The behaviour of polyaniline-coated PVC membrane based on 7,16-didecyl-1, 4, 10, 13-tetraoxa-7, 16-diazacyclooctadecane for pH measurements in highly acidic media 41
- 7,8,9,10-Tetrahydroquinolino[2',3':8,7]cyclooct[*b*]indole
Synthesis of quinolino[2',3':8,7]cyclooct[*b*]indole 1893
- 9-hydroxophenalenone
Main group chemistry of 9-hydroxophenalenone: Syntheses and structural characterization of the alkaline earth and zinc complexes 1581
- 9,10-Dihydroxybenzo[*h*]quinoline
Synthesis, crystal structure, optical and electrochemical properties of 9,10-dihydroxybenzo[*h*]quinoline 955
- 10-hydroxybenzo[*h*]quinoline
Synthesis, crystal structure, optical and electrochemical properties of 9,10-dihydroxybenzo[*h*]quinoline 955
- 10*H*-phenothiazines
Synthesis and evaluation of antimicrobial and anthelmintic activity of novel fluorinated 7-ethyl-10*H*-phenothiazines, their sulphones and ribofuranosides 197
- α -amino phosphonates
Pentafluorophenylammonium triflate (PFPAT): A new organocatalyst for the one-pot three-component synthesis of α -aminophosphonates 807

- α -Aminophosphonates
Water mediated eco-friendly green protocol for one-pot synthesis of α -aminophosphonates at ambient conditions 793
- β -Acetamido ketones
Supported *L*-pyrrolidine-2-carboxylic acid-4-hydrogen sulphate on silica gel as an economical and efficient catalyst for the one-pot preparation of β -acetamido ketones *via* a four-component condensation reaction 103
- β -aroylacrylic acid
Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobutenoic acid towards nitrogen-containing nucleophiles 1883
- β -Dicarbonyl compounds
Fe(HSO₄)₃: An efficient, heterogeneous and reusable catalyst for *C*-alkylation of β -dicarbonyl compounds 1903
- β -diketonates
Synthesis and structure of bis(β -dibenzoyl methanato -O,O') (aquo-O) dioxouranium (VI) compound 1565
- β -tubulin
Synthesis of new biphenyl-substituted quinoline derivatives, preliminary screening and docking studies 205
- β -isophorone
Chitosan-based Schiff base-metal complexes (Mn, Cu, Co) as heterogeneous, new catalysts for the β -isophorone oxidation 727
- λ -Zirconium phosphate
Synthesis and structural characterization of zirconium phosphate adipate dimethyl sulphoxide: A new lambda-type organic-inorganic layered material 975
Functionalization of lambda-zirconium phosphate with ethylenediaminetetraacetic acid: Synthesis, characterization and applications 1721
- π back donation
Sequential bond energies and structures of the Cr⁺·(N₂)_n, n = 1–4 1743
- σ -hole
Theoretical study on O· · · Br and O· · · Cl halogen bonds in some small model molecular systems 1763
- Absorption and fluorescence
Effects of acid concentration on intramolecular charge transfer reaction of 4-(azetidiny) benzonitrile in solution 55
- Acetanilide
Theoretical studies on the mechanism of palladium(II)-catalysed *ortho*-carboxylation of acetanilide with CO 265
- Acetoacetamide
Facile eco-friendly synthesis of novel chromeno[4,3-b]pyridine-2,5-diones and evaluation of their antimicrobial and antioxidant properties 187
- Acetone
Chitosan-based Schiff base-metal complexes (Mn, Cu, Co) as heterogeneous, new catalysts for the β -isophorone oxidation 727
- Acid concentration dependence
Effects of acid concentration on intramolecular charge transfer reaction of 4-(azetidiny) benzonitrile in solution 55
- Acidity
Characterization and reactivity of 11-molybdo-1-vanadophosphoric acid catalyst supported on zirconia for dehydration of glycerol to acrolein 445
- Acrolein
Characterization and reactivity of 11-molybdo-1-vanadophosphoric acid catalyst supported on zirconia for dehydration of glycerol to acrolein 445
- Adduct compound
Synthesis and structure of bis(β -dibenzoyl methanato -O,O') (aquo-O) dioxouranium (VI) compound 1565
- Adenine
The family of N⁹-adenine: New entry for adenine-benzamide conjugates linked via versatile spacers 159
- Adipate
Synthesis and structural characterization of zirconium phosphate adipate dimethyl sulphoxide: A new lambda-type organic-inorganic layered material 975
- Adsorption
Molecularly imprinted polymer for 2, 4-dichlorophenoxyacetic acid prepared by a sol-gel method 1005
- AEE
Aggregation enhanced emission (AEE) in organic salt: A structure-property correlation based on single crystal studies 1357
- Aerobic oxidation
Cobalt(II) supported on ethylenediamine-functionalized nanocellulose as an efficient catalyst for room temperature aerobic oxidation of alcohols 111
- Ag-doped lanthanum chromites
Borohydride electro-oxidation by Ag-doped lanthanum chromites 617
- AIE
Aggregation enhanced emission (AEE) in organic salt: A structure-property correlation based on single crystal studies 1357
- AIM
Molecular structure and intramolecular hydrogen bonding in 2-hydroxybenzophenones: A theoretical study 919
Theoretical study on O· · · Br and O· · · Cl halogen bonds in some small model molecular systems 1763
Hydrogen bonding of formamide, urea, urea monoxide and their thio-analogs with water and homodimers 1815
- Akt kinase activity
Design, synthesis and characterization of 1*H*-pyridin-4-yl-3,5-disubstituted indazoles and their AKT inhibition activity 1055
- Alcohols
Cobalt(II) supported on ethylenediamine-functionalized nanocellulose as an efficient catalyst for room temperature aerobic oxidation of alcohols 111

- Aldehydes
Water mediated eco-friendly green protocol for one-pot synthesis of α -aminophosphonates at ambient conditions 793
- Aliphatic polycarbonate
Solid, double-metal cyanide catalysts for synthesis of hyperbranched polyesters and aliphatic polycarbonates 499
- Alkaline earth complex
Main group chemistry of 9-hydroxophenalenone: Syntheses and structural characterization of the alkaline earth and zinc complexes 1581
- Alkaline earth metals
Structure, bonding and energetics of N-heterocyclic carbene (NHC) stabilized low oxidation state group 2 (Be, Mg, Ca, Sr and Ba) metal complexes: A theoretical study 1781
- Alkanolamines
G4MP2, DFT and CBS-Q calculation of proton and electron affinities, gas phase basicities and ionization energies of hydroxylamines and alkanolamines 1209
- Alkene oxidation
Green oxidation of alkenes in ionic liquid solvent by hydrogen peroxide over high performance Fe(III) Schiff base complexes immobilized on MCM-41 801
- Alumina
Ammoxidation of 2-methyl pyrazine on supported ammonium salt of 12-molybdophosphoric acid catalysts: The influence of nature of support 487
- Amberlite-supported azide
Click synthesis of 1,4-disubstituted-1,2,3-triazoles catalysed by CuO–CeO₂ nanocomposite in the presence of amberlite-supported azide 147
- Amide
Syntheses, characterization, and anti-cancer activities of pyridine-amide based compounds containing appended phenol or catechol groups 1091
- Amide-to-amide hydrogen bond
3D, 2D and 1D networks via N-H ···O and N-H ···N hydrogen bonding by the bis-amide analogues: Effect of chain lengths and odd-even spacers 1285
- Amidine and imidate ester
Synthesis of 2-(oxadiazolo, pyrimido, imidazolo, and benzimidazolo) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through a phenoxy bridge 1861
- Amine
Facile synthesis of new thermally stable and organosoluble polyamide-imides based on non-coplanar phosphorus and silicon containing amines 1849
- Amines
Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
Water mediated eco-friendly green protocol for one-pot synthesis of α -aminophosphonates at ambient conditions 793
- Amino acid
Investigating the interactions of the enantiomers of phenylglycine with nanopores of ZSM-5 zeolite 569
- Structural diversity in serine derived homochiral metal organic frameworks 1399
- Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobutenoic acid towards nitrogen-containing nucleophiles 1883
- Amino-pyrene
Self-assembly characteristics of a multipolar donor-acceptor-based bis-pyrene integrated molecular tweezer 1331
- Aminocaproic acid
The family of N⁹-adenine: New entry for adenine-benzamide conjugates linked via versatile spacers 159
- Ammonium salt of 12-molybdophosphoric acid
Ammoxidation of 2-methyl pyrazine on supported ammonium salt of 12-molybdophosphoric acid catalysts: The influence of nature of support 487
- Ammoxidation of 2-methylpyrazine
Ammoxidation of 2-methyl pyrazine on supported ammonium salt of 12-molybdophosphoric acid catalysts: The influence of nature of support 487
- Amperometric sensing
Electrocatalytic activity of Cu₂O nanocubes-based electrode for glucose oxidation 25
- Anderson type polyoxometalates
Coordination of lanthanide cation to an Anderson type polyoxometalate anion leads to isomorphous metal-oxide based one-dimensional inorganic solids: Synthesis, crystal structure and spectroscopy 1525
- Anion doping
Combustion synthesis of cadmium sulphide nanomaterials for efficient visible light driven hydrogen production from water 967
- Anion receptor
Neutral tripodal receptors towards efficient trapping of oxalate 1303
- Anion- π interactions
Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O) ··· π interaction 1153
- Anion... π interaction
An anti-ferromagnetic terephthalate-bridged trigonal prismatic dinuclear manganese(II) complex: Synthon of rare anion... π interaction promoting dimensionality 1685
- Anionic framework
An anionic two-dimensional indium carboxylate framework derived from a pseudo C₃-symmetric semi-flexible tricarboxylic acid 1385
- Anisotropic and asymmetric polarization
Chemical reaction due to stronger Ramachandran interaction 677
- Anode material
Improved electrochemical performance of Ag-modified Li₄Ti₅O₁₂ anode material in a broad voltage window 17
- Anthelmintic
Synthesis of new biphenyl-substituted quinoline derivatives, preliminary screening and docking studies 205

- Anthelmintic activity
 Synthesis and evaluation of antimicrobial and anthelmintic activity of novel fluorinated 7-ethyl-10*H*-phenothiazines, their sulphones and ribofuranosides 197
- Anthraquinone
 Anthraquinone-based demultiplexer and other multiple operations at the molecular level 49
 Synthesis and crystal structure of a wheel-shaped supramolecular coordination complex 1501
- Anti-bacterial activity
 Ni(II) complexes of dithiophosphonic acids 1125
- Anti-microbial activity
 Hetero-metallic trigonal cage-shaped dimeric Ni₃K core complex of L-proline ligand: Synthesis, structural, electrochemical and DNA binding and cleavage activities 771
- Anti-thyroid drugs
 How does fatty acid influence anti-thyroid drugs binding and specificity toward protein human serum albumin? A blind docking simulation study 1929
- Antibacterial
 Some new IIB group complexes of an imidazolidine ligand: Synthesis, spectral characterization, electrochemical, thermal and antimicrobial properties 227
- Antibacterial activity
 Synthesis and evaluation of 2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)-N-(3-(trifluoromethyl)phenyl)acetamides and N-(4-chloro-3-fluorophenyl)-2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)acetamides as antimicrobial agents 827
- Antiferromagnetic interaction
 Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O) . . . π interaction 1153
- Antifungal
 Some new IIB group complexes of an imidazolidine ligand: Synthesis, spectral characterization, electrochemical, thermal and antimicrobial properties 227
- Antifungal activity
 Synthesis and evaluation of 2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)-N-(3-(trifluoromethyl)phenyl)acetamides and N-(4-chloro-3-fluorophenyl)-2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)acetamides as antimicrobial agents 827
- Antimicrobial
 Facile eco-friendly synthesis of novel chromeno[4,3-*b*]pyridine-2,5-diones and evaluation of their antimicrobial and antioxidant properties 187
- Antimicrobial activity
 LaCl₃.7H₂O: An efficient catalyst for the synthesis of phosphinates (Michaelis–Arbuzov reaction) under neat conditions and their potential antimicrobial activity 117
 An easy protocol for the domino synthesis of diversely functionalized spirocarbocycles and their biological evaluation 177
 Synthesis and evaluation of antimicrobial and anthelmintic activity of novel fluorinated 7-ethyl-10*H*-phenothiazines, their sulphones and ribofuranosides 197
- Antioxidant
 Synthesis of new biphenyl-substituted quinoline derivatives, preliminary screening and docking studies 205
 Facile eco-friendly synthesis of novel chromeno[4,3-*b*]pyridine-2,5-diones and valuation of their antimicrobial and antioxidant properties 187
 Antioxidant and DNA damage inhibition activities of 4-Aryl-N-(4-aryl-thiazol-2-yl)-5,6-dihydro-4*H*-1,3,4-oxadiazine-2-carboxamides 1913
- Aprotic and amphiprotic solvents
 Oxidative ring cleavage of 2,3-dihydrophthalazine-1,4-dione in aqueous and non-aqueous solutions: Electrochemical and kinetic studies 1923
- Arene-ligands
 Synthesis and structural study of platinum group metal complexes containing pyrimidine bridged pyrazolyl-pyridine ligand and η^5 and η^6 – cyclic hydrocarbons 1143
- Aromatic monomers
 Value addition to lignocellulosics and biomass-derived sugars: An insight into solid acid-based catalytic methods 373
- Aryl halide
 Silica-acac-supported palladium nanoparticles as an efficient and reusable heterogeneous catalyst in the Suzuki–Miyaura cross-coupling reaction in water 85
- Aryl-4, 5-diphenyl-1*H*-imidazole
 Dimethylurea/citric acid as a highly efficient deep eutectic solvent for the multi-component reactions 881
- Aryl-bis(2-hydroxy-1-naphthyl)methanes
 Investigation of Keto-enol Tautomers during the Synthesis of Aryl-bis (2-hydroxy-1-naphthyl)Methanes 1629
- Ascorbic acid
 Signal amplification of dopamine using lanthanum hexacyanoferrate-modified electrode 11
- Asymmetric catalysis
 DIFLUORPHOS and SYNPHOS in asymmetric catalysis: Synthetic applications 325
- Asymmetric reformatsky reaction
 Chiral amide from (1*S*, 2*R*)-(+)-norephedrine and furoic acid: An efficient catalyst for asymmetric Reformatsky reaction 151
- Asymmetric synthesis
 Asymmetric synthesis of a functionalized tricyclo [6.2.0.0^{2,6}]decane ring system present in kelsoene and poduran 1875
- Atmospheric lifetime
 A computational study on kinetics, mechanism and thermochemistry of gas-phase reactions of 3-hydroxy-2-butanone with OH radicals 1789
- Atropisomeric phosphines
 DIFLUORPHOS and SYNPHOS in asymmetric catalysis: Synthetic applications 325
- Au_{*n*}Cd cluster
 Theoretical investigation on structural evolution, energetic stability trend and electronic properties of Au_{*n*}Cd(*n*=1–12) 1197

- Aza-Michael addition
Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobutenoic acid towards nitrogen-containing nucleophiles 1883
- Azidonaphthalimides
Synthesis and photophysical properties of 1, 4-disubstituted naphthyloxymethyl-*N*-alkyl naphthimido-1,2,3-triazole 1063
- Azo benzene functionalized graphene oxide
Synthesis, characterization and photoluminescence properties of graphene oxide functionalized with azo molecules 75
- Azo/GO hybrid
Synthesis, characterization and photoluminescence properties of graphene oxide functionalized with azo molecules 75
- B3LYP
Exploration of minima on the C₇H₇⁺ surface: Structural, stability-and charge-related considerations 1181
- Balsalazide
Mechanistic chemistry of oxidation of balsalazide with acidic chloramine-T and bromamine-T: A comparative spectrophotometric kinetic study 1655
- Bandgap energy
Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Barium
Syntheses, characterization and crystal structures of potassium and barium complexes of a Schiff base ligand with different anions 1373
Synthesis of monomeric and polymeric alkali and alkaline earth metal complexes using a phosphinoselenoic amide ligand in metal coordination sphere 1463
- Baylis-Hillman acetates
(*S*)-Garner aldehyde derived Baylis-Hillman adduct: A potential substrate for the synthesis of *D-lyxo* phytosphinosine analogue 1841
- Benign colorants
Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Benzimidazole
Synthesis of 2-(oxadiazolo, pyrimido, imidazolo, and benzimidazolo) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through a phenoxy bridge 1861
- Benzonitrile
Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
- Benzotriazole
A Reactive Intermediate, [Ni₅(C₆H₄N₃)₆(CO)₄], in the Formation of Nonameric Clusters of Nickel, [Ni₉(C₆H₄N₃)₁₂(CO)₆] and [Ni₉(C₆H₄N₃)₁₂(CO)₆].2(C₃H₇NO) 1477
- Benzoxazole
Application of nano SnO₂ as a green and recyclable catalyst for the synthesis of 2-aryl or alkylbenzoxazole derivatives under ambient temperature 579
- Binding constant
Building-up novel coordination polymer with Zn(II) porphyrin dimer: Synthesis, structures, surface morphology and effect of axial ligands 1451
- Binding energy
Molecular dynamics simulation on the interaction mechanism between polymer inhibitors and calcium phosphate 649
Understanding the structure and electronic properties of N-doped graphene nanoribbons upon hydrogen saturation 1737
- Binding specificity
How does fatty acid influence anti-thyroid drugs binding and specificity toward protein human serum albumin? A blind docking simulation study 1929
- Bio-active
A concise and simple synthesis of 1-hydroxy-phenethylamine derivatives: Formal synthesis of naturally occurring norephedrine, virolin and 3-hydroxy-2-phosphonylmethoxypropyl adenine 837
- Bio-glycerol
Effective utilization of glycerol for the synthesis of 2-methylpyrazine over ZnO-ZnCr₂O₄ catalyst 387
- Biofuels
Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediates 473
- Biomass
Value addition to lignocellulosics and biomass-derived sugars: An insight into solid acid-based catalytic methods 373
- Biomimetic oxidative coupling
First total synthesis of Boehmenan 813
- Biphenyl
Synthesis, spectral and structural properties of bis-imidazoline selones 1589
- Bis(bidentate) terephthalate bridge
An anti-ferromagnetic terephthalate-bridged trigonal prismatic dinuclear manganese(II) complex: Synthon of rare anion... π interaction promoting dimensionality 1685
- bis*(indolyl)methane
Dimethylurea/citric acid as a highly efficient deep eutectic solvent for the multi-component reactions 881
- Bisphenol A (BPA)
Cs salt of tungstophosphoric acid-promoted zirconium titanium phosphate solid acid catalyst: An active catalyst for the synthesis of bisphenols 455
- Bisphenol F (BPF)
Cs salt of tungstophosphoric acid-promoted zirconium titanium phosphate solid acid catalyst: An active catalyst for the synthesis of bisphenols 455
- Bisphosphomide
Application of bisphosphomide-palladium(II) pincer complex in Suzuki–Miyaura cross-coupling reaction under microwave irradiation 711

- Blind docking simulation
How does fatty acid influence anti-thyroid drugs binding and specificity toward protein human serum albumin? A blind docking simulation study 1929
- Boehmenan
First total synthesis of Boehmenan 813
- Bond dissociation energy
A computational study on kinetics, mechanism and thermochemistry of gas-phase reactions of 3-hydroxy-2-butanone with OH radicals 1789
Sequential bond energies and structures of the $\text{Cr}^+(\text{N}_2)_n$, $n = 1-4$ 1743
- Borohydride oxidation
Borohydride electro-oxidation by Ag-doped lanthanum chromites 617
- Bouchardatine
Copper catalysed synthesis of indolylquinazolinone alkaloid bouchardatine 1075
- BSA
Interaction of cyclodextrins with human and bovine serum albumins: A combined spectroscopic and computational investigation 931
- BSA binding
A dysprosium-based metal-organic framework: Synthesis, characterization, crystal structure and interaction with calf thymus-DNA and bovine serum albumin 1115
- C-alkylation
 $\text{Fe}(\text{HSO}_4)_3$: An efficient, heterogeneous and reusable catalyst for C-alkylation of β -dicarbonyl compounds 1903
- C-C coupling
 $\text{Pd}(\text{OAc})_2/\text{DPPF}$ -catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
- C-H activation
Theoretical studies on the mechanism of palladium(II)-catalysed *ortho*-carboxylation of acetanilide with CO 265
- C-H...O, C-H...N, N-H...N, O-H...N, C-H... π and π ... π weak interactions
Structural modifications leading to changes in supra-molecular aggregation of thiazolo[3, 2-*a*]pyrimidines: Insights into their conformational features 1347
- C-H... π stacking
Tuning of intermolecular interactions results in packing diversity in imidazolin-5-ones 1275
- C_7H_7^+ isomers
Exploration of minima on the C_7H_7^+ surface: Structural, stability-and charge-related considerations 1181
- Ca^{2+} -binding proteins
 Ca^{2+} and Mg^{2+} binding induce conformational stability of Calfuminin-1 from *Dictyostelium discoideum* 751
- Cadmium sulphide
Combustion synthesis of cadmium sulphide nanomaterials for efficient visible light driven hydrogen production from water 967
- Calcination
Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Calcium
Synthesis of monomeric and polymeric alkali and alkaline earth metal complexes using a phosphinoselenoic amide ligand in metal coordination sphere 1463
- Calculation
Theoretical study on the mechanism of CH_3NH_2 and O_3 atmospheric reaction 1173
- Calixarene
Colorimetric detection of Cu^{2+} and Pb^{2+} ions using calix[4]arene functionalized gold nanoparticles 627
- Carbon monoxide
Carbon monoxide oxidation using Zn–Cu–Ti hydrotalcite-derived catalysts 981
- Carbonic acid
Enhancement of reaction rates for catalytic benzaldehyde hydrogenation and sorbitol dehydration in water solvent by addition of carbon dioxide 395
- Carboxylation
Theoretical studies on the mechanism of palladium(II)-catalysed *ortho*-carboxylation of acetanilide with CO 265
- Catalysis
Novel nanostructured CeO_2 as efficient catalyst for energy and environmental applications 361
Role of catalysis in sustainable production of synthetic elastomers 415
Polyoxometalate coordinated transition metal complexes as catalysts: Oxidation of styrene to benzaldehyde/benzoic acid 1641
Polymer supported nickel complex: Synthesis, structure and catalytic application 1695
- Catalyst
Supported *L*-pyrrolidine-2-carboxylic acid-4-hydrogen sulphate on silica gel as an economical and efficient catalyst for the one-pot preparation of β -acetamido ketones *via* a four-component condensation reaction 103
Concept and progress in coupling of dehydrogenation and hydrogenation reactions through catalysts 311
Engineering reactors for catalytic reactions 341
- Catalyst selection
Development of new deactivation method for simulation of fluid catalytic cracking equilibrium catalyst 353
- Catechol
Synthesis, characterization and self-assembly of Co^{3+} complexes appended with phenol and catechol groups 1535
- Catecholase activity
Synthesis, crystal structure and catecholase activity of a Ni(II) complex derived from a tetradentate Schiff base ligand 1635
- Cation geometry
Exploration of minima on the C_7H_7^+ surface: Structural, stability-and charge-related considerations 1181

- Cation stability
Exploration of minima on the $C_7H_7^+$ surface: Structural, stability-and charge-related considerations 1181
- CeO₂
Novel nanostructured CeO₂ as efficient catalyst for energy and environmental applications 361
- Ceria–gadolinia
Facile synthesis of catalytically active CeO₂–Gd₂O₃ solid solutions for soot oxidation 429
- Chalcones
An easy protocol for the domino synthesis of diversely functionalized spirocarbocycles and their biological evaluation 177
Synthesis of thiophene-linked pyrimidopyrimidines as pharmaceutical leads 821
- Charge distribution
Exploration of minima on the $C_7H_7^+$ surface: Structural, stability-and charge-related considerations 1181
- Chemical modification
Synthesis, characterization and applications of polymer-metal chelates derived from poly[[(4-acryloxy acetophenone)-divinylbenzene]] benzoyl hydrazone resins 597
- Chemical reaction
Chemical reaction due to stronger Ramachandran interaction 677
- Chemosensors
Anthraquinone-based demultiplexer and other multiple operations at the molecular level 49
- Chiral amide
Chiral amide from (1*S*, 2*R*)-(+)-norephedrine and furoic acid: An efficient catalyst for asymmetric Reformatsky reaction 151
- Chirality
Investigating the interactions of the enantiomers of phenylglycine with nanopores of ZSM-5 zeolite 569
Chiral and achiral helical coordination polymers of zinc and cadmium from achiral 2,6-bis(imidazol-1-yl) pyridine: Solvent effect and spontaneous resolution 1423
- Chitosan
Could glutaric acid (GA) replace glutaraldehyde in the preparation of biocompatible biopolymers with high mechanical and thermal properties? 127
- Chitosan-triazene-ethylenediamine-salen-Mn
Chitosan-based Schiff base-metal complexes (Mn, Cu, Co) as heterogeneous, new catalysts for the β -isophorone oxidation 727
- Chloramine-T and bromamine-T
Mechanistic chemistry of oxidation of balsalazide with acidic chloramine-T and bromamine-T: A comparative spectrophotometric kinetic study 1655
- Chromeno[4,3-*b*]pyridine-2,5-diones
Facile eco-friendly synthesis of novel chromeno[4,3-*b*]pyridine-2,5-diones and evaluation of their antimicrobial and antioxidant properties 187
- Chromium ion
Sequential bond energies and structures of the $Cr^{+}(N_2)_n$, $n = 1-4$ 1743
- cis*-/*trans*-carvomenthene oxide
Eco-friendly kinetic separation of *trans*-limonene and carvomenthene oxides 875
- cis*-/*trans*-limonene oxide
Eco-friendly kinetic separation of *trans*-limonene and carvomenthene oxides 875
- Citric acid
Dimethylurea/citric acid as a highly efficient deep eutectic solvent for the multi-component reactions 881
- Click chemistry
Click synthesis of 1,4-disubstituted-1,2,3-triazoles catalysed by CuO–CeO₂ nanocomposite in the presence of amberlite-supported azide 147
- Click reaction
Mesogenic copper(II) complexes with [1,2,3]-triazole-based bidentate Schiff bases 247
- Cluster
Dimetallaheteroborane clusters containing group 16 elements: A combined experimental and theoretical study 1597
- CO oxidation
Novel nanostructured CeO₂ as efficient catalyst for energy and environmental applications 361
- Co-crystal
Salts and Co-crystals of Theobromine and their phase-transformations in water 1249
New co-crystal and salt form of sulfathiazole with carboxylic acid and amide 1363
- CO₂ hydrogenation
CO₂ hydrogenation to hydrocarbons over iron nanoparticles supported on oxygen-functionalized carbon nanotubes 481
- CO₂ utilization
Solid, double-metal cyanide catalysts for synthesis of hyperbranched polyesters and aliphatic polycarbonates 499
- Cobalt
Cobalt(II) supported on ethylenediamine-functionalized nanocellulose as an efficient catalyst for room temperature aerobic oxidation of alcohols 111
Synthesis, characterization and self-assembly of Co³⁺ complexes appended with phenol and catechol groups 1535
- Cobalt(III)
Two new twisted helical nickel(II) and cobalt(III) octahedral monomer complexes: Synthesis and structural characterization 1647
- Collagen
Could glutaric acid (GA) replace glutaraldehyde in the preparation of biocompatible biopolymers with high mechanical and thermal properties? 127
- Colorimetric sensor
Colorimetric detection of Cu²⁺ and Pb²⁺ ions using calix[4]arene functionalized gold nanoparticles 627

- Combustion route
 Borohydride electro-oxidation by Ag-doped lanthanum chromites 617
- Combustion synthesis
 Combustion synthesis of cadmium sulphide nanomaterials for efficient visible light driven hydrogen production from water 967
- Comparative study
 Symmetrical trimeric star-shaped mesogens based on 1,3,5-trisubstituted benzene incorporating Schiff base and azobenzene fragments as the peripheral units: Synthesis and mesomorphic properties 847
- Complex/maleic anhydride
 Cu(II), Zn(II) and Mn(II) complexes of poly(methyl vinyl ether-*alt*-maleic anhydride). Synthesis, characterization and thermodynamic parameters 239
- Computational chemistry
 Ab initio study of solvent-dependent one-, two- and three-photon absorption properties of PRODAN-based chemo-sensors 1217
- Computational methods
 G4MP2, DFT and CBS-Q calculation of proton and electron affinities, gas phase basicities and ionization energies of hydroxylamines and alkanolamines 1209
- Condensation reaction
 Synthesis of spiro[benzo[*h*]quinoline-7,3'-indolines] via a three-component condensation reaction 169
 Cs salt of tungstophosphoric acid-promoted zirconium titanium phosphate solid acid catalyst: An active catalyst for the synthesis of bisphenols 455
- Conformational analysis
 Structural modifications leading to changes in supra-molecular aggregation of thiazolo[3, 2-*a*]pyrimidines: Insights into their conformational features 1347
- Cool colorants
 Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Coordination chemistry
 Two new twisted helical nickel(II) and cobalt(III) octahedral monomer complexes: Synthesis and structural characterization 1647
- Coordination number
 How strongly are the magnetic anisotropy and coordination numbers correlated in lanthanide based molecular magnets? 1569
- Coordination polymer
 Building-up novel coordination polymer with Zn(II) porphyrin dimer: Synthesis, structures, surface morphology and effect of axial ligands 1451
- Coordination polymers
 Guest driven structural transformation studies of a luminescent metal–organic framework 1417
 Design of non-molecular coordination solids from aqueous solution: [Cu^{II}L_nX(H₂O)], where X=SO₄, Cl or H₂O and L=pyrazole, imidazole or glutamic acid and *n*=1 or 4 1433
- Coordination polymers-cadmium
 Chiral and achiral helical coordination polymers of zinc and cadmium from achiral 2,6-bis(imidazol-1-yl)pyridine: Solvent effect and spontaneous resolution 1423
- Copper phyllosilicate
 The direct transformation of ethanol to ethyl acetate over Cu/SiO₂ catalysts that contain copper phyllosilicate 1013
- Copper sensor
 Chemosensing ability of hydroxynaphthylidene derivatives of hydrazine towards Cu²⁺: Experimental and computational studies 1135
- Copper(I)iodide
 Copper catalyzed synthesis of quinolinopyrano[2,3-*b*]carbazole derivatives via Povarov reaction 1049
- Copper(II)
 Colorimetric detection of Cu²⁺ and Pb²⁺ ions using calix[4]arene functionalized gold nanoparticles 627
- Coupling
 Concept and progress in coupling of dehydrogenation and hydrogenation reactions through catalysts 311
- Coupling reactions
 Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediates 473
- Covalent functionalization
 Synthesis, characterization and photoluminescence properties of graphene oxide functionalized with azo molecules 75
- Cr-MIL-101
 Metal organic framework MIL-101(Cr) for dehydration reactions 527
- Cross-linkage agent
 Synthesis, characterization and applications of polymer-metal chelates derived from poly[[(4-acryloxy acetophenone)-divinylbenzene]] benzoyl hydrazone resins 597
- Crystal engineering
 Analysis of intermolecular interactions in 3-(4-fluoro-3-phenoxyphenyl)- 1-((4-methylpiperazin-1-yl)methyl)-1H-1,2,4-triazole-5-thiol 1337
 Structural diversity in serine derived homochiral metal organic frameworks 1399
- Crystal growth
 Crystal growth, structure and magnetic properties of Sm₃Ni₅Al₁₉: A compound in the Sm_{2n+m}Ni_{4n+m}Al_{15n+4m} homologous series 1605
- Crystal structure
 Structural systematics of some metal complexes with 4,5-diazafluoren-9-one 717
 Mixed-ligand binuclear copper(II) complex of 5-methylsalicylaldehyde and 2,2'-bipyridyl: Synthesis, crystal structure, DNA binding and nuclease activity 783
 A dysprosium-based metal-organic framework: Synthesis, characterization, crystal structure and interaction with calf thymus-DNA and bovine serum albumin 1115

- A Reactive Intermediate, $[\text{Ni}_5(\text{C}_6\text{H}_4\text{N}_3)_6(\text{CO})_4]$, in the Formation of Nonameric Clusters of Nickel, $[\text{Ni}_9(\text{C}_6\text{H}_4\text{N}_3)_{12}(\text{CO})_6]$ and $[\text{Ni}_9(\text{C}_6\text{H}_4\text{N}_3)_{12}(\text{CO})_6]_2(\text{C}_3\text{H}_7\text{NO})$ 1477
- Synthesis and structure of bis(β -dibenzoyl methanato - O,O') (aquo-O) dioxouranium (VI) compound 1565
- Crystal growth, structure and magnetic properties of $\text{Sm}_3\text{Ni}_5\text{Al}_{19}$: A compound in the $\text{Sm}_{2n+m}\text{Ni}_{4n+m}\text{Al}_{15n+4m}$ homologous series 1605
- Cyanide- and phenoxo-bridged heterobimetallic Fe(III)-Mn(III) complexes: Synthesis, crystal structures and magnetic properties 1665
- Crystal structures
- Ni(II) complexes of dithiophosphonic acids 1125
- Correlation between carbon-carbon bond length and the ease of *retro* Diels-Alder reaction 1369
- Synthesis, characterization and self-assembly of Co^{3+} complexes appended with phenol and catechol groups 1535
- Palladium complexes of pyrrole-2-aldehyde thiosemicarbazone: Synthesis, structure and spectral properties 1547
- Crystal to crystal transformation
- Guest driven structural transformation studies of a luminescent metal-organic framework 1417
- CsTPA-ZTP composite
- Cs salt of tungstophosphoric acid-promoted zirconium titanium phosphate solid acid catalyst: An active catalyst for the synthesis of bisphenols 455
- Cu(II) complexes
- Mesogenic copper(II) complexes with [1,2,3]-triazole-based bidentate Schiff bases 247
- CuO-CeO₂ nanocomposite
- Click synthesis of 1,4-disubstituted-1,2,3-triazoles catalysed by CuO-CeO₂ nanocomposite in the presence of amberlite-supported azide 147
- Cuprous oxide nanocubes
- Electrocatalytic activity of Cu₂O nanocubes-based electrode for glucose oxidation 25
- Curing agent
- A room temperature cured low dielectric hyperbranched epoxy adhesive with high mechanical strength 587
- CuSO₄.5H₂O
- Investigation of Keto-enol Tautomers during the Synthesis of Aryl-bis (2-hydroxy-1-naphthyl)Methanes 1629
- Cyanation
- Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
- Cyanide-bridged
- Cyanide- and phenoxo-bridged heterobimetallic Fe(III)-Mn(III) complexes: Synthesis, crystal structures and magnetic properties 1665
- Cyanide-free
- Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
- Cyclic voltammetry
- Some new IIB group complexes of an imidazolidine ligand: Synthesis, spectral characterization, electrochemical, thermal and antimicrobial properties 227
- Synthesis, structural investigation and kinetic studies of uranyl(VI) unsymmetrical Schiff base complexes 1673
- Oxidative ring cleavage of 2,3-dihydrophthalazine-1,4-dione in aqueous and non-aqueous solutions: Electrochemical and kinetic studies 1923
- Cycloaddition
- Asymmetric synthesis of a functionalized tricyclo [6.2.0.0^{2,6}] decane ring system present in kelseoene and poduran 1875
- Cyclodextrin
- Interaction of cyclodextrins with human and bovine serum albumins: A combined spectroscopic and computational investigation 931
- Cyclohexene
- Aerobic oxidation of cyclohexene catalyzed by NiO/MCM-41 nanocomposites in the gas phase 989
- Cyclohexylamine
- Ni(II) complexes of dithiophosphonic acids 1125
- Cyclopropene
- Ring opening of monocyclic dimethyl cyclopropene via metathesis by tungsten catalyst- A computational study 691
- Cytotoxicity, HeLa cells
- Design, synthesis and cytotoxicity of novel N-benzylpiperidin-4-one oximes on human cervical cancer cells 861
- D-lyxophytosphingosine
- (*S*)-Garner aldehyde derived Baylis-Hillman adduct: A potential substrate for the synthesis of D-lyxo phyto-sphingosine analogue 1841
- Decahydroacridine
- One-pot synthesis of novel 1, 8-dioxo-decahydroacridines containing phenol and benzamide moiety and their synthetic uses 1039
- Decylmagnesium bromide
- (*S*)-Garner aldehyde derived Baylis-Hillman adduct: A potential substrate for the synthesis of D-lyxo phyto-sphingosine analogue 1841
- Deep eutectic
- Dimethylurea/citric acid as a highly efficient deep eutectic solvent for the multi-component reactions 881
- Dehydration
- Novel catalysts for valorization of biomass to value-added chemicals and fuels 403
- Dehydration reaction
- Metal organic framework MIL-101(Cr) for dehydration reactions 527
- Dehydrogenation
- Concept and progress in coupling of dehydrogenation and hydrogenation reactions through catalysts 311

- Demultiplexer
 Anthraquinone-based demultiplexer and other multiple operations at the molecular level 49
- Density
 Theoretical studies on energetic materials bearing pentafluorosulphyl (SF₅) groups 1163
- Density function theory
 Study of structure and spectroscopy of water–hydroxide ion clusters: A combined simulated annealing and DFT-based approach 659
- Density functional theory
 Theoretical studies on the mechanism of palladium(II)-catalysed *ortho*-carboxylation of acetanilide with CO 265
 Theoretical studies on energetic materials bearing pentafluorosulphyl (SF₅) groups 1163
 Understanding the structure and electronic properties of N-doped graphene nanoribbons upon hydrogen saturation 1737
 Sequential bond energies and structures of the Cr⁺·(N₂)_n, n = 1–4 1743
 Computational studies on energetic properties of nitrogen-rich energetic materials with ditetrazoles 1753
- Density functional theory calculations
 Synthesis, crystal structure, optical and electrochemical properties of 9,10-dihydroxybenzo[*h*]quinoline 955
- Detonation performance
 Computational studies on energetic properties of nitrogen-rich energetic materials with ditetrazoles 1753
- Detonation properties
 Theoretical studies on energetic materials bearing pentafluorosulphyl (SF₅) groups 1163
- DFT
 Separation and isolation of tautomers of 2-hydroxy-4-naphthoquinone-1-oxime derivatives by liquid chromatography: Antiproliferative activity and DFT studies 213
 Glyoxylate as a reducing agent for manganese(III) in salen scaffold: A kinetics and mechanistic study 547
 Ring opening of monocyclic dimethyl cyclopropene via metathesis by tungsten catalyst– A computational study 691
 Molecular structure and intramolecular hydrogen bonding in 2-hydroxybenzophenones: A theoretical study 919
- DFT reactivity indices
 Mechanism and regioselectivity of 1,3-dipolar cycloaddition reactions of sulphur-centred dipoles with furan-2,3-dione: A theoretical study using DFT 293
- DFT study
 Dimetallaheteroborane clusters containing group 16 elements: A combined experimental and theoretical study 1597
- DFT-based reactivity indices
 DFT study of the mechanism and stereoselectivity of the 1,3 dipolar cycloaddition between pyrroline-1-oxide and methyl crotonate 283
- Diarylamine compounds
N-Phenyl heteroarylamine analogues of fluazinam using the intermediate derivatization methods approach 1107
- Dicarboxylates
 Construction of diverse supramolecular assemblies of dimetal subunits differing in coordinated water molecules via strong hydrogen bonding interactions: Synthesis, crystal structures and spectroscopic properties 1515
- Diethylzinc
 Chiral amide from (1*S*, 2*R*)-(+)-norephedrine and furoic acid: An efficient catalyst for asymmetric Reformatsky reaction 151
- Dihydrobenzofuran neolignan
 First total synthesis of Boehmenan 813
- Dihydroxybenzoic acids
 Identification of robust synthon in the molecular salts of 2-aminothiazole with substituted benzoic acids: A case study 1291
- Dilignan
 First total synthesis of Boehmenan 813
- Dimethylurea
 Dimethylurea/citric acid as a highly efficient deep eutectic solvent for the multi-component reactions 881
- Dinuclear complex
 Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O) . . . π interaction 1153
 Syntheses, characterization and crystal structures of potassium and barium complexes of a Schiff base ligand with different anions 1373
- Dinuclear manganese(II)
 An anti-ferromagnetic terephthalate-bridged trigonal prismatic dinuclear manganese(II) complex: Synthon of rare anion...π interaction promoting dimensionality 1685
- Dinuclear mercury(II) iodide
 Syntheses, structures and properties of two dinuclear mercury(II) iodide compounds containing tetradentate tripodal amine/pentadentate N-donor Schiff base: Control of molecular and crystalline architectures by varying ligand matrices 763
- Dipolar cycloaddition
 DFT study of the mechanism and stereoselectivity of the 1,3-dipolar cycloaddition between pyrroline-1-oxide and methyl crotonate 283
- Dipole moment
 Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenz[*a*]pyrene *N*-oxide isomers: A Hartree–Fock and Coulomb-attenuating density functional theory investigation 701
- Dissolution
 Salts and Co-crystals of Theobromine and their phase transformations in water 1249
- Ditetrazoles derivatives
 Computational studies on energetic properties of nitrogen-rich energetic materials with ditetrazoles 1753

- Dithiophosphonic acid
Ni(II) complexes of dithiophosphonic acids 1125
- Divinyl benzene
Synthesis, characterization and applications of polymer-metal chelates derived from poly[(4-acryloxy acetophenone)-divinylbenzene] benzoyl hydrazone resins 597
- DNA binding
Mixed-ligand binuclear copper(II) complex of 5-methylsalicylaldehyde and 2,2'-bipyridyl: Synthesis, crystal structure, DNA binding and nuclease activity 783
A dysprosium-based metal-organic framework: Synthesis, characterization, crystal structure and interaction with calf thymus-DNA and bovine serum albumin 1115
- DNA biosensor
Disposable electrochemical DNA biosensor for environmental monitoring of toxicant 2-aminoanthracene in the presence of chlorine in real samples 1031
- DNA damage
Theoretical study on the detailed repair of O6-methyl guanine to guanine by cysteine 1803
- DNA repair
Theoretical study on the detailed repair of O6-methyl guanine to guanine by cysteine 1803
- Docking
Synthesis of new biphenyl-substituted quinoline derivatives, preliminary screening and docking studies 205
Interaction of cyclodextrins with human and bovine serum albumins: A combined spectroscopic and computational investigation 931
- Dopamine
Signal amplification of dopamine using lanthanum hexacyanoferrate-modified electrode 11
- Double proton transfer
Theoretical studies on proton transfer reaction of 3(5)-substituted pyrazoles 273
- Double-metal cyanide complex
Solid, double-metal cyanide catalysts for synthesis of hyperbranched polyesters and aliphatic polycarbonates 499
- Dynamic framework
Guest driven structural transformation studies of a luminescent metal-organic framework 1417
- Dynamic light scattering
Organic fragments from graphene oxide: Isolation, characterization and solvent effects 541
- Dysprosium complex
A dysprosium-based metal-organic framework: Synthesis, characterization, crystal structure and interaction with calf thymus-DNA and bovine serum albumin 1115
- Eco-friendly
Eco-friendly kinetic separation of *trans*-limonene and carvomenthene oxides 875
- EDC
Antioxidant and DNA damage inhibition activities of 4-Aryl-N-(4-arylthiazol-2-yl)-5,6-dihydro-4H-1,3,4-oxadiazine-2-carboxamides 1913
- EF-hand motifs
Ca²⁺ and Mg²⁺ binding induce conformational stability of Calfuminin-1 from *Dictyostelium discoideum* 751
- Effective energy barrier
How strongly are the magnetic anisotropy and coordination numbers correlated in lanthanide based molecular magnets? 1569
- Effectiveness
Engineering reactors for catalytic reactions 341
- Elastomers
Role of catalysis in sustainable production of synthetic elastomers 415
- Electroanalysis
Preparation of electrochemically reduced graphene oxide/multi-wall carbon nanotubes hybrid film modified electrode, and its application to amperometric sensing of rutin 1021
- Electrocatalysis
Electrocatalytic activity of Cu₂O nanocubes-based electrode for glucose oxidation 25
- Electrochemical performance
Improved electrochemical performance of Ag-modified Li₄Ti₅O₁₂ anode material in a broad voltage window 17
- Electrochemical studies
Hetero-metallic trigonal cage-shaped dimeric Ni₃K core complex of L-proline ligand: Synthesis, structural, electrochemical and DNA binding and cleavage activities 771
- Electrochemistry
Identification of a (H₂O)₈ cluster in a supramolecular host of a charge transfer platinum(II) complex 1507
- Electron transfer
Glyoxylate as a reducing agent for manganese(III) in salen scaffold: A kinetics and mechanistic study 547
- Electronic property
Theoretical investigation on structural evolution, energetic stability trend and electronic properties of Au_nCd(*n*=1–12) 1197
- Electronic structure
Determination of conduction and valence band electronic structure of anatase and rutile TiO₂ 511
- Electrostatic potential
Theoretical study on O · · · Br and O · · · Cl halogen bonds in some small model molecular systems 1763
- Energy gap
Computational studies on energetic properties of nitrogen-rich energetic materials with ditetrazoles 1753
- Engineering
Engineering reactors for catalytic reactions 341
- EPR
Electron paramagnetic resonance study of ternary Cu^{II} compounds with glycine and phenanthroline 255
- Equilibrium conversion
CO₂ hydrogenation to hydrocarbons over iron nanoparticles supported on oxygen-functionalized carbon nanotubes 481

- ESIPT
 Synthesis, crystal structure, optical and electrochemical properties of 9,10-dihydroxybenzo[h]quinidine 955
- ESR
 Effective utilization of glycerol for the synthesis of 2-methylpyrazine over ZnO-ZnCr₂O₄ catalyst 387
- Ethanol
 The direct transformation of ethanol to ethyl acetate over Cu/SiO₂ catalysts that contain copper phyllosilicate 1013
- Ethanol electro-oxidation
 Novel nanostructured CeO₂ as efficient catalyst for energy and environmental applications 361
- Ethyl acetate
 The direct transformation of ethanol to ethyl acetate over Cu/SiO₂ catalysts that contain copper phyllosilicate 1013
- Ethylenediaminetetraacetic acid
 Functionalization of lambda-zirconium phosphate with ethylenediaminetetraacetic acid: Synthesis, characterization and applications 1721
- Expanded porphyrins
 Sulfonated graphenes catalyzed synthesis of expanded porphyrins and their supramolecular interactions with pristine graphene 1729
- Fatty acid
 How does fatty acid influence anti-thyroid drugs binding and specificity toward protein human serum albumin? A blind docking simulation study 1929
- Fatty monoester
 Synthesis of fatty monoester lubricant base oil catalyzed by Fe-Zn double-metal cyanide complex 997
- FCC additives
 Development of new deactivation method for simulation of fluid catalytic cracking equilibrium catalyst 353
- Fe-Zn double-metal cyanide (DMC) catalyst
 Synthesis of fatty monoester lubricant base oil catalyzed by Fe-Zn double-metal cyanide complex 997
- Ferric hydrogen sulphate Fe(HSO₄)₃
 Fe(HSO₄)₃: An efficient, heterogeneous and reusable catalyst for C-alkylation of β-dicarbonyl compounds 1903
- Flame retardancy
 Facile synthesis of new thermally stable and organo-soluble polyamide-imides based on non-coplaner phosphorus and silicon containing amines 1849
- Flexible ligand
 An anionic two-dimensional indium carboxylate framework derived from a pseudo C₃-symmetric semi-flexible tricarboxylic acid 1385
 Construction of diverse supramolecular assemblies of dimetal subunits differing in coordinated water molecules via strong hydrogen bonding interactions: Synthesis, crystal structures and spectroscopic properties 1515
- Fluid catalytic cracking (FCC)
 Development of new deactivation method for simulation of fluid catalytic cracking equilibrium catalyst 353
- Fluorescence
 Structural systematics of some metal complexes with 4,5-diazafluoren-9-one 717
 Interaction of meso-tetrakis(N-methylpyridinyl)porphyrin with single strand DNAs – poly(dA), poly(dT), poly(dG) and poly(dC): A photophysical study 911
 Interaction of cyclodextrins with human and bovine serum albumins: A combined spectroscopic and computational investigation 931
- Fluorescence quenching
 Chemosensing ability of hydroxynaphthylidene derivatives of hydrazine towards Cu²⁺: Experimental and computational studies 1135
- Fluorescent probes and chemosensors
 Self-assembly characteristics of a multipolar donor-acceptor-based bis-pyrene integrated molecular tweezer 1331
- Fluoroquinolone
 Cytotoxic, DNA binding, DNA cleavage and antibacterial studies of ruthenium-fluoroquinolone complexes 739
- FMO theory
 Mechanism and regioselectivity of 1,3-dipolar cycloaddition reactions of sulphur-centred dipoles with furan-2,3-dione: A theoretical study using DFT 293
- Formamidinesulfinic acid
 First total synthesis of a guanidine alkaloid Nitensidine D using immobilized ionic liquid, microwaves and formamidinesulfinic acid 1869
- Four-component
 Supported L-pyrrolidine-2-carboxylic acid-4-hydrogen sulphate on silica gel as an economical and efficient catalyst for the one-pot preparation of β-acetamido ketones via a four-component condensation reaction 103
- Free energy
 Molecular dynamics simulations and free energy profile of Paracetamol in DPPC and DMPC lipid bilayers 637
- Fructose
 Novel catalysts for valorization of biomass to value-added chemicals and fuels 403
- FT-IR
 Effective utilization of glycerol for the synthesis of 2-methylpyrazine over ZnO-ZnCr₂O₄ catalyst 387
- Functionalized polymers
 Synthesis, characterization and applications of polymer-metal chelates derived from poly[[(4-acyloxy acetophenone)-divinylbenzene]] benzoyl hydrazone resins 597
- Functionalized λ-ZrP
 Functionalization of lambda-zirconium phosphate with ethylenediaminetetraacetic acid: Synthesis, characterization and applications 1721
- Fungicides
 N-Phenyl heteroarylamine analogues of fluazinam using the intermediate derivatization methods approach 1107
- Furans
 Value addition to lignocellulosics and biomass-derived sugars: An insight into solid acid based catalytic methods 373

- Gel electrophoresis
Hetero-metallic trigonal cage-shaped dimeric Ni_3K core complex of L-proline ligand: Synthesis, structural, electrochemical and DNA binding and cleavage activities 771
- gfp* chromophore
Tuning of intermolecular interactions results in packing diversity in imidazolin-5-ones 1275
- Glass transition temperature
Facile synthesis of new thermally stable and organo-soluble polyamide-imides based on non-coplaner phosphorus and silicon containing amines 1849
- Glutaraldehyde
Could glutaric acid (GA) replace glutaraldehyde in the preparation of biocompatible biopolymers with high mechanical and thermal properties? 127
- Glutaric acid
Could glutaric acid (GA) replace glutaraldehyde in the preparation of biocompatible biopolymers with high mechanical and thermal properties? 127
- Glycerol dehydration
Characterization and reactivity of 11-molybdo-1-vanadophosphoric acid catalyst supported on zirconia for dehydration of glycerol to acrolein 445
- Glycine
Electron paramagnetic resonance study of ternary Cu^{II} compounds with glycine and phenanthroline 255
- Glyoxylate
Glyoxylate as a reducing agent for manganese(III) in salen scaffold: A kinetics and mechanistic study 547
- Gold nanoparticles
Colorimetric detection of Cu^{2+} and Pb^{2+} ions using calix[4]arene functionalized gold nanoparticles 627
- Grapheme
Preparation of electrochemically reduced graphene oxide/multi-wall carbon nanotubes hybrid film modified electrode, and its application to amperometric sensing of rutin 1021
- Graphene oxide
Organic fragments from graphene oxide: Isolation, characterization and solvent effects 541
- Growth kinetics
Syntheses, characterization, and anti-cancer activities of pyridine-amide based compounds containing appended phenol or catechol group 1091
- Guanidine alkaloid
First total synthesis of a guanidine alkaloid Nitenosidine D using immobilized ionic liquid, microwaves and formamidinesulfonic acid 1869
- Guanidine hydrochloride
Synthesis of thiophene-linked pyrimidopyrimidines as pharmaceutical leads 821
- H-bonding
Synthesis, characterization and self-assembly of Co^{3+} complexes appended with phenol and catechol groups 1535
- H_2 production
Combustion synthesis of cadmium sulphide nanomaterials for efficient visible light driven hydrogen production from water 967
- $\text{H}_4\text{PMo}_{11}\text{VO}_{40}/\text{ZrO}_2$
Characterization and reactivity of 11-molybdo-1-vanadophosphoric acid catalyst supported on zirconia for dehydration of glycerol to acrolein 445
- Halogen bond
Network and guest dependent thermal stability and thermal expansion in a trigonal host 1265
- Halogen bonding
Theoretical study on $\text{O} \cdots \text{Br}$ and $\text{O} \cdots \text{Cl}$ halogen bonds in some small model molecular systems 1763
- Hartree-Fock
Exploration of minima on the C_7H_7^+ surface: Structural, stability-and charge-related considerations 1181
- HC1
Antioxidant and DNA damage inhibition activities of 4-Aryl-N-(4-arylthiazol-2-yl)-5,6-dihydro-4H-1,3,4-oxadiazine-2-carboxamides 1913
- HDS
Effect of method of preparation on hydrodesulphurization activity of Co- or Ni-promoted $\text{MoS}_2/\text{SBA-15}$ catalysts 437
- Heat of formation
Computational studies on energetic properties of nitrogen-rich energetic materials with ditetrazoles 1753
- Heats of formation
Theoretical studies on energetic materials bearing pentafluorosulphyl (SF_5) groups 1163
- Helical chain
Synthesis and magnetic properties of a 1-D helical chain derived from a Nickel-Sodium Schiff base complex 1443
- Helical structures
Chiral and achiral helical coordination polymers of zinc and cadmium from achiral 2,6-bis(imidazol-1-yl)pyridine: Solvent effect and spontaneous resolution 1423
- Hemicellulose
Value addition to lignocellulosics and biomass-derived sugars: An insight into solid acid-based catalytic methods 373
- Heptamolybdate type polyoxometalate cluster anion
Polyoxometalate coordinated transition metal complexes as catalysts: Oxidation of styrene to benzaldehyde/benzoic acid 1641
- Hetero-metallic Ni(II)-K(I) complex
Hetero-metallic trigonal cage-shaped dimeric Ni_3K core complex of L-proline ligand: Synthesis, structural, electrochemical and DNA binding and cleavage activities 771
- Heterobimetallic
Cyanide- and phenoxo-bridged heterobimetallic Fe(III)-Mn(III) complexes: Synthesis, crystal structures and magnetic properties 1665

- Heterocycle
Chemosensing ability of hydroxynaphthylidene derivatives of hydrazine towards Cu^{2+} : Experimental and computational studies 1135
- Heterocyclic compounds
G4MP2, DFT and CBS-Q calculation of proton and electron affinities, gas phase basicities and ionization energies of hydroxylamines and alkanolamines 1209
- Heterogeneous catalysis
Solid, double-metal cyanide catalysts for synthesis of hyperbranched polyesters and aliphatic polycarbonates 499
Sulfonated graphenes catalyzed synthesis of expanded porphyrins and their supramolecular interactions with pristine graphene 1729
- Heterogeneous catalyst
Silica-acac-supported palladium nanoparticles as an efficient and reusable heterogeneous catalyst in the Suzuki–Miyaura cross-coupling reaction in water 85
Cobalt(II) supported on ethylenediamine-functionalized nanocellulose as an efficient catalyst for room temperature aerobic oxidation of alcohols 111
Nano copper and cobalt ferrites as heterogeneous catalysts for the one-pot synthesis of 2,4,5-tri substituted imidazoles 1715
 $\text{Fe}(\text{HSO}_4)_3$: An efficient, heterogeneous and reusable catalyst for *C*-alkylation of β -dicarbonyl compounds 1903
- Heterogeneous catalysts
A cross-linked manganese porphyrin as highly efficient heterogeneous catalyst for selective oxidation of cycloalkenes/alkanes 1707
- Hexabromododecahydrotriphenylene
Isolation and structures of some selenium and tellurium derivatives of 1, 4, 5, 8, 9, 12-hexabromododecahydrotriphenylene as co-crystals of triphenylene 1311
- HF and DFT computations
Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenz[*a*]pyrene *N*-oxide isomers: A Hartree–Fock and Coulomb-attenuating density functional theory investigation 701
- High performance
A room temperature cured low dielectric hyperbranched epoxy adhesive with high mechanical strength 587
- High-pressure carbon dioxide
Enhancement of reaction rates for catalytic benzaldehyde hydrogenation and sorbitol dehydration in water solvent by addition of carbon dioxide 395
- High-resolution RIXS
Determination of conduction and valence band electronic structure of anatase and rutile TiO_2 511
- High-temperature liquid water
Enhancement of reaction rates for catalytic benzaldehyde hydrogenation and sorbitol dehydration in water solvent by addition of carbon dioxide 395
- Hirshfeld analysis
Analysis of intermolecular interactions in 3-(4-fluoro-3-phenoxyphenyl)-1-((4-methylpiperazin-1-yl)methyl)-1H-1,2,4-triazole-5-thiol 1337
- HOBt
Antioxidant and DNA damage inhibition activities of 4-Aryl-N-(4-arylthiazol-2-yl)-5,6-dihydro-4H-1,3,4-oxadiazine-2-carboxamides 1913
- Host-guest chemistry
Guest-responsive structural adaptation of a rationally-designed molecular tweezer based on Tröger's base 1323
- HPLC
Separation and isolation of tautomers of 2-hydroxy-4-naphthoquinone-1-oxime derivatives by liquid chromatography: Antiproliferative activity and DFT studies 213
- HSA
Interaction of cyclodextrins with human and bovine serum albumins: A combined spectroscopic and computational investigation 931
- HS DNA
Cytotoxic, DNA binding, DNA cleavage and antibacterial studies of ruthenium–fluoroquinolone complexes 739
- Human serum albumin
How does fatty acid influence anti-thyroid drugs binding and specificity toward protein human serum albumin? A blind docking simulation study 1929
- Hybridization state
Exploration of minima on the C_7H_7^+ surface: Structural, stability- and charge-related considerations 1181
- Hydroconversion
Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediates 473
- Hydrodynamics
Engineering reactors for catalytic reactions 341
- Hydrogel
Synthesis and properties of a dual responsive hydrogel by inverse microemulsion polymerization 1623
- Hydrogen
Synthesis and visible light photocatalytic activity of nanocrystalline PrFeO_3 perovskite for hydrogen generation in ethanol–water system 517
- Hydrogen bond
Identification of robust synthon in the molecular salts of 2-aminothiazole with substituted benzoic acids: A case study 1291
- Hydrogen bonding
Tuning of intermolecular interactions results in packing diversity in imidazolin-5-ones 1275
An anionic two-dimensional indium carboxylate framework derived from a pseudo C_3 -symmetric semi-flexible tricarboxylic acid 1385
Structural diversity in serine derived homochiral metal organic frameworks 1399
Construction of diverse supramolecular assemblies of dimetal subunits differing in coordinated water molecules via strong hydrogen bonding interactions: Synthesis, crystal structures and spectroscopic properties 1515

- Synthesis and structure of bis(β -dibenzoyl methanato-O,O') (aquo-O) dioxouranium (VI) compound 1565
- Hydrogen bonding of formamide, urea, urea monoxide and their thio-analogs with water and homodimers 1815
- Hydrogen ion-selective electrode
The behaviour of polyaniline-coated PVC membrane based on 7,16-didecyl-1, 4, 10, 13-tetraoxa-7, 16-diazacyclooctadecane for pH measurements in highly acidic media 41
- Hydrogen peroxide
Green oxidation of alkenes in ionic liquid solvent by hydrogen peroxide over high performance Fe(III) Schiff base complexes immobilized on MCM-41 801
- Hydrogen peroxide as an oxidant
Polyoxometalate coordinated transition metal complexes as catalysts: Oxidation of styrene to benzaldehyde/benzoic acid 1641
- Hydrogenation
Concept and progress in coupling of dehydrogenation and hydrogenation reactions through catalysts 311
DIFLUORPHOS and SYNPHOS in asymmetric catalysis: Synthetic applications 325
- Hydroxyapatite
Molecular dynamics simulation on the interaction mechanism between polymer inhibitors and calcium phosphate 649
- Hydroxyketone
A computational study on kinetics, mechanism and thermochemistry of gas-phase reactions of 3-hydroxy-2-butanone with OH radicals 1789
- Hydroxynaphthylidene derivative of hydrazine
Chemosensing ability of hydroxynaphthylidene derivatives of hydrazine towards Cu^{2+} : Experimental and computational studies 1135
- Hyperbranched epoxy
A room temperature cured low dielectric hyperbranched epoxy adhesive with high mechanical strength 587
- Hyperbranched polyester
Solid, double-metal cyanide catalysts for synthesis of hyperbranched polyesters and aliphatic polycarbonates 499
- ILCT transition
Identification of a $(\text{H}_2\text{O})_8$ cluster in a supramolecular host of a charge transfer platinum(II) complex 1507
- Imidazole
Self-assembly of self-assembled molecular triangles 1493
Synthesis, spectral and structural properties of bis-imidazoline selones 1589
Synthesis of 2-(oxadiazolo, pyrimido, imidazolo, and benzimidazolo) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through a phenoxy bridge 1861
- Imidazolin-5-one
Tuning of intermolecular interactions results in packing diversity in imidazolin-5-ones 1275
- Imidazolium carboxylate
Cationic zinc (II) dimers and one dimensional coordination polymer from ionic carboxylic acid 1409
- Imine ligand
Structural systematics of some metal complexes with 4,5-diazafluoren-9-one 717
- Immobilized complexes
Green oxidation of alkenes in ionic liquid solvent by hydrogen peroxide over high performance Fe(III) Schiff base complexes immobilized on MCM-41 801
- Immobilized ionic liquid
First total synthesis of a guanidine alkaloid Nitensidine D using immobilized ionic liquid, microwaves and formamidinesulfinic acid 1869
- In-silico* Pharmacokinetics
Syntheses, characterization, and anti-cancer activities of pyridine-amide based compounds containing appended phenol or catechol groups 1091
- Inclusion compound
Network and guest dependent thermal stability and thermal expansion in a trigonal host 1265
- Indium carboxylate
An anionic two-dimensional indium carboxylate framework derived from a pseudo C_3 -symmetric semi-flexible tricarboxylic acid 1385
- Indium chloride
Eco-friendly kinetic separation of trans-limonene and carvomenthene oxides 875
- Indolylquinazolinone alkaloid
Copper catalysed synthesis of indolylquinazolinone alkaloid bouchardatine 1075
- Infrared spectrum
Study of structure and spectroscopy of water-hydroxide ion clusters: A combined simulated annealing and DFT-based approach 659
- Intermediate derivatization method
N-Phenyl heteroarylamine analogues of fluazinam using the intermediate derivatization methods approach 1107
- Intermediates
A concise and simple synthesis of 1-hydroxy-phenethylamine derivatives: Formal synthesis of naturally occurring norephedrine, virolin and 3-hydroxy-2-phosphonylmethoxypropyl adenine 837
- Intermetallics
Crystal growth, structure and magnetic properties of $\text{Sm}_3\text{Ni}_5\text{Al}_{19}$: A compound in the $\text{Sm}_{2n+m}\text{Ni}_{4n+m}\text{Al}_{15n+4m}$ homologous series 1605
- Intermolecular interactions
Analysis of intermolecular interactions in 3-(4-fluoro-3-phenoxyphenyl)- 1-((4-methylpiperazin-1-yl)methyl)-1H-1,2,4-triazole-5-thiol 1337
- Intramolecular charge transfer
Effects of acid concentration on intramolecular charge transfer reaction of 4-(azetidynyl) benzonitrile in solution 55

- Intramolecular hydrogen bonding
Molecular structure and intramolecular hydrogen bonding in 2-hydroxybenzophenones: A theoretical study 919
- Ion mobility spectrometry
G4MP2, DFT and CBS-Q calculation of proton and electron affinities, gas phase basicities and ionization energies of hydroxylamines and alkanolamines 1209
- Ion recognition
Chemosensing ability of hydroxynaphthylidene derivatives of hydrazine towards Cu^{2+} : Experimental and computational studies 1135
- Ion recognition
Colorimetric detection of Cu^{2+} and Pb^{2+} ions using calix[4]arene functionalized gold nanoparticles 627
- Ionic cross-linking
Could glutaric acid (GA) replace glutaraldehyde in the preparation of biocompatible biopolymers with high mechanical and thermal properties? 127
- Ionic liquid
Green oxidation of alkenes in ionic liquid solvent by hydrogen peroxide over high performance Fe(III) Schiff base complexes immobilized on MCM-41 801
Copper catalyzed synthesis of quinolinopyrano[2,3-*b*]carbazole derivatives via Povarov reaction 1049
- Ionic liquids
Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
- Ionic-like characteristic
Theoretical investigation on structural evolution, energetic stability trend and electronic properties of $\text{Au}_n\text{Cd}(n=1-12)$ 1197
- Ionization energy theory
Chemical reaction due to stronger Ramachandran interaction 677
- Ionophore
 $\text{N}^1, \text{N}^2, \text{N}^3$ -tris(2-pyridyloxymethyl) ethane as ionophore in potentiometric sensor for Pb(II) ions 33
- Iridium
Synthesis and structural study of platinum group metal complexes containing pyrimidine bridged pyrazolylpyridine ligand and η^5 and η^6 – cyclic hydrocarbons 1143
- Iron-based catalyst
 CO_2 hydrogenation to hydrocarbons over iron nanoparticles supported on oxygen-functionalized carbon nanotubes 481
- Isobutanol
Ni(II) complexes of dithiophosphonic acids 1125
- Isodesmic reactions
A computational study on kinetics, mechanism and thermochemistry of gas-phase reactions of 3-hydroxy-2-butanone with OH radicals 1789
- Isomorphous solids
Coordination of lanthanide cation to an Anderson type polyoxometalate anion leads to isomorphous metal-oxide based one-dimensional inorganic solids: Synthesis, crystal structure and spectroscopy 1525
- Isonicotinate
Tuning porosity via control of interpenetration in a zinc isonicotinate metal organic framework 1393
- Kabachnik–fields reaction
Pentafluorophenylammonium triflate (PFPAT): A new organocatalyst for the one-pot three-component synthesis of α -aminophosphonates 807
- Keto-enol tautomer
Investigation of Keto-enol Tautomers during the Synthesis of Aryl-bis (2-hydroxy-1-naphthyl)Methanes 1629
- Ketosisophorone
Chitosan-based Schiff base-metal complexes (Mn, Cu, Co) as heterogeneous, new catalysts for the β -isophorone oxidation 727
- Kinetic separation
Eco-friendly kinetic separation of trans-limonene and carvomenthene oxides 875
- Kinetic study
Synthesis, structural investigation and kinetic studies of uranyl(VI) unsymmetrical Schiff base complexes 1673
- Kinetics
Glyoxylate as a reducing agent for manganese(III) in salen scaffold: A kinetics and mechanistic study 547
- Kinetics of thermal decomposition
Synthesis, structural investigation and kinetic studies of uranyl(VI) unsymmetrical Schiff base complexes 1673
- L-proline
An easy protocol for the domino synthesis of diversely functionalized spirocarbocycles and their biological evaluation 177
- L-pyrrolidine-2-carboxylic acid-4-hydrogen sulphate
Supported L-pyrrolidine-2-carboxylic acid-4-hydrogen sulphate on silica gel as an economical and efficient catalyst for the one-pot preparation of β -acetamido ketones via a four-component condensation reaction 103
- $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$ catalyst
 $\text{LaCl}_3 \cdot 7\text{H}_2\text{O}$: An efficient catalyst for the synthesis of phosphinates (Michaelis–Arbuzov reaction) under neat conditions and their potential antimicrobial activity 117
- Lanthanides
Coordination of lanthanide cation to an Anderson type polyoxometalate anion leads to isomorphous metal-oxide based one-dimensional inorganic solids: Synthesis, crystal structure and spectroscopy 1525
How strongly are the magnetic anisotropy and coordination numbers correlated in lanthanide based molecular magnets? 1569
- Lanthanum hexacyanoferrate-modified electrode
Signal amplification of dopamine using lanthanum hexacyanoferrate-modified electrode 11
- Lattice inclusion
Guest-responsive structural adaptation of a rationally-designed molecular tweezer based on Tröger's base 1323

- Layered double hydroxide
Carbon monoxide oxidation using Zn–Cu–Ti hydro-
talcite-derived catalysts 981
- Layered inorganic-organic materials
Functionalization of lambda-zirconium phosphate with
ethylenediaminetetraacetic acid: Synthesis, characteriza-
tion and applications 1721
- Layered silicates
Polymer-clay nanocomposites obtained by solution
polymerization of vinyl benzyl triammonium chloride
in the presence of advanced functionalized clay 609
- LC50
Cytotoxic, DNA binding, DNA cleavage and antibacterial
studies of ruthenium–fluoroquinolone complexes 739
- Lead ions
N', N'', N'''-tris(2-pyridyloxymethyl) ethane as ionophore
in potentiometric sensor for Pb(II) ions 33
- Lead(II)
Colorimetric detection of Cu²⁺ and Pb²⁺ ions using
calix[4]arene functionalized gold nanoparticles 627
- Lewis acid sites
The direct transformation of ethanol to ethyl acetate
over Cu/SiO₂ catalysts that contain copper
phyllosilicate 1013
- Li₄Ti₅O₁₂/Ag
Improved electrochemical performance of Ag-modified
Li₄Ti₅O₁₂ anode material in a broad voltage window 17
- Lignin
Value addition to lignocellulosics and biomass-derived
sugars: An insight into solid acid based catalytic
methods 373
- LiMn₂O₄
Mn₃O₄ nano-sized crystals: Rapid synthesis and extension
to preparation of nanosized LiMn₂O₄ materials 561
- Lipid bilayers
Molecular dynamics simulations and free energy profile
of Paracetamol in DPPC and DMPC lipid bilayers 637
- Liquid membrane
N', N'', N'''-tris(2-pyridyloxymethyl) ethane as ionophore
in potentiometric sensor for Pb(II) ions 33
- Lithium batteries
Mn₃O₄ nano-sized crystals: Rapid synthesis and extension
to preparation of nanosized LiMn₂O₄ materials 561
- Lithium-ion battery
Improved electrochemical performance of Ag-modified
Li₄Ti₅O₁₂ anode material in a broad voltage window 17
- Low dielectric constant
A room temperature cured low dielectric hyperbranched
epoxy adhesive with high mechanical strength 587
- Low oxidation state
Structure, bonding and energetics of N-heterocyclic
carbene (NHC) stabilized low oxidation state group 2
(Be, Mg, Ca, Sr and Ba) metal complexes: A theoretical
study 1781
- Lubricant base oil
Synthesis of fatty monoester lubricant base oil catalyzed
by Fe-Zn double-metal cyanide complex 997
- Luminescence
Guest driven structural transformation studies of a
luminescent metal–organic framework 1417
- Luminescence
Syntheses, structures and properties of two dinuclear
mercury(II) iodide compounds containing tetradentate
tripodal amine/pentadentate N-donor Schiff base: Con-
trol of molecular and crystalline architectures by varying
ligand matrices 763
- Magnesium
Synthesis of monomeric and polymeric alkali and
alkaline earth metal complexes using a phosphinosele-
noic amide ligand in metal coordination sphere 1463
- Magnetic anisotropy
How strongly are the magnetic anisotropy and coordi-
nation numbers correlated in lanthanide based molecular
magnets? 1569
- Magnetic behaviour
An anti-ferromagnetic terephthalate-bridged trigonal
prismatic dinuclear manganese(II) complex: Synthon of
rare anion... π interaction promoting dimensionality 1685
- Magnetic coating
Effective synthesis route for red-brown pigments based
on Ce – Pr – Fe – O and their potential application for
near infrared reflective surface coating 65
- Magnetic interactions
Electron paramagnetic resonance study of ternary Cu^{II}
compounds with glycine and phenanthroline 255
- Magnetic property
Cyanide- and phenoxo-bridged heterobimetallic Fe(III)-
Mn(III) complexes: Synthesis, crystal structures and
magnetic properties 1665
- Magnetism
Synthesis and magnetic properties of a 1-D helical chain
derived from a Nickel-Sodium Schiff base complex 1443
Crystal growth, structure and magnetic properties of
Sm₃Ni₅Al₁₉: A compound in the Sm_{2n+m}Ni_{4n+m}Al_{15n+4m}
homologous series 1605
- Main group chemistry
Main group chemistry of 9-hydroxophenalenone: Syn-
theses and structural characterization of the alkaline
earth and zinc complexes 1581
- Maleic anhydride
Selective hydrogenation of maleic anhydride over Pd/
Al₂O₃ catalysts prepared via colloid deposition 141
- Manufacturing process
Role of catalysis in sustainable production of synthetic
elastomers 415
- Materials preparations
Mn₃O₄ nano-sized crystals: Rapid synthesis and extension
to preparation of nanosized LiMn₂O₄ materials 561

- MCM-41
Green oxidation of alkenes in ionic liquid solvent by hydrogen peroxide over high performance Fe(III) Schiff base complexes immobilized on MCM-41 801
- Mechanism
Role of catalysis in sustainable production of synthetic elastomers 415
Mechanistic chemistry of oxidation of balsalazide with acidic chloramine-T and bromamine-T: A comparative spectrophotometric kinetic study 1655
- Membrane
Molecular dynamics simulations and free energy profile of Paracetamol in DPPC and DMPC lipid bilayers 637
- Metal complex
A Reactive Intermediate, $[\text{Ni}_5(\text{C}_6\text{H}_4\text{N}_3)_6(\text{CO})_4]$, in the Formation of Nonameric Clusters of Nickel, $[\text{Ni}_9(\text{C}_6\text{H}_4\text{N}_3)_{12}(\text{CO})_6]$ and $[\text{Ni}_9(\text{C}_6\text{H}_4\text{N}_3)_{12}(\text{CO})_6]_2(\text{C}_3\text{H}_7\text{NO})$ 1477
- Metal deactivation
Development of new deactivation method for simulation of fluid catalytic cracking equilibrium catalyst 353
- Metal ion uptake
Functionalization of lambda-zirconium phosphate with ethylenediaminetetraacetic acid: Synthesis, characterization and applications 1721
- Metal organic framework
Tuning porosity via control of interpenetration in a zinc isonicotinate metal organic framework 1393
Structural diversity in serine derived homochiral metal organic frameworks 1399
- Metal-organic frameworks
Guest driven structural transformation studies of a luminescent metal-organic framework 1417
- Metallaborane
Dimetallaheteroborane clusters containing group 16 elements: A combined experimental and theoretical study 1597
- Metalloporphyrin
A cross-linked manganese porphyrin as highly efficient heterogeneous catalyst for selective oxidation of cycloalkenes/alkanes 1707
- Metallorganic framework (MOF)
A dysprosium-based metal-organic framework: Synthesis, characterization, crystal structure and interaction with calf thymus-DNA and bovine serum albumin 1115
- Metathesis
Asymmetric synthesis of a functionalized tricyclo $[6.2.0.0^{2,6}]$ decane ring system present in kelsoene and poduran 1875
- Methylating agents
Theoretical study on the detailed repair of O6-methyl guanine to guanine by cysteine 1803
- MIC
Synthesis and evaluation of 2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)-N-(3-(trifluoromethyl)phenyl)acetamides and N-(4-chloro-3-fluorophenyl)-2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)acetamides as antimicrobial agents 827
- Michaelis–Arbuzov reaction
LaCl₃·7H₂O: An efficient catalyst for the synthesis of phosphinates (Michaelis–Arbuzov reaction) under neat conditions and their potential antimicrobial activity 117
- Microemulsion polymerization
Synthesis and properties of a dual responsive hydrogel by inverse microemulsion polymerization 1623
- Microwave irradiation
Application of bisphosphomide-palladium(II) pincer complex in Suzuki–Miyaura cross-coupling reaction under microwave irradiation 711
- Microwaves
First total synthesis of a guanidine alkaloid Nitensidine D using immobilized ionic liquid, microwaves and formamidinesulfinic acid 1869
- Mispair
Theoretical study on the detailed repair of O6-methyl guanine to guanine by cysteine 1803
- Mixed-ligand complex
Mixed-ligand binuclear copper(II) complex of 5-methylsalicylaldehyde and 2,2'-bipyridyl: Synthesis, crystal structure, DNA binding and nuclease activity 783
- Mn(II) and Zn(II) complex
Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O) . . . π interaction 1153
- Mn₃O₄
Mn₃O₄ nano-sized crystals: Rapid synthesis and extension to preparation of nanosized LiMn₂O₄ materials 561
- Mn^{III}(salen)
Glyoxylate as a reducing agent for manganese(III) in salen scaffold: A kinetics and mechanistic study 547
- Modified electrode
Disposable electrochemical DNA biosensor for environmental monitoring of toxicant 2-aminoanthracene in the presence of chlorine in real samples 1031
- Modified-nanocellulose
Cobalt(II) supported on ethylenediamine-functionalized nanocellulose as an efficient catalyst for room temperature aerobic oxidation of alcohols 111
- Moieties
Symmetrical trimeric star-shaped mesogens based on 1,3,5-trisubstituted benzene incorporating Schiff base and azobenzene fragments as the peripheral units: Synthesis and mesomorphic properties 847
- Molecular dynamics
Molecular dynamics simulation on the interaction mechanism between polymer inhibitors and calcium phosphate 649
- Molecular dynamics simulation
Investigating the interactions of the enantiomers of phenylglycine with nanopores of ZSM-5 zeolite 569
- Molecular dynamics simulation
Molecular dynamics simulations and free energy profile of Paracetamol in DPPC and DMPC lipid bilayers 637

- Molecular electronics
Self-assembly characteristics of a multipolar donor-acceptor-based bis-pyrene integrated molecular tweezer 1331
- Molecular imprinting
Molecularly imprinted polymer for 2,4-dichlorophenoxyacetic acid prepared by a sol-gel method 1005
- Molecular logic gates
Anthraquinone-based demultiplexer and other multiple operations at the molecular level 49
- Molecular ring
Synthesis and crystal structure of a wheel-shaped supra-molecular coordination complex 1501
- Molecular triangle
Self-assembly of self-assembled molecular triangles 1493
- Molybdophosphoric acid
Role of vanadium in Keggin heteropoly molybdate supported on titania catalysts for oxidation reactions 467
- Monocyclic
Ring opening of monocyclic dimethyl cyclopropene via metathesis by tungsten catalyst— A computational study 691
- Montmorillonite K-10
Convenient synthesis of naphthopyrans using montmorillonite K-10 as heterogeneous catalyst 1081
- Morphological characterization
Application of nano SnO₂ as a green and recyclable catalyst for the synthesis of 2-aryl or alkylbenzoxazole derivatives under ambient temperature 579
- Morphology
Novel nanostructured CeO₂ as efficient catalyst for energy and environmental applications 361
- MoS₂
Effect of method of preparation on hydrodesulphurization activity of Co- or Ni-promoted MoS₂/SBA-15 catalysts 437
- MP2
Exploration of minima on the C₇H₇⁺ surface: Structural, stability-and charge-related considerations 1181
- Multi-wall carbon nanotubes
Preparation of electrochemically reduced graphene oxide/multi-wall carbon nanotubes hybrid film modified electrode, and its application to amperometric sensing of rutin 1021
- Multi-walled carbon nanotubes
CO₂ hydrogenation to hydrocarbons over iron nanoparticles supported on oxygen-functionalized carbon nanotubes 481
- Multi-component reaction
Nano-titania-supported Preyssler-type heteropolyacid: An efficient and reusable catalyst in ultrasound-promoted synthesis of 4*H*-chromenes and 4*H*-pyrano[2,3-*c*]pyrazoles 95
- N-benzylpiperidin-4-one oximes
Design, synthesis and cytotoxicity of novel N-benzylpiperidin-4-one oximes on human cervical cancer cells 861
- N-donor schiff base
An anti-ferromagnetic terephthalate-bridged trigonal prismatic dinuclear manganese(II) complex: Synthon of rare anion... π interaction promoting dimensionality 1685
- N-isopropylacrylamide
Synthesis and properties of a dual responsive hydrogel by inverse microemulsion polymerization 1623
- N,S- and N,N,S-coordination modes
Palladium complexes of pyrrole-2-aldehyde thiosemicarbazone: Synthesis, structure and spectral properties 1547
- Nano copper and cobalt ferrites
Nano copper and cobalt ferrites as heterogeneous catalysts for the one-pot synthesis of 2,4,5-tri substituted imidazoles 1715
- Nano SnO₂
Application of nano SnO₂ as a green and recyclable catalyst for the synthesis of 2-aryl or alkylbenzoxazole derivatives under ambient temperature 579
- Nano-catalyst
Application of nano SnO₂ as a green and recyclable catalyst for the synthesis of 2-aryl or alkylbenzoxazole derivatives under ambient temperature 579
- Nano-titania
Nano-titania-supported Preyssler-type heteropolyacid: An efficient and reusable catalyst in ultrasound-promoted synthesis of 4*H*-chromenes and 4*H*-pyrano[2,3-*c*]pyrazoles 195
- Nanocomposites
Polymer-clay nanocomposites obtained by solution polymerization of vinyl benzyl triammonium chloride in the presence of advanced functionalized clay 609
- Nanoparticles
Mn₃O₄ nano-sized crystals: Rapid synthesis and extension to preparation of nanosized LiMn₂O₄ materials 561
- Nanostructure
Investigating the interactions of the enantiomers of phenylglycine with nanopores of ZSM-5 zeolite 569
- Naphthol
Convenient synthesis of naphthopyrans using montmorillonite K-10 as heterogeneous catalyst 1081
- Naphthopyran
Convenient synthesis of naphthopyrans using montmorillonite K-10 as heterogeneous catalyst 1081
- Naphthoquinone
Separation and isolation of tautomers of 2-hydroxy-4-naphthoquinone-1-oxime derivatives by liquid chromatography: Antiproliferative activity and DFT studies 213
- Naphthoquinoneoximes
Separation and isolation of tautomers of 2-hydroxy-4-naphthoquinone-1-oxime derivatives by liquid chromatography: Antiproliferative activity and DFT studies 213
- Naphthylpropargylic ether
Synthesis and photophysical properties of 1,4-disubstituted naphthylloxymethyl-*N*-alkyl naphthimido-1,2,3-triazole 1063

- NBO
Molecular structure and intramolecular hydrogen bonding in 2-hydroxybenzophenones: A theoretical study 919
Theoretical study on $O \cdots Br$ and $O \cdots Cl$ halogen bonds in some small model molecular systems 1763
Hydrogen bonding of formamide, urea, urea monoxide and their thio-analogs with water and homodimers 1815
- Neat reaction
 $LaCl_3 \cdot 7H_2O$: An efficient catalyst for the synthesis of phosphinates (Michaelis–Arbuzov reaction) under neat conditions and their potential antimicrobial activity 117
- NEDA
Hydrogen bonding of formamide, urea, urea monoxide and their thio-analogs with water and homodimers 1815
- Nernstian response
 N' , N'' , N''' -tris(2-pyridyloxymethyl) ethane as ionophore in potentiometric sensor for Pb(II) ions 33
- Network polymer
Synthesis, characterization and applications of polymer-metal chelates derived from poly[(4-acryloxy acetophenone)-divinylbenzene] benzoyl hydrazone resins 597
- Neutral carrier
 N' , N'' , N''' -tris(2-pyridyloxymethyl) ethane as ionophore in potentiometric sensor for Pb(II) ions 33
- NHC
Structure, bonding and energetics of N-heterocyclic carbene (NHC) stabilized low oxidation state group 2 (Be, Mg, Ca, Sr and Ba) metal complexes: A theoretical study 1781
- Ni(bpy) $_3^{2+}$ ion
Photoprocess of molecules encapsulated in porous solids X: Photosensitization of zeolite-Y encapsulated tris(2,2'-bipyridine)-nickel(II) ion by phenosafranine adsorbed onto the external surface of the nanoporous host 945
- Ni(II) complexes
Ni(II) complexes of dithiophosphonic acids 1125
- Nickel
Synthesis and magnetic properties of a 1-D helical chain derived from a Nickel-Sodium Schiff base complex 1443
A Reactive Intermediate, $[Ni_5(C_6H_4N_3)_6(CO)_4]$, in the Formation of Nonameric Clusters of Nickel, $[Ni_9(C_6H_4N_3)_{12}(CO)_6]$ and $[Ni_9(C_6H_4N_3)_{12}(CO)_6] \cdot 2(C_3H_7NO)$ 1477
- Nickel carbonyl
A Reactive Intermediate, $[Ni_5(C_6H_4N_3)_6(CO)_4]$, in the Formation of Nonameric Clusters of Nickel, $[Ni_9(C_6H_4N_3)_{12}(CO)_6]$ and $[Ni_9(C_6H_4N_3)_{12}(CO)_6] \cdot 2(C_3H_7NO)$ 1477
- Nickel(II)
Synthesis, crystal structure and catecholase activity of a Ni(II) complex derived from a tetradentate Schiff base ligand 1635
Two new twisted helical nickel(II) and cobalt(III) octahedral monomer complexes: Synthesis and structural characterization 1647
- NICS
Exploration of minima on the $C_7H_7^+$ surface: Structural, stability-and charge-related considerations 1181
- NiO/MCM-41
Aerobic oxidation of cyclohexene catalyzed by NiO/MCM-41 nanocomposites in the gas phase 989
- Niobia
Amoxidation of 2-methyl pyrazine on supported ammonium salt of 12-molybdophosphoric acid catalysts: The influence of nature of support 487
- NIR reflectance
Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Nitro-polycyclic aromatic hydrocarbons
Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenz[a]pyrene *N*-oxide isomers: A Hartree–Fock and Coulomb-attenuating density functional theory investigation 701
- Nitrogen
Sequential bond energies and structures of the $Cr^+(N_2)_n$, $n = 1-4$ 1743
- Non-covalent interaction
Sulfonated graphenes catalyzed synthesis of expanded porphyrins and their supramolecular interactions with pristine graphene 1729
- Non-covalent interactions
Synthesis and crystal structure of a wheel-shaped supramolecular coordination complex 1501
- Non-enzymatic glucose sensor
Electrocatalytic activity of Cu_2O nanocubes-based electrode for glucose oxidation 25
- Non-linear optical property
Ab initio study of solvent-dependent one-, two- and three-photon absorption properties of PRODAN-based chemo-sensors 1217
- Non-molecular coordination solids
Design of non-molecular coordination solids from aqueous solution: $[Cu^I L_n X(H_2O)]$, where $X = SO_4, Cl$ or H_2O and $L =$ pyrazole, imidazole or glutamic acid and $n = 1$ or 4 1433
- Nuclease activity
Mixed-ligand binuclear copper(II) complex of 5-methylsalicylaldehyde and 2,2'-bipyridyl: Synthesis, crystal structure, DNA binding and nuclease activity 783
- Nucleobase
The family of N^9 -adenine: New entry for adenine–benzamide conjugates linked via versatile spacers 159
- Nucleophilic addition
Pentafluorophenylammonium triflate (PFPAT): A new organocatalyst for the one-pot three-component synthesis of α -aminophosphonates 807
- O6-alkylguanine-DNA alkyltransferase
Theoretical study on the detailed repair of O6-methylguanine to guanine by cysteine 1803

- Odd-even effect
3D, 2D and 1D networks via N-H ···O and N-H ···N hydrogen bonding by the bis-amide analogues: Effect of chain lengths and odd-even spacers 1285
- Olefin metathesis
Ring opening of monocyclic dimethyl cyclopropene via metathesis by tungsten catalyst— A computational study 691
- One-dimensional inorganic polymers
Coordination of lanthanide cation to an Anderson type polyoxometalate anion leads to isomorphous metal-oxide based one-dimensional inorganic solids: Synthesis, crystal structure and spectroscopy 1525
- One-pot
Supported *L*-pyrrolidine-2-carboxylic acid-4-hydrogen sulphate on silica gel as an economical and efficient catalyst for the one-pot preparation of β -acetamido ketones *via* a four-component condensation reaction 103
- One-pot synthesis
Nano copper and cobalt ferrites as heterogeneous catalysts for the one-pot synthesis of 2,4,5-tri substituted imidazoles 1715
Ultrasound promoted and SiO₂/CCl₃COOH mediated synthesis of 2-aryl-1-arylmethyl-1*H*-benzimidazole derivatives in aqueous media: An eco-friendly approach 1831
- Optimized structures
DFT study of the mechanism and stereoselectivity of the 1,3-dipolar cycloaddition between pyrroline-1-oxide and methyl crotonate 283
- Organic diamondoid
3D, 2D and 1D networks via N-H ···O and N-H ···N hydrogen bonding by the bis-amide analogues: Effect of chain lengths and odd-even spacers 1285
- Organic–inorganic materials
Synthesis and structural characterization of zirconium phosphate adipate dimethyl sulphoxide: A new lambda-type organic–inorganic layered material 975
- Organocatalyst
Pentafluorophenylammonium triflate (PFPAT): A new organocatalyst for the one-pot three-component synthesis of α -aminophosphonates 807
- Organometallic
Dimetallaheteroborane clusters containing group 16 elements: A combined experimental and theoretical study 1597
- Organometallic catalyst, nickel complex
Polymer supported nickel complex: Synthesis, structure and catalytic application 1695
- Organoselenide
Isolation and structures of some selenium and tellurium derivatives of 1, 4, 5, 8, 9, 12-hexabromododecahydro-triphenylene as co-crystals of triphenylene 1311
- OsO₄/NMO dihydroxylation
(*S*)-Garner aldehyde derived Baylis-Hillman adduct: A potential substrate for the synthesis of *D-lyxo* phyto-phenosine analogue 1841
- Oxadiazole
Synthesis of 2-(oxadiazolo, pyrimido, imidazolo, and benzimidazolo) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through a phenoxy bridge 1861
- Oxalate recognition
Neutral tripodal receptors towards efficient trapping of oxalate 1303
- Oxidation
Carbon monoxide oxidation using Zn–Cu–Ti hydro-talcite-derived catalysts 981
Aerobic oxidation of cyclohexene catalyzed by NiO/MCM-41 nanocomposites in the gas phase 989
A cross-linked manganese porphyrin as highly efficient heterogeneous catalyst for selective oxidation of cyclo-alkenes/alkanes 1707
- Oxidation of styrene
Polyoxometalate coordinated transition metal complexes as catalysts: Oxidation of styrene to benzaldehyde/benzoic acid 1641
- Oxidation-kinetics
Mechanistic chemistry of oxidation of balsalazide with acidic chloramine-T and bromamine-T: A comparative spectrophotometric kinetic study 1655
- Oxidative debris
Organic fragments from graphene oxide: Isolation, characterization and solvent effects 541
- Oxidative ring cleavage
Oxidative ring cleavage of 2,3-dihydrophthalazine-1,4-dione in aqueous and non-aqueous solutions: Electrochemical and kinetic studies 1923
- Oxindole
Synthesis of spiro[benzo[*h*]quinoline-7,3'-indolines] via a three-component condensation reaction 169
- Oxygen vacancies
Facile synthesis of catalytically active CeO₂–Gd₂O₃ solid solutions for soot oxidation 429
- Ozone
Theoretical study on the mechanism of CH₃NH₂ and O₃ atmospheric reaction 1173
- Pair correlation function
Molecular dynamics simulation on the interaction mechanism between polymer inhibitors and calcium phosphate 649
- Palladium
Pd(OAc)₂/DPPF-catalysed microwave-assisted cyanide-free synthesis of aryl nitriles 319
Palladium complexes of a new type of N-heterocyclic carbene ligand derived from a tricyclic triazolooxazine framework 1557
- Palladium complexes
Palladium complexes of pyrrole-2-aldehyde thiosemicarbazone: Synthesis, structure and spectral properties 1547

- Palladium(II)
 Application of bisphosphomide-palladium(II) pincer complex in Suzuki–Miyaura cross-coupling reaction under microwave irradiation 711
 Self-assembly of self-assembled molecular triangles 1493
- Palladium(II)-catalysed
 Theoretical studies on the mechanism of palladium(II)-catalysed *ortho*-carboxylation of acetanilide with CO 265
- Paracetamol
 Molecular dynamics simulations and free energy profile of Paracetamol in DPPC and DMPC lipid bilayers 637
- Partial intercalation
 Cytotoxic, DNA binding, DNA cleavage and antibacterial studies of ruthenium–fluoroquinolone complexes 739
- Pd/Al₂O₃ catalyst
 Selective hydrogenation of maleic anhydride over Pd/Al₂O₃ catalysts prepared via colloid deposition 141
- PEG-300
 Facile eco-friendly synthesis of novel chromeno[4,3-*b*]pyridine-2,5-diones and evaluation of their antimicrobial and antioxidant properties 187
- Pentafluorosulphanyl groups
 Theoretical studies on energetic materials bearing pentafluorosulphanyl (SF₅) groups 1163
- PEPPSI
 Palladium complexes of a new type of N-heterocyclic carbene ligand derived from a tricyclic triazolooxazine framework 1557
- Perovskite
 Synthesis and visible light photocatalytic activity of nanocrystalline PrFeO₃ perovskite for hydrogen generation in ethanol–water system 517
 Borohydride electro-oxidation by Ag-doped lanthanum chromites 617
- PFHS method
 Effect of method of preparation on hydrodesulphurization activity of Co- or Ni-promoted MoS₂/SBA-15 catalysts 437
- Pfitzinger reaction
 Synthesis of quinolino[2',3':8,7]cyclooct[*b*]indole 1893
- Pharmaceutical
 New co-crystal and salt form of sulfathiazole with carboxylic acid and amide 1363
- Phase transformation
 Salts and Co-crystals of Theobromine and their phase transformations in water 1249
- Phenanthroline
 Electron paramagnetic resonance study of ternary Cu^{II} compounds with glycine and phenanthroline 255
- Phenol
 Synthesis, characterization and self-assembly of Co³⁺ complexes appended with phenol and catechol groups 1535
- Phenol oxidation
 Polymer supported nickel complex: Synthesis, structure and catalytic application 1695
- Phenol/catechol
 Syntheses, characterization, and anti-cancer activities of pyridine-amide based compounds containing appended phenol or catechol groups 1091
- Phenosafranine
 Photoprocess of molecules encapsulated in porous solids X: Photosensitization of zeolite-Y encapsulated tris(2,2'-bipyridine–nickel-(II)ion by phenosafranine adsorbed onto the external surface of the nanoporous host 945
- Phenylboronic acid
 Silica-acac-supported palladium nanoparticles as an efficient and reusable heterogeneous catalyst in the Suzuki–Miyaura cross-coupling reaction in water 85
- Phosphorus
 Synthesis of monomeric and polymeric alkali and alkaline earth metal complexes using a phosphinoseleonic amide ligand in metal coordination sphere 1463
- Photo switching
 Synthesis, characterization and photoluminescence properties of graphene oxide functionalized with azo molecules 75
- Photo-catalysis
 Determination of conduction and valence band electronic structure of anatase and rutile TiO₂ 511
- Photocatalyst
 Synthesis and visible light photocatalytic activity of nanocrystalline PrFeO₃ perovskite for hydrogen generation in ethanol–water system 517
- Photochromic molecules
 Synthesis, characterization and photoluminescence properties of graphene oxide functionalized with azo molecules 75
- Photophysical study
 Tuning of intermolecular interactions results in packing diversity in imidazolin-5-ones 1275
- Photosensitization
 Photoprocess of molecules encapsulated in porous solids X: Photosensitization of zeolite-Y encapsulated tris(2,2'-bipyridine–nickel-(II)ion by phenosafranine adsorbed onto the external surface of the nanoporous host 945
- Pi-conjugated systems
 Self-assembly characteristics of a multipolar donor-acceptor-based bis-pyrene integrated molecular tweezer 1331
- Picosecond transient absorption
 Photoprocess of molecules encapsulated in porous solids X: Photosensitization of zeolite-Y encapsulated tris(2,2'-bipyridine–nickel-(II)ion by phenosafranine adsorbed onto the external surface of the nanoporous host 945
- Pincer complex
 Application of bisphosphomide-palladium(II) pincer complex in Suzuki–Miyaura cross-coupling reaction under microwave irradiation 711
- PIXEL
 Analysis of intermolecular interactions in 3-(4-fluoro-3-phenoxyphenyl)-1-((4-methylpiperazin-1-yl)methyl)-1H-1,2,4-triazole-5-thiol 1337

- Platinum complex
Identification of a (H₂O)₈ cluster in a supramolecular host of a charge transfer platinum(II) complex 1507
- Poly (vinyl benzyl trimethyl ammonium chloride)
Polymer-clay nanocomposites obtained by solution polymerization of vinyl benzyl triammonium chloride in the presence of advanced functionalized clay 609
- Poly(amido-amine) dendrimer
A room temperature cured low dielectric hyperbranched epoxy adhesive with high mechanical strength 587
- Poly(vinyl chloride) membrane
The behaviour of polyaniline-coated PVC membrane based on 7,16-didecyl-1, 4, 10, 13-tetraoxa-7, 16-diazacyclooctadecane for pH measurements in highly acidic media 41
- Polyamide-imide
Facile synthesis of new thermally stable and organo-soluble polyamide-imides based on non-coplaner phosphorus and silicon containing amines 1849
- Polyaniline
The behaviour of polyaniline-coated PVC membrane based on 7,16-didecyl-1, 4, 10, 13-tetraoxa-7, 16-diazacyclooctadecane for pH measurements in highly acidic media 41
- Polymer
Cu(II), Zn(II) and Mn(II) complexes of poly(methyl vinyl ether-*alt*-maleic anhydride). Synthesis, characterization and thermodynamic parameters 239
- Polymer inhibitor
Molecular dynamics simulation on the interaction mechanism between polymer inhibitors and calcium phosphate 649
- Polymer-metal complexes
Synthesis, characterization and applications of polymer-metal chelates derived from poly[[(4-acryloxy acetophenone)-divinylbenzene]] benzoyl hydrazone resins 597
- Polynucleotide
Interaction of meso-tetrakis(N-methylpyridinyl) porphyrin with single strand DNAs – poly(dA), poly(dT), poly(dG) and poly(dC): A photophysical study 911
- Polystyrene support
Polymer supported nickel complex: Synthesis, structure and catalytic application 1695
- Population analysis
Theoretical investigation on structural evolution, energetic stability trend and electronic properties of Au_nCd(*n*=1–12) 1197
- Porosity
Tuning porosity via control of interpenetration in a zinc isonicotinate metal organic framework 1393
- Post-combustion porosity
Tuning porosity via control of interpenetration in a zinc isonicotinate metal organic framework 1393
- Potassium
Syntheses, characterization and crystal structures of potassium and barium complexes of a Schiff base ligand with different anions 1373
Synthesis of monomeric and polymeric alkali and alkaline earth metal complexes using a phosphinosele-
noic amide ligand in metal coordination sphere 1463
- Potential energy profile
Theoretical study on the mechanism of CH₃NH₂ and O₃ atmospheric reaction 1173
- Povarov reaction
Copper catalyzed synthesis of quinolinopyrano[2,3-*b*]carbazole derivatives via Povarov reaction 1049
- Precursor complex
Borohydride electro-oxidation by Ag-doped lanthanum chromites 617
- Preyssler-type heteropolyacid
Nano-titania-supported Preyssler-type heteropolyacid: An efficient and reusable catalyst in ultrasound-promoted synthesis of 4*H*-chromenes and 4*H*-pyr-
ano[2,3-*c*]pyrazoles 195
- PrFeO₃
Synthesis and visible light photocatalytic activity of nanocrystalline PrFeO₃ perovskite for hydrogen generation in ethanol–water system 517
- Promotional effects
Effect of method of preparation on hydrodesulphuriza-
tion activity of Co- or Ni-promoted MoS₂/SBA-15 catalysts 437
- Propargylic alcohols
Convenient synthesis of naphthopyrans using montmor-
illonite K-10 as heterogeneous catalyst 1081
- Protein conformational stability
Ca²⁺ and Mg²⁺ binding induce conformational stability of Calfuminin-1 from *Dictyostelium discoideum* 751
- Protein unfolding
Ca²⁺ and Mg²⁺ binding induce conformational stability of Calfuminin-1 from *Dictyostelium discoideum* 751
- Proton affinity
G4MP2, DFT and CBS-Q calculation of proton and electron affinities, gas phase basicities and ionization energies of hydroxylamines and alkanolamines 1209
- PVC
N', N'', N'''-tris(2-pyridyloxymethyl) ethane as iono-
phore in potentiometric sensor for Pb(II) ions 33
- Pyranocarbazole
Copper catalyzed synthesis of quinolinopyrano[2,3-*b*]carbazole derivatives via Povarov reaction 1049
- Pyrazoles
Theoretical studies on proton transfer reaction of 3(5)-
substituted pyrazoles 273
- Pyridazine
Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobute-
noic acid towards nitrogen-containing nucleophiles 1883

- Pyridine defects
 Understanding the structure and electronic properties of N-doped graphene nanoribbons upon hydrogen saturation 1737
- Pyridine interferences
 3D, 2D and 1D networks via N-H \cdots O and N-H \cdots N hydrogen bonding by the bis-amide analogues: Effect of chain lengths and odd-even spacers 1285
- Pyrimidine
 Synthesis of 2-(oxadiazolo, pyrimido, imidazolo, and benzimidazolo) substituted analogues of 1,4-benzodiazepin-5-carboxamides linked through a phenoxy bridge 1861
- Pyrimidopyrimidines
 Synthesis of thiophene-linked pyrimidopyrimidines as pharmaceutical leads 821
- Pyrrole-2-aldehyde thiosemicarbazone
 Palladium complexes of pyrrole-2-aldehyde thiosemicarbazone: Synthesis, structure and spectral properties 1547
- Pyrroline-1-oxide
 DFT study of the mechanism and stereoselectivity of the 1,3-dipolar cycloaddition between pyrroline-1-oxide and methyl crotonate 283
- Quinoline biphenyl
 Synthesis of new biphenyl-substituted quinoline derivatives, preliminary screening and docking studies 205
- Quinoline
 Dimethylurea/citric acid as a highly efficient deep eutectic solvent for the multi-component reactions 881
- Quinoxalone
 Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobutenoic acid towards nitrogen-containing nucleophiles 1883
- Ramachandran interaction
 Chemical reaction due to stronger Ramachandran interaction 677
- Raman
 Characterization and reactivity of 11-molybdo-1-vanadophosphoric acid catalyst supported on zirconia for dehydration of glycerol to acrolein 445
- Rare earth pigments
 Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Reaction intermediates
 Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediates 473
- Reaction mechanism
 Theoretical study on the mechanism of CH₃NH₂ and O₃ atmospheric reaction 1173
- Reactors
 Engineering reactors for catalytic reactions 341
- Real sample analysis
 Signal amplification of dopamine using lanthanum hexacyanoferrate-modified electrode 11
- Red hue
 Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Reducibility
 Facile synthesis of catalytically active CeO₂–Gd₂O₃ solid solutions for soot oxidation 429
- Regioselective
 Mechanism and regioselectivity of 1,3-dipolar cycloaddition reactions of sulphur-centred dipoles with furan-2,3-dione: A theoretical study using DFT 293
 Synthesis and photophysical properties of 1,4-disubstituted naphthylloxymethyl-N-alkyl naphthimido-1,2,3-triazole 1063
 Ultrasound promoted and SiO₂/CCl₃COOH mediated synthesis of 2-aryl-1-arylmethyl-1H-benzimidazole derivatives in aqueous media: An eco-friendly approach 1831
- Response theory
 Ab initio study of solvent-dependent one-, two- and three-photon absorption properties of PRODAN-based chemo-sensors 1217
- retro* Diels–Alder reaction
 Correlation between carbon–carbon bond length and the ease of *retro* Diels–Alder reaction 1369
- Reversed phase separation
 Separation and isolation of tautomers of 2-hydroxy-4-naphthoquinone-1-oxime derivatives by liquid chromatography: Antiproliferative activity and DFT studies 213
- Rhenium
 Synthesis and crystal structure of a wheel-shaped supramolecular coordination complex 1501
- Rhodium
 Synthesis and structural study of platinum group metal complexes containing pyrimidine bridged pyrazolyl-pyridine ligand and η^5 and η^6 – cyclic hydrocarbons 1143
- Ribofuranosides
 Synthesis and evaluation of antimicrobial and anthelmintic activity of novel fluorinated 7-ethyl-10*H*-phenothiazines, their sulphones and ribofuranosides 197
- Ring opening
 Ring opening of monocyclic dimethyl cyclopropene via metathesis by tungsten catalyst– A computational study 691
- Ring-opening reaction mechanism
 First total synthesis of Boehmenan 813
- Robust synthon
 Identification of robust synthon in the molecular salts of 2-aminothiazole with substituted benzoic acids: A case study 1291
- Ruthenium
 Cytotoxic, DNA binding, DNA cleavage and antibacterial studies of ruthenium–fluoroquinolone complexes 739
 Synthesis and structural study of platinum group metal complexes containing pyrimidine bridged pyrazolyl-pyridine ligand and η^5 and η^6 – cyclic hydrocarbons 1143

- Rutin
Preparation of electrochemically reduced graphene oxide/multi-wall carbon nanotubes hybrid film modified electrode, and its application to amperometric sensing of rutin 1021
- Salt
New co-crystal and salt form of sulfathiazole with carboxylic acid and amide 1363
- Salt, crystal engineering
Aggregation enhanced emission (AEE) in organic salt: A structure-property correlation based on single crystal studies 1357
- Salts
Salts and Co-crystals of Theobromine and their phase transformations in water 1249
Identification of robust synthon in the molecular salts of 2-aminothiazole with substituted benzoic acids: A case study 1291
- SAPT
Theoretical study on $O \cdots Br$ and $O \cdots Cl$ halogen bonds in some small model molecular systems 1763
- SAR study
Synthesis and evaluation of 2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)-N-(3-(trifluoromethyl)phenyl)acetamides and N-(4-chloro-3-fluorophenyl)-2-(5-(aryl)-1,3,4-oxadiazol-2-ylthio)acetamides as antimicrobial agents 827
- SBA-15
Effect of method of preparation on hydrodesulphurization activity of Co- or Ni-promoted $MoS_2/SBA-15$ catalysts 437
- Schiff base
Some new IIB group complexes of an imidazolidine ligand: Synthesis, spectral characterization, electrochemical, thermal and antimicrobial properties 227
Syntheses, characterization and crystal structures of potassium and barium complexes of a Schiff base ligand with different anions 1373
Synthesis and magnetic properties of a 1-D helical chain derived from a Nickel-Sodium Schiff base complex 1443
Synthesis, crystal structure and catecholase activity of a Ni(II) complex derived from a tetradentate Schiff base ligand 1635
Two new twisted helical nickel(II) and cobalt(III) octahedral monomer complexes: Synthesis and structural characterization 1647
- Schiff base and azobenzene moieties
Symmetrical trimeric star-shaped mesogens based on 1,3,5-trisubstituted benzene incorporating Schiff base and azobenzene fragments as the peripheral units: Synthesis and mesomorphic properties 847
- Schiff base bridge
Syntheses, structures and properties of two dinuclear mercury(II) iodide compounds containing tetradentate tripodal amine/pentadentate N-donor Schiff base: Control of molecular and crystalline architectures by varying ligand matrices 763
- Schiff bases
Mesogenic copper(II) complexes with [1,2,3]-triazole-based bidentate Schiff bases 247
- Screen-printed electrode
Disposable electrochemical DNA biosensor for environmental monitoring of toxicant 2-aminoanthracene in the presence of chlorine in real samples 1031
- Secondary building units
Cationic zinc (II) dimers and one dimensional coordination polymer from ionic carboxylic acid 1409
- Selective hydrogenation
Selective hydrogenation of maleic anhydride over Pd/ Al_2O_3 catalysts prepared via colloid deposition 141
- Selectivity coefficients
 N', N'', N''' -tris(2-pyridyloxymethyl) ethane as ionophore in potentiometric sensor for Pb(II) ions 33
- Selenium
Synthesis of monomeric and polymeric alkali and alkaline earth metal complexes using a phosphinoselenic amide ligand in metal coordination sphere 1463
Synthesis, spectral and structural properties of bis-imidazoline selones 1589
- Selenocyanate
Isolation and structures of some selenium and tellurium derivatives of 1, 4, 5, 8, 9, 12-hexabromododecahydro-triphenylene as co-crystals of triphenylene 1311
- Self-assembly
Self-assembly of self-assembled molecular triangles 1493
- Selone
Synthesis, spectral and structural properties of bis-imidazoline selones 1589
- Sensitivity
Synthesis and properties of a dual responsive hydrogel by inverse microemulsion polymerization 1623
- SHG and EOPE NLO phenomena
Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenz[*a*]pyrene *N*-oxide isomers: A Hartree-Fock and Coulomb-attenuating density functional theory investigation 701
- Signal amplification
Signal amplification of dopamine using lanthanum hexacyanoferrate-modified electrode 11
- Silanes
Polymer-clay nanocomposites obtained by solution polymerization of vinyl benzyl triammonium chloride in the presence of advanced functionalized clay 609
- Silica
Ammoxidation of 2-methyl pyrazine on supported ammonium salt of 12-molybdophosphoric acid catalysts: The influence of nature of support 487
- Silica gel supported trichloroacetic acid (SiTCA)
Ultrasound promoted and SiO_2/CCl_3COOH mediated synthesis of 2-aryl-1-arylmethyl-1*H*-benzimidazole derivatives in aqueous media: An eco-friendly approach 1831

- Simulated annealing
 Study of structure and spectroscopy of water–hydroxide ion clusters: A combined simulated annealing and DFT-based approach 659
- Simulations and DFT studies
 Thermal decomposition of 1-chloropropane behind the reflected shock waves in the temperature range of 1015–1220 K: Single pulse shock tube and computational studies 897
- Single crystal
 Aggregation enhanced emission (AEE) in organic salt: A structure-property correlation based on single crystal studies 1357
- Single crystal x-ray analysis
 Syntheses, characterization and crystal structures of potassium and barium complexes of a Schiff base ligand with different anions 1373
- Single crystal x-ray diffraction
 Neutral tripodal receptors towards efficient trapping of oxalate 1303
- Single molecule magnet
 How strongly are the magnetic anisotropy and coordination numbers correlated in lanthanide based molecular magnets? 1569
- Single-crystal XRD
 Design, synthesis and cytotoxicity of novel N-benzylpiperidin-4-one oximes on human cervical cancer cells 861
- Small molecules
 A concise and simple synthesis of 1-hydroxy-phenethylamine derivatives: Formal synthesis of naturally occurring norephedrine, virolin and 3-hydroxy-2-phosphonylmethoxypropyl adenine 837
- Smectic A
 Mesogenic copper(II) complexes with [1,2,3]-triazole-based bidentate Schiff bases 247
- Smiles rearrangement
 Synthesis and evaluation of antimicrobial and anthelmintic activity of novel fluorinated 7-ethyl-10*H*-phenothiazines, their sulphones and ribofuranosides 197
- Sol-gel
 Molecularly imprinted polymer for 2, 4-dichlorophenoxyacetic acid prepared by a sol-gel method 1005
- Sol-gel route
 Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
- Solid acid
 Sulfonated graphenes catalyzed synthesis of expanded porphyrins and their supramolecular interactions with pristine graphene 1729
- Solid acid catalyst
 Value addition to lignocellulosics and biomass-derived sugars: An insight into solid acid-based catalytic methods 373
 Cs salt of tungstophosphoric acid-promoted zirconium titanium phosphate solid acid catalyst: An active catalyst for the synthesis of bisphenols 455
- Solid state NMR
 Organic fragments from graphene oxide: Isolation, characterization and solvent effects 541
- Solubility
 Salts and Co-crystals of Theobromine and their phase transformations in water 1249
- Solvent assisted proton transfer
 Theoretical studies on proton transfer reaction of 3(5)-substituted pyrazoles 273
- Solvent effect
 Ab initio study of solvent-dependent one-, two- and three-photon absorption properties of PRODAN-based chemo-sensors 1217
- Solvent-free
 Water mediated eco-friendly green protocol for one-pot synthesis of α -aminophosphonates at ambient conditions 793
- Soot oxidation
 Novel nanostructured CeO₂ as efficient catalyst for energy and environmental applications 361
 Facile synthesis of catalytically active CeO₂–Gd₂O₃ solid solutions for soot oxidation 429
- Spectral properties
 Palladium complexes of pyrrole-2-aldehyde thiosemicarbazone: Synthesis, structure and spectral properties 1547
- Spectroscopic
 Some new IIB group complexes of an imidazolidine ligand: Synthesis, spectral characterization, electrochemical, thermal and antimicrobial properties 227
- Spectroscopy
 Effective synthesis route for red-brown pigments based on Ce – Pr – Fe – O and their potential application for near infrared reflective surface coating 65
 Photoprocess of molecules encapsulated in porous solids X: Photosensitization of zeolite-Y encapsulated tris(2,2'-bipyridine–nickel-(II)ion by phenosafranine adsorbed onto the external surface of the nanoporous host 945
 Coordination of lanthanide cation to an Anderson type polyoxometalate anion leads to isomorphous metal-oxide based one-dimensional inorganic solids: Synthesis, crystal structure and spectroscopy 1525
- Spiro compounds
 Synthesis of spiro[benzo[*h*]quinoline-7,3'-indolines] via a three-component condensation reaction 169
- Spirocarbocycles
 An easy protocol for the domino synthesis of diversely functionalized spirocarbocycles and their biological evaluation 177
- Spirocyclic dienes
 Correlation between carbon–carbon bond length and the ease of *retro* Diels–Alder reaction 1369
- Spontaneous resolution
 Chiral and achiral helical coordination polymers of zinc and cadmium from achiral 2,6-bis(imidazol-1-yl)pyridine: Solvent effect and spontaneous resolution 1423

- SPST
Thermal decomposition of 1-chloropropane behind the reflected shock waves in the temperature range of 1015–1220 K: Single pulse shock tube and computational studies 897
- ss-DNA
Interaction of meso-tetrakis(N-methylpyridinyl)-porphyrin with single strand DNAs – poly(dA), poly(dT), poly(dG) and poly(dC): A photophysical study 911
- Stability
Salts and Co-crystals of Theobromine and their phase transformations in water 1249
- Stability pattern
Theoretical investigation on structural evolution, energetic stability trend and electronic properties of $Au_nCd(n=1-12)$ 1197
- Stabilization energy
Hydrogen bonding of formamide, urea, urea monoxide and their thio-analogs with water and homodimers 1815
- Stacking
Interaction of meso-tetrakis(N-methylpyridinyl)-porphyrin with single strand DNAs – poly(dA), poly(dT), poly(dG) and poly(dC): A photophysical study 911
- Star-shaped liquid crystals
Symmetrical trimeric star-shaped mesogens based on 1,3,5-trisubstituted benzene incorporating Schiff base and azobenzene fragments as the peripheral units: Synthesis and mesomorphic properties 847
- Steam deactivation
Development of new deactivation method for simulation of fluid catalytic cracking equilibrium catalyst 353
- Stereoselectivity
DFT study of the mechanism and stereoselectivity of the 1,3-dipolar cycloaddition between pyrroline-1-oxide and methyl crotonate 283
- Structural transformation
A Reactive Intermediate, $[Ni_5(C_6H_4N_3)_6(CO)_4]$, in the Formation of Nonameric Clusters of Nickel, $[Ni_9(C_6H_4N_3)_{12}(CO)_6]$ and $[Ni_9(C_6H_4N_3)_{12}(CO)_6].2(C_3H_7NO)$ 1477
- Structure elucidation
Building-up novel coordination polymer with Zn(II) porphyrin dimer: Synthesis, structures, surface morphology and effect of axial ligands 1451
- Substituent effect
Theoretical studies on proton transfer reaction of 3(5)-substituted pyrazoles 273
- Substituted benzamide
The family of N^9 -adenine: New entry for adenine–benzamide conjugates linked via versatile spacers 159
- Succinic anhydride
Selective hydrogenation of maleic anhydride over Pd/Al₂O₃ catalysts prepared via colloid deposition 141
- Sulfathiazole
New co-crystal and salt form of sulfathiazole with carboxylic acid and amide 1363
- Sulfonated graphene
Sulfonated graphenes catalyzed synthesis of expanded porphyrins and their supramolecular interactions with pristine graphene 1729
- Sulphones
Synthesis and evaluation of antimicrobial and anthelmintic activity of novel fluorinated 7-ethyl-10*H*-phenothiazines, their sulphones and ribofuranosides 197
- Sulphur-centred 1,3-dipoles
Mechanism and regioselectivity of 1,3-dipolar cycloaddition reactions of sulphur-centred dipoles with furan-2,3-dione: A theoretical study using DFT 293
- Supported palladium nanoparticles
Silica-acac-supported palladium nanoparticles as an efficient and reusable heterogeneous catalyst in the Suzuki–Miyaura cross-coupling reaction in water 85
- Supramolecular
Construction of diverse supramolecular assemblies of dimetal subunits differing in coordinated water molecules via strong hydrogen bonding interactions: Synthesis, crystal structures and spectroscopic properties 1515
- Supramolecular aggregation
Design of non-molecular coordination solids from aqueous solution: $[Cu^II L_n X(H_2O)]$, where X=SO₄, Cl or H₂O and L=pyrazole, imidazole or glutamic acid and $n=1$ or 4 1433
- Supramolecular interactions
Two new twisted helical nickel(II) and cobalt(III) octahedral monomer complexes: Synthesis and structural characterization 1647
- Supramolecular self-assembly
Self-assembly characteristics of a multipolar donor-acceptor-based bis-pyrene integrated molecular tweezer 1331
- Supramolecule
Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O) . . . π interaction 1153
- Supramolecules
Synthesis and crystal structure of a wheel-shaped supramolecular coordination complex 1501
- Surface morphology
Building-up novel coordination polymer with Zn(II) porphyrin dimer: Synthesis, structures, surface morphology and effect of axial ligands 1451
- Suspension polymerization
Synthesis, characterization and applications of polymer-metal chelates derived from poly[[(4-acryloxy acetophenone)-divinylbenzene]] benzoyl hydrazone resins 597
- Suzuki coupling
A cross-linked manganese porphyrin as highly efficient heterogeneous catalyst for selective oxidation of cycloalkenes/alkanes 1707
- Suzuki reaction
Design, synthesis and characterization of 1*H*-pyridin-4-yl-3,5-disubstituted indazoles and their AKT inhibition activity 1055

- Suzuki–Miyaura coupling
Application of bisphosphonide-palladium(II) pincer complex in Suzuki–Miyaura cross-coupling reaction under microwave irradiation 711
- Suzuki–Miyaura reaction
Silica-acac-supported palladium nanoparticles as an efficient and reusable heterogeneous catalyst in the Suzuki–Miyaura cross-coupling reaction in water 85
- Symmetrical
Symmetrical trimeric star-shaped mesogens based on 1,3,5-trisubstituted benzene incorporating Schiff base and azobenzene fragments as the peripheral units: Synthesis and mesomorphic properties 847
- Synthesis
A concise and simple synthesis of 1-hydroxy-phenethylamine derivatives: Formal synthesis of naturally occurring norephedrine, virolin and 3-hydroxy-2-phosphonyl-methoxypropyl adenine 837
- Synthon
Salts and Co-crystals of Theobromine and their phase transformations in water 1249
New co-crystal and salt form of sulfathiazole with carboxylic acid and amide 1363
- T98G cell
Syntheses, characterization, and anti-cancer activities of pyridine-amide based compounds containing appended phenol or catechol groups 1091
- Tautomer
Separation and isolation of tautomers of 2-hydroxy-4-naphthoquinone-1-oxime derivatives by liquid chromatography: Antiproliferative activity and DFT studies 213
- Tautomerism
New co-crystal and salt form of sulfathiazole with carboxylic acid and amide 1363
- TDDFT
Ab initio study of solvent-dependent one-, two- and three-photon absorption properties of PRODAN-based chemo-sensors 1217
- TEM
Effective utilization of glycerol for the synthesis of 2-methylpyrazine over ZnO-ZnCr₂O₄ catalyst 387
- Terminal substituent
Symmetrical trimeric star-shaped mesogens based on 1,3,5-trisubstituted benzene incorporating Schiff base and azobenzene fragments as the peripheral units: Synthesis and mesomorphic properties 847
- Ternary copper compounds
Electron paramagnetic resonance study of ternary Cu^{II} compounds with glycine and phenanthroline 255
- Terpenes
Asymmetric synthesis of a functionalized tricyclo-[6.2.0.0^{2,6}]decane ring system present in kelsoene and poduran 1875
- Thermal expansion
Network and guest dependent thermal stability and thermal expansion in a trigonal host 1265
- Thermal stability
Network and guest dependent thermal stability and thermal expansion in a trigonal host 1265
Facile synthesis of new thermally stable and organo-soluble polyamide-imides based on non-coplanar phosphorus and silicon containing amines 1849
- Thermogravimetry
Some new IIB group complexes of an imidazolidine ligand: Synthesis, spectral characterization, electrochemical, thermal and antimicrobial properties 227
- Thiazole
Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobutenoic acid towards nitrogen-containing nucleophiles 1883
- Thiazolo[3,2-*a*]pyrimidines
Structural modifications leading to changes in supramolecular aggregation of thiazolo[3,2-*a*]pyrimidines: Insights into their conformational features 1347
- Thiazolopyridazine
Behaviour of 4-[4-methoxy-3-methylphenyl]-4-oxobutenoic acid towards nitrogen-containing nucleophiles 1883
- Thiourea
Neutral tripodal receptors towards efficient trapping of oxalate 1303
- Three-component reaction
Synthesis of spiro[benzo[*h*]quinoline-7,3'-indolines] via a three-component condensation reaction 169
- Time resolved fluorescence measurements
Effects of acid concentration on intramolecular charge transfer reaction of 4-(azetidiny) benzonitrile in solution 55
- Time-dependent density functional theory
Effects of acid concentration on intramolecular charge transfer reaction of 4-(azetidiny) benzonitrile in solution 55
- Titania
Role of vanadium in Keggin heteropoly molybdate supported on titania catalysts for oxidation reactions 467
- TMPyP
Interaction of meso-tetrakis(N-methylpyridinyl)-porphyrin with single strand DNAs – poly(dA), poly(dT), poly(dG) and poly(dC): A photophysical study 911
- Topotactic anion exchange
Synthesis and structural characterization of zirconium phosphate adipate dimethyl sulphoxide: A new lambda-type organic–inorganic layered material 975
- Total synthesis
DIFLUORPHOS and SYNPHOS in asymmetric catalysis: Synthetic applications 325
- Transesterification
Synthesis of fatty monoester lubricant base oil catalyzed by Fe-Zn double-metal cyanide complex 997
- Transition metal
Understanding the structure and electronic properties of N-doped graphene nanoribbons upon hydrogen saturation 1737

- Transition metal coordination complexes
 Polyoxometalate coordinated transition metal complexes as catalysts: Oxidation of styrene to benzaldehyde/benzoic acid 1641
- Transition metal ions
 Structural systematics of some metal complexes with 4,5-diazafluoren-9-one 717
- Transition state
 Theoretical study on the mechanism of CH_3NH_2 and O_3 atmospheric reaction 1173
- Triazole
 Mesogenic copper(II) complexes with [1,2,3]-triazole-based bidentate Schiff bases 247
- Tricyclic triazolooxazine derived N-heterocyclic carbene (NHC)
 Palladium complexes of a new type of N-heterocyclic carbene ligand derived from a tricyclic triazolooxazine framework 1557
- Triethyleneglycol
 The family of N^9 -adenine: New entry for adenine–benzamide conjugates linked via versatile spacers 159
- Triglycerides
 Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediates 473
- Trimethyl phosphite
 Water mediated eco-friendly green protocol for one-pot synthesis of α -aminophosphonates at ambient conditions 793
- Tripodal amine
 Syntheses, structures and properties of two dinuclear mercury(II) iodide compounds containing tetradentate tripodal amine/pentadentate N-donor Schiff base: Control of molecular and crystalline architectures by varying ligand matrices 763
- Trivalent metals
 An anionic two-dimensional indium carboxylate framework derived from a pseudo C_3 -symmetric semi-flexible tricarboxylic acid 1385
- Tröger's Base
 Guest-responsive structural adaptation of a rationally-designed molecular tweezer based on Tröger's base 1323
- Tryptophan
 Interaction of cyclodextrins with human and bovine serum albumins: A combined spectroscopic and computational investigation 931
- TURBOMOLE
 Analysis of intermolecular interactions in 3-(4-fluoro-3-phenoxyphenyl)-1-((4-methylpiperazin-1-yl)methyl)-1H-1,2,4-triazole-5-thiol 1337
- Twisted helicity
 Two new twisted helical nickel(II) and cobalt(III) octahedral monomer complexes: Synthesis and structural characterization 1647
- Tyres and automobiles
 Role of catalysis in sustainable production of synthetic elastomers 415
- Ultrasound irradiation
 Nano-titania-supported Preyssler-type heteropolyacid: An efficient and reusable catalyst in ultrasound-promoted synthesis of 4*H*-chromenes and 4*H*-pyrano [2,3-*c*]pyrazoles 195
 Ultrasound promoted and $\text{SiO}_2/\text{CCl}_3\text{COOH}$ mediated synthesis of 2-aryl-1-arylmethyl-1*H*-benzimidazole derivatives in aqueous media: An eco-friendly approach 1831
- Unusual three-fold interpenetration
 Tuning porosity via control of interpenetration in a zinc isonicotinate metal organic framework 1393
- Uranyl ion
 Synthesis and structure of bis(β -dibenzoyl methanato -O, O') (aquo-O) dioxouranium (VI) compound 1565
- Uranyl schiff base complexes
 Synthesis, structural investigation and kinetic studies of uranyl(VI) unsymmetrical Schiff base complexes 1673
- Urea
 Neutral tripodal receptors towards efficient trapping of oxalate 1303
- UV-visible
 Cu(II), Zn(II) and Mn(II) complexes of poly(methyl vinyl ether-*alt*-maleic anhydride). Synthesis, characterization and thermodynamic parameters 239
- Vanadium
 Role of vanadium in Keggin heteropoly molybdate supported on titania catalysts for oxidation reactions 467
- Vilsmeier-Haack formylation
 Copper catalysed synthesis of indolylquinazolinone alkaloid Bouchardatine 1075
- Vinyl malononitriles
 An easy protocol for the domino synthesis of diversely functionalized spirocarbocycles and their biological evaluation 177
- Viscosity
 Cu(II), Zn(II) and Mn(II) complexes of poly(methyl vinyl ether-*alt*-maleic anhydride). Synthesis, characterization and thermodynamic parameters 239
- Water
 Eco-friendly kinetic separation of *trans*-limonene and carvomenthene oxides 875
- Water cluster
 Identification of a $(\text{H}_2\text{O})_8$ cluster in a supramolecular host of a charge transfer platinum(II) complex 1507
- Water clusters
 Study of structure and spectroscopy of water–hydroxide ion clusters: A combined simulated annealing and DFT-based approach 659
- Water splitting
 Combustion synthesis of cadmium sulphide nanomaterials for efficient visible light driven hydrogen production from water 967

- Water-splitting
 Synthesis and visible light photocatalytic activity of nanocrystalline PrFeO₃ perovskite for hydrogen generation in ethanol–water system 517
- Waxy products
 Anomalous hydrocracking of triglycerides over CoMo-catalyst–influence of reaction intermediates 473
- X-ray crystal structure
 Hetero-metallic trigonal cage-shaped dimeric Ni₃K core complex of L-proline ligand: Synthesis, structural, electrochemical and DNA binding and cleavage activities 771
- X-ray crystallography
 Guest-responsive structural adaptation of a rationally-designed molecular tweezer based on Tröger's base 1323
 Main group chemistry of 9-hydroxophenalenone: Syntheses and structural characterization of the alkaline earth and zinc complexes 1581
 Synthesis, structural investigation and kinetic studies of uranyl(VI) unsymmetrical Schiff base complexes 1673
- X-ray diffraction
 Synthesis, crystal structure, optical and electrochemical properties of 9,10-dihydroxybenzo[*h*]quinoline 955
- X-ray structure
 Syntheses, structures and properties of two dinuclear mercury(II) iodide compounds containing tetradentate tripodal amine/pentadentate N-donor Schiff base: Control of molecular and crystalline architectures by varying ligand matrices 763
 Synthesis and crystal structure of a wheel-shaped supramolecular coordination complex 1501
 Identification of a (H₂O)₈ cluster in a supramolecular host of a charge transfer platinum(II) complex 1507
 Synthesis, crystal structure and catecholase activity of a Ni(II) complex derived from a tetradentate Schiff base ligand 1635
- Ylide
 One-pot synthesis of novel 1, 8-dioxo-decahydroacridines containing phenol and benzamide moiety and their synthetic uses 1039
- Zeolite
 Investigating the interactions of the enantiomers of phenylglycine with nanopores of ZSM-5 zeolite 569
- Zeolite-Y
 Photoprocess of molecules encapsulated in porous solids X: Photosensitization of zeolite-Y encapsulated tris(2,2'-bipyridine–nickel-(II)ion by phenosafranine adsorbed onto the external surface of the nanoporous host 945
- Zigzag graphene nanoribbon
 Understanding the structure and electronic properties of N-doped graphene nanoribbons upon hydrogen saturation 1737
- Zinc
 Tuning porosity via control of interpenetration in a zinc isonicotinate metal organic framework 1393
 Chiral and achiral helical coordination polymers of zinc and cadmium from achiral 2,6-bis(imidazol-1-yl)pyridine: Solvent effect and spontaneous resolution 1423
 Main group chemistry of 9-hydroxophenalenone: Syntheses and structural characterization of the alkaline earth and zinc complexes 1581
- Zinc coordination polymer
 Cationic zinc (II) dimers and one dimensional coordination polymer from ionic carboxylic acid 1409
- Zinc dimers
 Cationic zinc (II) dimers and one dimensional coordination polymer from ionic carboxylic acid 1409
- Zn–Cu–Ti oxides
 Carbon monoxide oxidation using Zn–Cu–Ti hydrotalcite-derived catalysts 981
- Zn(II)bisporphyrin
 Building-up novel coordination polymer with Zn(II) porphyrin dimer: Synthesis, structures, surface morphology and effect of axial ligands 1451
- ZnO–ZnCr₂O₄
 Effective utilization of glycerol for the synthesis of 2-methylpyrazine over ZnO–ZnCr₂O₄ catalyst 387