

PAPER • OPEN ACCESS

## High Enhancement of Unidirectional UWB Array Antenna's Gain Using Flat Reflector Structure for Microwave Applications

To cite this article: M A Jamlos *et al* 2019 *IOP Conf. Ser.: Mater. Sci. Eng.* **557** 012050

View the [article online](#) for updates and enhancements.

# High Enhancement of Unidirectional UWB Array Antenna's Gain Using Flat Reflector Structure for Microwave Applications

M A Jamlos<sup>1</sup>, W A Mustafa<sup>1</sup>, Syed Zulkarnain Syed Idrus<sup>2</sup>, Wan Khairunizam<sup>3</sup>, Z M Razlan<sup>3</sup>, Shahrman A B<sup>3</sup> and I Zunaidi<sup>4</sup>

<sup>1</sup>Faculty of Engineering Technology, Kampus Sg. Chuchuh, Universiti Malaysia Perlis, 02100 Padang Besar, Perlis, Malaysia.

<sup>2</sup>Center of Excellence Geopolymer and Green Technology, Universiti Malaysia Perlis, 01000 Kangar, Perlis, Malaysia.

<sup>3</sup>Advanced Intelligent Computing and Sustainability (AICoS) Research Group, School of Mechatronics Engineering, Universiti Malaysia Perlis, 02600 Arau, Malaysia.

<sup>4</sup>Faculty of Technology, University of Sunderland, St Peter's Campus, Sunderland, SR6 0DD, United Kingdom

mohdaminudin@unimap.edu.my

**Abstract.** UWB array antenna with the high enhancement of gain is proposed. New additional flat reflector with a distance of 20 mm enhances the proposed antenna gain. UWB antenna performance with reflector is better than UWB antenna without reflector structure. Antenna with reflector recorded wider operating bandwidth; 1.9GHz-10.6GHz with higher gain ranged from 3.5dB until 14.2dB compared with without reflector antenna operated from 2.2GHz to 10.6GHz with lower gain ranges of 1.9dB to 9.8dB. The reflector structure enhanced the antenna gain by 50% where the average gain throughout operating frequency for an antenna with reflector and antenna without a reflector is 10.2dB and 6.8dB respectively.

**Keywords:** Flat reflector, Ultra-wide band, Array antenna, High gain, Unidirectional antenna

## 1. Introduction

Microwave imaging could be defined as seeing the internal structure of an object by exposing electromagnetic fields at microwave frequencies of 300MHz- 30GHz [1]. It is done by producing images consist of distributed electrical property in the human body called human microwave imaging. Techniques for microwave imaging generally divided by three major parts involving active, passive and hybrid techniques. As for active microwave imaging, several antennas transmit microwave signals into tissues and reflected signals known as backscattered signals are used to generate microwave images. Active microwave imaging can be further separated into ultra-wideband (UWB) radar imaging and tomography imaging. At first, UWB radar imaging technique is introduced purposely only for breast tumor detection [2] and then followed by emerging modification technique used comparable principles technique for stroke and tumor detection in the brain later [3]. Radar-based techniques are preferable since they only needs to identify strong scattering point caused by inclusions with high frequent occasion [4]. This kind of technique is less complicated which involve less sophisticated



algorithm of delay and sum confocal microwave imaging algorithm. This algorithm is the most common algorithm used in ultra-wideband radar-based microwave imaging technique.

Currently, microstrip UWB antennas have to gain great interested from researches due to their advantages such as simple structure, low profile, high data rate, easy integration with monolithic microwave integrated circuits (MMICs) and simple to fabricate. Thus, UWB antenna has turned to be the ideal candidate for future short-range (10 m) high-data wireless communication applications, peer-to-peer ultra-fast communications and a lot of other applications. This has inspired researchers to thoroughly investigate the design of UWB antennas [5]. Due to great benefits provided by UWB technology, various fields and domains with potential applications are deployed using this kind of technology such as in communications, imaging, radar, landmine detection, localization and biomedical systems [6, 7]. Application of microwave energy in the medical field is currently gaining interest by the research community where microwave-based systems have the high potential of being simple, safe, portable and cost-effective.

Due to high gain and better return loss offered by UWB antenna that well suitable for medical applications, the utilization of UWB antenna promising significant function for detection purpose compared with most of the conventional compact antennas which have low gain and poor return loss. In microwave imaging, high gain and good directional beam-width for wide frequency band antennas are really necessary for target detection, localization systems and cancer screening applications [8]. High gain and wide operated bandwidth antenna that boosts the focus of the electromagnetic energy are crucial in microwave imaging for interacting and penetrating the multilayer structures with different characteristics [9] contributes in providing images with high details. Clear and sharp images lead to accurate diagnostic and avoid false treatment given to the patient.

Currently, most of the UWB antenna structures explained in literature are consist of single patch element exhibited nearly omnidirectional radiation patterns and considerably low gain. [10]. Furthermore, a single UWB antenna has been explored comprehensively before and already established worldwide. According to [11, 12], most of the compact UWB antennas demonstrated omnidirectional radiation patterns with moderately low gain and noticeable distortion within the impulse response. UWB arrays antenna can be considered to be applied once the directional radiation pattern and higher value of antenna gain are required [10]. Apart from the directional and high gain antenna, UWB array antenna also required to overcome the disadvantages of microstrip single antenna which is narrow bandwidth with low efficiency [13]. Partial ground technique and present of parasitic element applied in the design lead to the realization of UWB array characteristic. The arrays structures are very effective in capture the scattered signal that can be analyzed to solve the inverse problem and obtain the constructed images of the preferred tissues [14].


Apart from array structure and coaxially fed, the introduction of additional copper reflector contribute significantly in increasing the proposed antenna gain in order to penetrate multi-structure human head so that the signal could reach the tumor inside the brain. It is done by reflecting the backward radiation towards frontwards radiation and hence increases the gain by summing up the original frontwards radiation with reflected one. Reflector in the antenna is a structure that reflects electromagnetic waves towards the desired direction. Reflectors also work to stop undesirable signals from interfering either the side or back of the antenna [15]. The reflector is extremely necessary for single direction transmission and reception or maximum gain possible required. Reflectors could be either a standalone device or be integrated with the antenna as a whole structure. Standalone reflector function is to redirect electromagnetic (EM) energy where corner reflector is one of the most common standalone reflector types. This kind of reflector generally used for radar application as a passive repeater.

## 2. Antenna Design

### 2.1 Antenna Design Simulation

Fig. 1 demonstrated the simulated design of UWB array antenna using taconic (TLY-5) with a dielectric constant of  $\epsilon_r = 2.2$ , a thickness of  $t = 1.5748 \pm 0.02$  and tangent loss of  $\tan \delta = 0.0009$  as the substrate. The antenna is printed with  $4 \times 1$  copper radiating patch array properly connected with quarter wave transformer transmission line associated with a copper parasitic element for the front side as shown in Fig. 1(a). The patches comprise of four identical circulars with a diameter of 15 mm. Parasitic element is placed on very close to feeding line with the gap only 0.2 mm. As shown in Fig. 1 (a), each quarter-wave transmission line has its own specific wide dimension for  $50\Omega$ ,  $70.71\Omega$  and  $100\Omega$  to ensure equal current distribution towards all four patches could be realized. Quarter-wave transformers of  $70.71\Omega$  are used to have an ideal match between the  $100\Omega$  lines and the  $50\Omega$  lines [13].

On the other hand, Fig. 1(b) shows the copper partial ground plane is printed at the back side with  $50\Omega$  SMA connector coaxially fed in the middle of the lower part of the antenna back where the signal is fed directly to the radiating patch. Meanwhile Fig. 1 (c) and (d) show the copper reflector with 20 mm gap functioned to reduce the side lobe and realized the directional antenna which has higher gain property by reflecting the backward radiation towards frontwards radiation. The size of the reflector is similar to the size of the sensor.



**Figure 1.** Quarter wave transformer The simulated geometry of the proposed UWB array antenna, a) front view, b) transparent back view (without reflector) c) top view


All important parameters of the designed antenna are optimized to obtain the best result in term of compact size, high gain and wide bandwidth. The optimized dimensions for the antenna are listed in Table 1. Measurements of gain, patterns and s-parameter have been performed using the setup consisting of Agilent ENA 8051C and anechoic chamber. The horn antenna is used as the transmitting antenna while antenna under test (AUT), UWB array as the receiver with a distance of 0.84 m between them.

**Table 1.** Optimized Antenna Parameter

Symbol	Quantity
Ls	90.0 mm
Ws	45.0 mm
Dp	7.50 mm
Wpe	8.00 mm
Lpe	32.0 mm
Rd	20.0 mm
Wg	18.0 mm
Lg	90.0mm
Wr	90.0 mm
Lr	45.0 mm
Ls	90.0 mm
Ws	45.0 mm


## 2.2 Antenna Fabrication

Fig. 2 shows the comparison image between the fabricated UWB antenna with reflector and UWB antenna without reflector as shown in Figure 2(a) and (b) respectively.



**Figure 2.** Fabricated UWB-Array antenna, a) with reflector, b) without reflector


On the other hand, Figure 3 demonstrated the geometry of the fabricated UWB array antenna with reflector in detail.



**Figure 3.** The fabricated UWB array antenna with reflector. a) front view, b) transparent back view (without reflector), c) top view, d) back view


### 3. Results and Discussions

Simulation and measurement results for both antennas with reflector and without reflector in term of reflection coefficient are shown in Fig. 4. Both simulation and measurement results for each antenna fulfilling the requirement for UWB characteristic; 3.1 GHz until 10.6 GHz. The antenna with reflector performance is better than the antenna without reflector performance. From the figure, it shows the antenna with reflector recorded a wider range bandwidth of operating frequency compared with an antenna without reflector for both simulated and measured results. For simulated, an antenna with reflector recorded UWB operated frequency started from 1.8 GHz until 10.8 GHz while antenna without reflector started from 2.0 GHz until 10.8 GHz. On the other hand, an antenna with reflector and without reflector recorded 1.9 GHz until 10.6 GHz and 2.2 GHz until 10.6 GHz respectively for measured results. Reflection coefficient less than -10 dB is selected due to the condition where 90% of the signals are successfully transmitted while only the left 10% is reflected back [17]. Partial ground technique and additional of parasitic element assure lower reflection coefficient achieved.



**Figure 4.** Simulated and measured reflection coefficient for UWB array antenna with reflector and without reflector


The antenna with reflector exhibits higher gain than antenna without reflector over the whole operated frequency both for simulated and measured as depicted in Fig. 5. Simulated and measured results recorded almost similar readings and considered as an adequate agreement between them. The measured gain for an antenna with reflector and without reflector ranged from 3.5 dB until 14.2 dB and 1.9 dB until 9.8 dB respectively. The reflector structure enhanced the antenna gain by 50% where the average gain throughout operating frequency for an antenna with reflector and antenna without a reflector is 10.2 dB and 6.8 dB respectively. The significant gain enhancement is done with the function of reflector in reflecting the backward radiation towards frontwards radiation and executed as a unidirectional beam associated with high gain.




**Figure 5.** The simulated and measured gain for UWB array antenna with reflector and without reflector

In this design, one of the efficient method to obtain the directional sensor and optimize the gain while maintaining the UWB frequency is by adjusting the reflector distance ( $R_d$ ) as shown in Fig. 6.

Meanwhile, Fig. 7 illustrates that the proposed UWB array's reflection coefficient differ significantly among the various  $R_d$ . Compared to other  $R_d$ , which is 5 mm, 10 mm, 15 mm, 25 mm and 30 mm, only  $R_d = 20$  mm successfully achieves the reflection coefficient within the targeted operating frequencies. Hence, the reflector with a specific distance of  $R_d = 20$  mm has been chosen in the UWB sensor design with a dimension of  $90 \text{ mm} \times 45 \text{ mm}$ .




**Figure 6.** Reflector distance for UWB array antenna (top view)



**Figure 7.** The reflection coefficient of various  $R_d$  for UWB array antenna

Instead of bandwidth and gain, the radiation pattern is the other essential parameter to evaluate the proposed antenna. The measurement and simulated radiation pattern results of Azimuth-Plane for both antennas are shown in Fig. 8. The figure demonstrates the polar radiation pattern for the proposed antenna at the frequency of 2 GHz and 3 GHz that are essential frequencies for brain microwave imaging application [1]. The radiation pattern indicates both antenna with reflector and without reflector does radiate over a wide frequency band [12] where antenna with reflector recorded better radiation pattern indicated by the wider area covered especially the main lobe. Antenna with reflector also could be categorized under unidirectional antenna since the radiated wave radiates more on the main lobe compared to the side and back lobe. In addition, simulation and measurement results indicate acceptable agreement between them. The sensor exhibits the averaged total radiation efficiency of 95% and 87% for an antenna with reflector and antenna without reflector respectively. The total radiation efficiency of the antenna promising the good probe or sensor for human brain microwave imaging. The pattern, gain and frequency ranges of the antenna are the parameters as a good probe or sensor for human brain microwave imaging.





**Figure 8.** Measured and simulated polar radiation pattern in Azimuth plane for an antenna with reflector and without reflector; (a) 2 GHz and (b) 3 GHz

#### 4. Conclusion

A UWB array antenna with the high enhancement of gain for brain microwave imaging is proposed. Additional flat reflector structure contributes significantly to improving the overall antenna performance especially the gain and radiation pattern. The antenna with reflector demonstrated wider reflection coefficient of less than -10dB started from 1.8 GHz until 10.6 GHz with the ranges of gain between 3.5 dB to 14.2 dB as compared with an antenna without reflector that recorded 2.2 GHz to 10.6 GHz and 1.9 dB to 9.8 dB for the reflection coefficient and gains respectively. Moreover, measurement results have identical behavior compared to simulations. Thus, in a nutshell, the proposed antenna is very suitable to be implemented in brain microwave imaging applications due to high gain and wide bandwidth.

#### References

- [1] K. M. Chew, R. Sudirman, N. H. Mahmood, N. Seman, and C. Y. Yong, "Human Brain Microwave Imaging Signal Processing: Frequency Domain (S-parameters) to Time Domain Conversion", *Engineering*, vol. 5, p. 31. 2013
- [2] S. C. Hagness, A. Taflove, and J. E. Bridges, "Two-dimensional FDTD analysis of a pulsed microwave confocal system for breast cancer detection: fixed-focus and antenna-array sensors", *Biomedical Engineering, IEEE Transactions*, 45(12), 1470-1479.1998
- [3] D. Ireland, and M. E. Bialkowski, "Microwave head imaging for stroke detection", *Progress In Electromagnetics Research M*, 21, 163-175. 2011
- [4] L. M. Camacho and S. Tjuatja, "FDTD simulation of microwave scattering from a lung tumor," *Antennas and Propagation Society International Symposium, IEEE*, pp. 815-818. 2005
- [5] A. K. Gautam, S. Yadav, and Binod Kr Kanaujia, "A CPW-Fed Compact UWB Microstrip Antenna", *IEEE Antennas and Wireless Propagation Letters*, Vol. 12. 2013
- [6] X. N. Low, Z. Chen, and S. P. Terence, "A UWB Dipole Antenna with Enhanced Impedance and Gain Performance", *IEEE Transactions on Antenna and Propagations*, Vol. 57, No. 10,

October. 2009

- [7] A. Eusuola, Y. Chen, and G. Y. Tian, "Novel Ultra-Wideband Directional Antenna for Microwave Breast Cancer Detection", AP-S/ URSI. 2011
- [8] A. J. Jasmine and J. M. T. Anita, "Design of Vivaldi Antenna for Brain Cancer Detection", International Conference on Electronics and Communication Systems (ICECS -2014), Coimbatore, INDIA, Feb.13 -14. 2014
- [9] F. S. G. B. Barnes, "Handbook of biological effects of electromagnetic fields", Boca Raton: CRC/Taylor & Francis. 2007
- [10] M. Garbaruk, "Analysis of ultra-wideband linear antenna arrays", (Electrical Review), ISSN 0033-2097, R. 88 NR 8. 2012
- [11] A. M. Abbosh, "Directive Antenna for Ultrawideband Medical Imaging Systems", International Journal of Antennas and Propagation. 2008
- [12] N. Ojaroudi, M. Ojaroudi, F. Geran, and Sh. Amiri, "Omnidirectional Antenna with Multi-Resonance Performance for Microwave Imaging Systems", Telfor Journal, Vol. 5, No. 2. 2013
- [13] N. A. Wahab, Z. Maslan, W. Norsyafizan W. Muhamad, N. Hamzah, "Microstrip Rectangular 4x1 Patch Array Antenna at 2.5GHz for WiMax Application", in Second International Conference on Computational Intelligence, Communication Systems and Networks, Liverpool, pp. 164-168. 2010
- [14] A. F. Sheta, I. Elshafiey, A. Mohra, Z. Siddiqui, and A. R. Sebak, "A Compact Antenna for Microwave Imaging and Hyperthermia Treatment of Brain Tumor", IEEE, 978-1-4673-0292-0112. 2012
- [15] A. Imani, Soleimani, M. Soleimani, S. Amiri, "Analysis of Dual-Reflector Antenna for Radar Applications", Applied Computational Electromagnetics Society Journal, Vol. 30, Issue 12, p1294-1300. 2015
- [16] L. J. Zhang, S. G. Choi, B. C. Ahn, J. H. Bang, D. H. Kim, Y. T. Choi, "Simplified Feed Prime Focus Reflector Antenna", Microwave Journal, Vol. 59, Issue 2, p108-114. 2016
- [17] M. I. Jais, M. F. Jamlos, M. Jusoh, T. Sabapathy, M. K A. Nayan, A. Shahadah, H. A. Ramli, I. Ismail, F. A. A. Fuad, "1.575 GHz Dual-Polarization Textile Antenna (DPTA) for GPS Application", Wireless Technology and Applications (ISWTA), pp. 376-379. 2013